Revision Date: 11.10.2023 Date of last issue: 05.06.2023 Version 12.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikaflex<sup>®</sup>-290 DC PRO

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

#### 1.4 Emergency telephone number

+31-57-0854201

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting ef- fects.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms				
Signal word	:	Danger		
Hazard statements	:	H317 H334	May ca May ca	

### Sikaflex<sup>®</sup>-290 DC PRO

Revision Date: 11.10.2023 Date of last issue: 05.06.2023



e of last issue: 05.06.2023		
	H412	breathing difficulties if inhaled. Harmful to aquatic life with long lasting ef- fects.
Precautionary statements :	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	Prevention:	
	P261 P280	Avoid breathing mist or vapours. Wear protective gloves.
	Response:	
	P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
	Disposal:	
	P501	Dispose of contents/container in accordance with local regulation.

Version 12.0

#### Hazardous components which must be listed on the label:

aromatic polyisocyanate 2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate 4,4'-methylenediphenyl diisocyanate Pentamethyl piperidylsebacate

#### Additional Labelling

EUH204 Contains isocyanates. May produce an allergic reaction.

"As from 24 August 2023 adequate training is required before industrial or professional use."

Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sikaflex<sup>®</sup>-290 DC PRO

Revision Date: 11.10.2023 Date of last issue: 05.06.2023



Version 12.0

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Components			•
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
reaction mass of ethylbenzene and xylene	Not Assigned 905-588-0 01-2119488216-32- XXXX	Flam. Liq. 3; H226 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 Asp. Tox. 1; H304 Aquatic Chronic 3; H412	>= 1 - < 2,5
aromatic polyisocyanate	53317-61-6 Not Assigned	Eye Irrit. 2; H319 Skin Sens. 1; H317	>= 0,5 - < 1
2-ethyl-2-[[(1-oxoallyl)oxy]methyl]- 1,3-propanediyl diacrylate	15625-89-5 239-701-3 01-2119489896-11- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,25 - < 0,5

### Sikaflex<sup>®</sup>-290 DC PRO

Revision Date: 11.10.2023 Date of last issue: 05.06.2023



Version 12.0

4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % STOT SE 3; H335 >= 5 % Skin Irrit. 2; H315 >= 5 % Resp. Sens. 1; H334 >= 0,1 % Acute toxicity esti-	>= 0,1 - < 0,5
Pentamethyl piperidylsebacate Contains: bis(1,2,2,6,6-pentamethyl-4- piperidyl) sebacate methyl 1,2,2,6,6-pentamethyl-4- piperidyl sebacate	1065336-91-5 915-687-0 01-2119491304-40- XXXX	mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l Skin Sens. 1A; H317 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.

## Sikaflex<sup>®</sup>-290 DC PRO



Revision Date: 11.10.2023 Date of last issue: 05.06.2023		Version 12.0	Print Date 04.04
In case of skin contact	:	Take off contaminated clothing and shoes imme Wash off with soap and plenty of water. If symptoms persist, call a physician.	ediately.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	s person.
4.2 Most important symptoms a	nd e	effects, both acute and delaved	
Symptoms	:	Asthmatic appearance Allergic reactions See Section 11 for more detailed information or and symptoms.	health effects
Risks	:	sensitising effects	
		May cause an allergic skin reaction. May cause allergy or asthma symptoms or brea ties if inhaled.	thing difficul-
4.3 Indication of any immediate	me	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting mean	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/o ide/sand/foam/alcohol resistant foam/chemical p extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts			
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathin	ıg apparatus.

Further information : Standard procedure for chemical fires.

Revision Date: 11.10.2023 Date of last issue: 05.06.2023 Version 12.0



#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, prote	ctiv	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for co	ontai	nment and cleaning up
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Keep container tightly closed in a dry and well-ventilated
areas and containers		place. Store in accordance with local regulations.



Revision Date: 11.10.2023
Date of last issue: 05.06.2023

Version 12.0

Further information on stor-	:	No decomposition if stored and applied as directed.
age stability		

#### 7.3 Specific end use(s)

Specific use(s)

: Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
reaction mass of ethylbenzene and xy- lene	Not Assigned	TWA	50 ppm 221 mg/m3	2000/39/EC
	Further informa	ation: Identifies the	possibility of signi	ficant uptake
	through the ski	n, Indicative		
		STEL	100 ppm 442 mg/m3	2000/39/EC
		TLV-8hr	47,5 ppm 210 mg/m3	NL WG
	Further informa	ation: Skin notation		
		TLV-15 min	100 ppm 442 mg/m3	NL WG

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,

### Sikaflex<sup>®</sup>-290 DC PRO

<b>Jika</b> ®
Print Date 04.04.2024

Revision Date: 11.10.2023 Date of last issue: 05.06.2023	Version 12.0	Print Date 04
	long-sleeved working clothing, long trop and protective boots are additionaly rea and stirring work.	
Respiratory protection	<ul> <li>In case of inadequate ventilation wear Respirator selection must be based on exposure levels, the hazards of the pro- ing limits of the selected respirator. Use a properly fitted NIOSH approved respirator complying with an approved sessment indicates this is necessary. organic vapor filter (Type A) A1: &lt; 1000 ppm; A2: &lt; 5000 ppm; A3: Ensure adequate ventilation. This can exhaust extraction or by general ventila ods for determining inhalation exposure ticular to the mixing / stirring area. In can be approved to approximate the pro- ticular to the mixing / stirring area.</li> </ul>	known or anticipated oduct and the safe work- air-purifying or air-fed standard if a risk as- < 10000 ppm be achieved by local ation. (EN 689 - Meth- e). This applies in par- ase this is not sufficent

#### **Environmental exposure controls**

: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

	<b>~</b>	
Physical state	:	liquid
Appearance		paste
Colour	:	black
Coloui	•	DIACK
Odour		slight
	•	engin
Melting point/range / Freezing		No data available
point	•	
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
, and a second		
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up-	:	No data available
per flammability limit		
Lower explosion limit /	:	No data available
	•	

Print Date 04.04.2024

Revision Date: 11.10.2023 Date of last issue: 05.06.2023 Version 12.0

Lower flammability limit		
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
<b>Solubility(ies)</b> Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,01 hPa
Density	:	ca. 1,3 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

#### 9.2 Other information

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.



Revision Date: 11.10.2023 Date of last issue: 05.06.2023

10.5 Incompatible materials

**10.4 Conditions to avoid** Conditions to avoid Version 12.0

: Avoid moisture.

Materials to avoid	: No data available
10 6 Hazardaya dagampasitian n	roducto
10.6 Hazardous decomposition p No decomposition if stored and	
SECTION 11: Toxicological int	formation
11.1 Information on hazard class	es as defined in Regulation (EC) No 1272/2008
Acute toxicity	
Not classified due to lack of da	ta.
Components:	
reaction mass of ethylbenze	ne and xylene:
Acute oral toxicity	: LD50 Oral (Rat): 3.523 mg/kg
oromotio polyicooyonoto.	
aromatic polyisocyanate: Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg
2-ethyl-2-[[(1-oxoallyl)oxy]m	ethyl]-1,3-propanediyl diacrylate:
Acute oral toxicity	: LD50 Oral (Rat): 3.680 - 5.000 mg/kg
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 5.000 mg/kg
4,4'-methylenediphenyl diisc	cyanate:
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50: 1,5 mg/l
	Exposure time: 4 h
	Test atmosphere: dust/mist Method: Expert judgement
	Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist
	Method: Calculation method
Pentamethyl piperidylsebaca	ato.
Acute oral toxicity	: LD50 Oral (Rat): 3.230 mg/kg
2	· · · · · · · · · · · · · · · · · · ·

### Sikaflex<sup>®</sup>-290 DC PRO

Revision Date: 11.10.2023 Date of last issue: 05.06.2023

Version 12.0



#### Skin corrosion/irritation

Not classified due to lack of data.

### Serious eye damage/eye irritation

Not classified due to lack of data.

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### reaction mass of ethylbenzene and xylene:

Toxicity to fish (Chronic tox-	:	NOEC: > 1,3 mg/l
icity)		Exposure time: 56 d
		Species: Oncorhynchus mykiss (rainbow trout)

#### SAFETY DATA SHEET 4007/0000 acc

### Si

Print Date 04.04.2024

according to Regulation (EC) No. 190	07	/2006	
Sikaflex <sup>®</sup> -290 DC PRO			J
Revision Date: 11.10.2023 Date of last issue: 05.06.2023		Version 12.0	Print Date 0
Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)	:	NOEC: 1,17 mg/l Exposure time: 7 d Species: Daphnia (water flea)	
2-ethyl-2-[[(1-oxoallyl)oxy]me	eth	yl]-1,3-propanediyl diacrylate:	
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 0,87 mg/l Exposure time: 96 h Method: OECD Test Guideline 203	
M-Factor (Acute aquatic tox- icity)	:	1	
M-Factor (Chronic aquatic toxicity)	:	1	
Pentamethyl piperidylsebaca	ite		
Toxicity to fish	:	LC50 (Fish): 0,97 mg/l Exposure time: 96 h	
M-Factor (Acute aquatic tox- icity)	:	1	
M-Factor (Chronic aquatic toxicity)	:	1	
<b>12.2 Persistence and degradabilit</b> No data available	y		
<b>12.3 Bioaccumulative potential</b> No data available			
<b>12.4 Mobility in soil</b> No data available			
12.5 Results of PBT and vPvB ass	se	ssment	
Product:			
Assessment	:	This substance/mixture contains no components to be either persistent, bioaccumulative and toxic very persistent and very bioaccumulative (vPvB) 0.1% or higher	c (PBT), or
12.6 Endocrine disrupting proper	tie	S	
Product:			
Assessment	:	The substance/mixture does not contain compor ered to have endocrine disrupting properties acc REACH Article 57(f) or Commission Delegated r (EU) 2017/2100 or Commission Regulation (EU)	cording to egulation

levels of 0.1% or higher.

Revision Date: 11.10.2023 Date of last issue: 05.06.2023 Version 12.0



#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	The generation of waste should be avoided or mi wherever possible. Empty containers or liners may retain some product This material and its container must be disposed way. Dispose of surplus and non-recyclable products waste disposal contractor. Disposal of this product, solutions and any by-pro- at all times comply with the requirements of envir protection and waste disposal legislation and any local authority requirements. Avoid dispersal of spilled material and runoff and soil, waterways, drains and sewers.	uct residues. of in a safe ria a licensed oducts should onmental regional
European Waste Catalogue	08 04 09* waste adhesives and sealants contain solvents or other dangerous substances	ing organic
Contaminated packaging	15 01 10* packaging containing residues of or co by dangerous substances	ntaminated

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	Transport hazard class(es)		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good

Print Date 04.04.2024

Revision Date: 11.10.2023
Date of last issue: 05.06.2023

.

Version 12.0

	ΙΑΤΑ	:	Not regulated as a danger	rous good
14.	4 Packing group			
	ADR	:	Not regulated as a danger	ous good
	IMDG	:	Not regulated as a danger	ous good
	IATA (Cargo)	:	Not regulated as a danger	ous good
	IATA (Passenger)	:	Not regulated as a danger	rous good
14.	<b>5 Environmental hazards</b> Not regulated as a dangerous (	go	bd	
14.	6 Special precautions for user Not applicable			
14.	<b>7 Maritime transport in bulk ac</b> Not applicable for product as su		-	
SE	CTION 15: Regulatory inform	ma	ation	
<b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</b> International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors				
	REACH Information:		All substances contained i - registered by our upstrea - registered by us, and/or - excluded from the regula - exempted from the regist	am suppliers, and/or ition, and/or
	REACH - Restrictions on the m the market and use of certain d mixtures and articles (Annex X	lar	igerous substances,	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
				4,4'-methylenediphenyl diisocyanate (Number on list 74, 56) 1,2-Benzenedicarboxylic acid, di-C9- 11-branched alkyl esters, C10-rich (Number on list 52)

REACH - List of substances subject to authorisation : Not applicable (Annex XIV)

Concern for Authorisation (Article 59).

### Sikaflex<sup>®</sup>-290 DC PRO



Revision Date: 11.10.2023 Date of last issue: 05.06.2023 Version 12.0

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 1,45% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)

#### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Volatile organic compounds (VOC) content: 1,45% w/w

Contains a substance which is subject to the SZW-list of reproductive toxic substances (Ministry of Social Affairs and Employment).

reaction mass of ethylbenzene and xylene manganese ferrite black spinel salicylic acid

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### SECTION 16: Other information

#### Full text of H-Statements

H226 :	Flammable liquid and vapour.
H304 :	May be fatal if swallowed and enters airways.
H312 :	Harmful in contact with skin.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H319 :	Causes serious eye irritation.

Revision Date: 11.10.2023 Date of last issue: 05.06.2023

te	e of last issue: 05.06.2023			
	H332 :		Harmful if inhaled.	
	H334 :		May cause allergy or asthma symptoms or breathin	ng difficul-
			ties if inhaled.	0
	H335 :		May cause respiratory irritation.	
	H351 :		Suspected of causing cancer.	
	H361f :		Suspected of damaging fertility.	
	H373 :		May cause damage to organs through prolonged o	or repeated
			exposure if inhaled.	•
	H400 :		Very toxic to aquatic life.	
	H410 :		Very toxic to aquatic life with long lasting effects.	
	H412 :		Harmful to aquatic life with long lasting effects.	
	Full text of other abbreviation	S		
	Acute Tox.		Aquita toxicity	
	Aquatic Acute :		Acute toxicity Short-term (acute) aquatic hazard	
	Aquatic Acute Aquatic Chronic		Long-term (actue) aquatic hazard	
	Aqualle Chilonie . Asp. Tox. :		Aspiration hazard	
	Carc.		Carcinogenicity	
	Eye Irrit.		Eye irritation	
	Flam. Liq.		Flammable liquids	
	•		Reproductive toxicity	
	Repr. : Resp. Sens. :		Respiratory sensitisation	
	Skin Irrit.		Skin irritation	
	Skin Sens.		Skin sensitisation	
	STOT RE			
	STOT SE		Specific target organ toxicity - repeated exposure	
			Specific target organ toxicity - single exposure Europe. Commission Directive 2000/39/EC establis	obing o first
	2000/39/EC :	•		
			list of indicative occupational exposure limit values	
	NL WG :	•	Netherlands. Law on Labour conditions - Occupation	onai Expo-
	2000/39/EC / TWA :		sure Limits	
	2000/39/EC / TWA		Limit Value - eight hours	
	NL WG / TLV-8hr :		Short term exposure limit	
	NLWG/TLV-011 .		Time Weighted Average Short Term Exposure Limit	
	ADR :		European Agreement concerning the International	Corriggo of
	ADR .	•	Dangerous Goods by Road	Carriage of
	CAS :		Chemical Abstracts Service	
	DNEL :		Derived no-effect level	
	EC50		Half maximal effective concentration	
	GHS :		Globally Harmonized System	
	IATA :		International Air Transport Association	
	IMDG		International Maritime Code for Dangerous Goods	
	LD50		Median lethal dosis (the amount of a material, give	
	ED30 .	•	once, which causes the death of 50% (one half) of	
			test animals)	a group or
	LC50 :		Median lethal concentration (concentrations of the	chomical in
	LC50 .	•		
			air that kills 50% of the test animals during the obs period)	
	MARPOL :		International Convention for the Prevention of Pollu	ution from
		•		
			Ships, 1973 as modified by the Protocol of 1978	
	OEL : PBT :		Occupational Exposure Limit	
			Persistent, bioaccumulative and toxic Predicted no effect concentration	
	PNEC :			arliamont
~	REACH :		Regulation (EC) No 1907/2006 of the European Pa	

Version 12.0

<b>Jika</b> ®
Print Date 04.04.2024

Revision Date: 11.10.2023 Date of last issue: 05.06.2023 Version 12.0

	and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi-
SVHC :	cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern
5010 .	Substances of very high concern
vPvB :	Very persistent and very bioaccumulative

#### **Further information**

Classification of the	mixture:	Classification procedure:
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN