

Revision Date: 28.11.2024 Date of last issue: - Version 1.1

Print Date 29.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaEmaco[®] T 1100 TIX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Repairing mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person responsible for the SDS	:	EHS@nl.sika.com

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	L R	
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco[®] T 1100 TIX



Revision Date: 28.11.2024 Date of last issue: -	Version 1.1		Print Date 29.11.2024
	H335 Ma	ay cause respiratory irritation.	
Precautionary statements :	P101	If medical advice is needed, ha container or label at hand.	ve product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-vea.	ventilated ar-
	P280	Wear protective gloves/ eye proprotection.	otection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container i with local regulation.	n accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

CAS-No.

65997-15-1

266-043-4

14808-60-7 238-878-4

Registration number

EC-No.

SECTION 3: Composition/information on ingredients

Substances with a workplace exposure limit :

For explanation of abbreviations see section 16.

SikaEmaco[®] T 1100 TIX

Revision Date: 28.11.2024 Date of last issue: -

> Components Chemical name

Quartz (SiO2)

Cement (chromium reduced)

3.2 Mixtures

Version 1.1

Classification

Skin Irrit. 2; H315

Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Print Date 29.11.2024

Concentration

(% w/w)

>= 20 - < 25

>= 40 - < 60

4.1 Description of first aid measures

SECTION 4: First aid measures

	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 N	lost important symptoms an	d e	ffects, both acute and delayed
	Symptoms	:	Cough Respiratory disorder

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco[®] T 1100 TIX



Revision Date: 28.11.2024 Date of last issue: -		Version 1.1	Print Date 29.11.202
		Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information and symptoms.	on health effects
Risks	:	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
		irritant effects	
4.3 Indication of any immediate	me	dical attention and special treatment needed	d
Treatment	:	Treat symptomatically.	
Suitable extinguishing media	:	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
5.2 Special hazards arising from	h th	e substance or mixture	
		No hazardous combustion products are know	'n
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breat	hing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental release	se	measures	
6.1 Personal precautions, protect	ctiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Avoid breathing dust.	

6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water
		courses. No special environmental precautions required.
		No special environmental precaditoris required.

Deny access to unprotected persons.

SikaEmaco[®] T 1100 TIX



Print Date 29.11.2024

Revision Date: 28.11.2024 Version 1.1 Date of last issue: -

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling :	9 	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against : fire and explosion		Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures :	F	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, inc	clu	ding any incompatibilities
	Requirements for storage : areas and containers		Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- : age stability		Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s) :		Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira- ble dust)	0,075 mg/m3 (Silica)	NL WG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco[®] T 1100 TIX



Revision Date: 28.11.2024 Date of last issue: - Version 1.1

Print Date 29.11.2024

Further information: Carcinogenic substances, based on the thresholdlimit effect

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water			
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.			
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.			
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.			
Environmental exposure controls				
General advice :	Try to prevent the material from entering drains or water courses. No special environmental precautions required.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

SikaEmaco[®] T 1100 TIX



Revision Date: 28.11.2024 Date of last issue: -	Version 1.1	Print Date 29.11.2024
Physical state Appearance Colour	: solid : powder : beige	
Odour	: mild	
Melting point/ range / Freez- ing point	: No data available	
Boiling point/boiling range	: No data available	
Flammability (solid, gas)	: No data available	
Upper/lower flammability or	explosive limits	
Upper explosion limit / Up- per flammability limit	: No data available	
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: > 11 Concentration: 50 %	
Viscosity Viscosity, kinematic	: Not applicable	
Solubility(ies) Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: No data available	

SikaEmaco[®] T 1100 TIX

Revision Date: 28.11.2024



Print Date 29.11.2024

Date of last issue: -		
Bulk density	: 1.370 kg/m3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		
SECTION 10: Stability and I	reactivity	

Version 1.1

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

SikaEmaco[®] T 1100 TIX

Revision Date: 28.11.2024 Date of last issue: - Version 1.1

Print Date 29.11.2024

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available Country NL 000000722014





Revision Date: 28.11.2024 Date of last issue: - Version 1.1

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	

:	The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco[®] T 1100 TIX



Revision Date: 28.11.2024 Date of last issue: -		Version 1.1	Print Date 29.11.2024
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a dangerou	s go	od	

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 47: Cement (chromium reduced)

Number on list 75:

: Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco[®] T 1100 TIX



Revision Date: 28.11.2024 Date of last issue: -	Version 1	.1		Print Date 29.11.2024	
REACH - Candidate List of Substa Concern for Authorisation (Article		:	None of the componer (=> 0.1 %).	nts are listed	
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable		
Regulation (EC) on substances th layer	nat deplete the ozone	:	Not applicable		
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable		
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable		
Netherlands. Substances of very	high concern (ZZS-list)	:	Quartz (SiO2) Crystalline silica		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable					
Volatile organic compounds :	(VOCV)		or volatile organic comp ds (VOC) content: < 0,0°		
	emissions (integrated p	ollu	4 November 2010 on ind ution prevention and cor ds (VOC) content: < 0,0	ntrol)	

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Jika®

SikaEmaco[®] T 1100 TIX

Revision Date: 28.11.2024 Date of last issue: - Version 1.1

Print Date 29.11.2024

SECTION 16: Other information

Full text of H-Statements				
H315	:	Causes skin irritation.		
H318	:	Causes serious eye damage.		
H335	:	May cause respiratory irritation.		
Full text of other abbreviations				
Eye Dam.	:	Serious eye damage		
Skin Irrit.	:	Skin irritation		
STOT SE	:	Specific target organ toxicity - single exposure		
NL WG	:	Netherlands. Law on Labour conditions - Occupational Expo-		
		sure Limits		
NL WG / TLV-8hr	:	Time Weighted Average		
ADR	:	European Agreement concerning the International Carriage of		
		Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
ΙΑΤΑ	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at		
		once, which causes the death of 50% (one half) of a group of		
		test animals)		
LC50	:	Median lethal concentration (concentrations of the chemical in		
		air that kills 50% of the test animals during the observation		
		period)		
MARPOL	:	International Convention for the Prevention of Pollution from		
		Ships, 1973 as modified by the Protocol of 1978		
OEL	:	Occupational Exposure Limit		
PBT	:	Persistent, bioaccumulative and toxic		
PNEC	:	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament		
		and of the Council of 18 December 2006 concerning the Reg-		
		istration, Evaluation, Authorisation and Restriction of Chemi-		
SVHC		cals (REACH), establishing a European Chemicals Agency		
SVHC vPvB	÷	Substances of Very High Concern		
VFVD	•	Very persistent and very bioaccumulative		
Further information				

Classification of the r	nixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaEmaco[®] T 1100 TIX



Revision Date: 28.11.2024 Date of last issue: - Version 1.1

Print Date 29.11.2024

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN