Version 10.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Sikafloor [®] Marine-579 Part B
REACH Registration Number	:	01-2119457013-49-XXXX
Substance name	:	4,4`-Methylenediphenyl diisocyanate, oligomers
EC-No.	:	500-040-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Flooring system, For professional users only.
-------------	---

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person responsible for the SDS	:	EHS@nl.sika.com

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12 Acute toxicity, Category 4	72/2008) H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

Print Date 03.04.2024

Revision Date: 08.03.2024 Date of last issue: 24.06.2023 Version 10.2

Specific target organ toxicity - repeated exposure, Category 2

H373: May cause damage to organs through prolonged or repeated exposure if inhaled.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word	:	Danger	
Hazard statements	:	H317 May H319 Cau H322 Har H334 May ing H335 May H351 Sus H373 May	uses skin irritation. / cause an allergic skin reaction. uses serious eye irritation. mful if inhaled. / cause allergy or asthma symptoms or breath- difficulties if inhaled. / cause respiratory irritation. pected of causing cancer. / cause damage to organs through prolonged epeated exposure if inhaled.
Precautionary statements	:	Prevention: P201 P260 P264 P280	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response:	
		P304 + P340 + F	air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
		P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 08.03.2024 Date of last issue: 24.06.2023 Version 10.2



Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
4,4`-Methylenediphenyl diisocyanate, oligomers	25686-28-6 500-040-3	100	Acute toxicity estimate
			Acute inhalation toxici- ty (dust/mist): 1,5 mg/l
triethyl phosphate	78-40-0 201-114-5	>= 1 - < 2,5	Acute toxicity estimate
			Acute oral toxicity: 1.600 mg/kg

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

Sikafloor[®] Marine-579 Part B

Revision Date: 08.03.2024 Date of last issue: 24.06.2023



4.2 Most important symptoms and effects, both acute and delayed

.2 Most important symptoms and	d effects, both acute and delayed
Symptoms	 Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.

Version 10.2

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.
-----------	--------------------------

SECTION 5: Firefighting measures

5.1	Extinguishing media Suitable extinguishing media :	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 \$	Special hazards arising from th Hazardous combustion prod- : ucts	substance or mixture No hazardous combustion products are known
5.3	Advice for firefighters Special protective equipment : for firefighters	In the event of fire, wear self-contained breathing apparatus.
	Further information :	Standard procedure for chemical fires.

Print Date 03.04.2024

Revision Date: 08.03.2024 Date of last issue: 24.06.2023 Version 10.2

Keep in suitable, closed containers for disposal.

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	ctive	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for co	ntai	nment and cleaning up
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : K	Keep container tightly closed in a dry and well-ventilated
------------------------------	--



Revision Date: 08.03.2024 Date of last issue: 24.06.2023		Version 10.2	Print Date 03.04.202
areas and containers		place. Containers which are opened museled and kept upright to prevent leak ance with local regulations.	
Further information on stor- age stability	:	No decomposition if stored and applied	as directed.
7.3 Specific end use(s) Specific use(s)	:	Cleaning with aprotic polar solvents mu Consult most current local Product Data use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
------------	---------	-------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator.

Sikafloor[®] Marine-579 Part B

Revision Date: 08.03.2024 Date of last issue: 24.06.2023



Version 10.2

Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.

Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid yellow
Odour	:	characteristic
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	> 200 °C
Flammability (solid, gas)		No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	190 °C Method: closed cup
Auto-ignition temperature	:	No data available

Sikafloor[®] Marine-579 Part B



Revision Date: 08.03.2024 Date of last issue: 24.06.2023	Version 10.2	Print Date 03.04.2024
Decomposition temperature	: No data available	
рН	: Not applicable substance/mixture reacts with water	
Viscosity Viscosity, kinematic	: > 7 mm2/s (40 °C)	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: 1,22 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No d	ata available
iviaterials to avoid : INO d	ata avallable

Sikafloor[®] Marine-579 Part B

Revision Date: 08.03.2024 Date of last issue: 24.06.2023

Version 10.2



10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Components:

4,4`-Methylenediphenyl diisocyanate, oligomers:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement
		Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg
triethyl phosphate:		
Acute oral toxicity	:	LD50 Oral (Rat): 1.600 mg/kg
		Acute toxicity estimate: 1.600 mg/kg Method: Calculation method

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Suspected of causing cancer.

Revision Date: 08.03.2024 Date of last issue: 24.06.2023 Version 10.2



Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

Print Date 03.04.2024

Revision Date: 08.03.2024 Date of last issue: 24.06.2023 Version 10.2

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	The generation of waste should be avoided or mi wherever possible. Empty containers or liners may retain some product This material and its container must be disposed way. Dispose of surplus and non-recyclable products we waste disposal contractor. Disposal of this product, solutions and any by-pro- at all times comply with the requirements of envir protection and waste disposal legislation and any local authority requirements. Avoid dispersal of spilled material and runoff and soil, waterways, drains and sewers.	uct residues. of in a safe ria a licensed oducts should onmental regional
European Waste Catalogue	08 01 11* waste paint and varnish containing org vents or other dangerous substances	anic sol-
Contaminated packaging	15 01 10* packaging containing residues of or co by dangerous substances	ntaminated

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good

Print Date 03.04.2024

Revision Date: 08.03.2024 Date of last issue: 24.06.2023 Version 10.2

:	Not regulated as a dangerous good Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
:	Not regulated as a dangerous good
	·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
	4,4`-Methylenediphenyl diisocya- nate, oligomers (Number on list 74, 56)
:	None of the components are listed (=> 0.1 %).
:	Not applicable
	:

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

Sikafloor[®] Marine-579 Part B

Print Date 03.04.2024

control of ma-

Revision Date: 08.03.2024 Date of last issue: 24.06.2023

plete the ozone layer

Version 10.2

Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parlian jor-accident hazards involving dangerous substances. Not applicable	nent	and of the Council on the

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance by the supplier.

SECTION 16: Other information

Full text of other abbreviations

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL	: Derived no-effect level
EC50	: Half maximal effective concentration
GHS	: Globally Harmonized System
ΙΑΤΑ	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	 Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration



Revision Date: 08.03.2024 Date of last issue: 24.06.2023	Version 10.2	Print Date 03
REACH	: Regulation (EC) No 1907/2006 of the and of the Council of 18 December 20 istration, Evaluation, Authorisation an	006 concerning the Reg- d Restriction of Chemi-
SVHC	cals (REACH), establishing a Europe : Substances of Very High Concern	an Chemicals Agency

:

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Very persistent and very bioaccumulative

Changes as compared to previous version !

NL / EN

vPvB