

Revision Date: 19.02.2024 Date of last issue: 14.02.2024 Version 5.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: SikaTank<sup>®</sup> PK-25 G Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

+31-57-0854201

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Acute toxicity, Category 4	H302: Harmful if swallowed.
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling (REGULATION (	EC)	No 1272/200	8)
Hazard pictograms	:	(!)	
Signal word	:	Warning	
Hazard statements	:	H302 H411	Harmful if swallowed. Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention	

# SikaTank<sup>®</sup> PK-25 G Part B

Print Date 03.04.2024

Revision Date: 19.02.2024 Date of last issue: 14.02.2024

P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
Response:	
P301 + P312 + F	2330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P391	Collect spillage.
Disposal:	
P501	Dispose of contents/container in accordance with local regulation.

Version 5.1

#### Hazardous components which must be listed on the label:

manganese dioxide

#### **Additional Labelling**

EUH208 Contains thiram (ISO). May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 19.02.2024 Date of last issue: 14.02.2024 Version 5.1



### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
manganese dioxide	1313-13-9 215-202-6	Acute Tox. 4; H302 Acute Tox. 4; H332 STOT RE 2; H373 specific concentration limit STOT RE 2; H373 95 %	>= 40 - < 60
oxydipropyl dibenzoate	27138-31-4 248-258-5 01-2119529241-49- XXXX	Aquatic Chronic 3; H412	>= 20 - < 25
thiram (ISO)	137-26-8 205-286-2	Acute Tox. 4; H332 Acute Tox. 4; H302 STOT RE 2; H373 Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,5 - < 1
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
1,3-diphenylguanidine	102-06-7 203-002-1	Repr. 2; H361f Acute Tox. 4; H302 Eye Irrit. 2; H319 STOT SE 3; H335 Skin Irrit. 2; H315 Aquatic Chronic 2; H411	>= 0,5 - < 1

For explanation of abbreviations see section 16.

:

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician.



Revision Date: 19.02.2024 Date of last issue: 14.02.2024		Version 5.1	Print Date 03.04.	
		Show this safety data sheet to the doctor in atter	ndance.	
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact	:	Take off contaminated clothing and shoes imme Wash off with soap and plenty of water. If symptoms persist, call a physician.	diately.	
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious	s person.	
4.2 Most important symptoms a	nd	effects, both acute and delayed		
Symptoms	:	Gastrointestinal discomfort See Section 11 for more detailed information on and symptoms.	health effects	
Risks	:	No known significant effects or hazards.		
		Harmful if swallowed.		
4.3 Indication of any immediate	4.3 Indication of any immediate medical attention and special treatment needed			
Treatment	:	Treat symptomatically.		

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
		In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
Unsuitable extinguishing media	:	High volume water jet
Special bazards arising from the substance or mixture		

#### **5.2 Special hazards arising from the substance or mixture** Specific hazards during fire- : Do not allow run-off from fire fighting to enter drains or water

fighting	•	courses.
Hazardous combustion prod-	:	Carbon oxides



Revision Date: 19.02.2024 Date of last issue: 14.02.2024	Version 5.1	Print Date 03.04.2024
ucts	Sulphur oxides Nitrogen oxides (NOx)	
	No hazardous combustion products are kno	wn
5.3 Advice for firefighters Special protective equipment for firefighters	In the event of fire, wear self-contained brea	athing apparatus.
Further information	<ul> <li>Collect contaminated fire extinguishing wate must not be discharged into drains.</li> <li>Fire residues and contaminated fire extingu be disposed of in accordance with local region</li> </ul>	ishing water must

### **SECTION 6: Accidental release measures**

• •	e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.		
6.2 Environmental precautions			
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.		
6.3 Methods and material for containment and cleaning up			
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.		
6.4 Peteronce to other sections			

#### 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> </ul>
	Follow standard hygiene measures when handling chemical products

Advice on protection against	:	Normal measures for preventive fire protection.
fire and explosion		



Revision Date: 19.02.2024 Date of last issue: 14.02.2024		Version 5.1	Print Date 03.04.2024
Hygiene measures	:	Handle in accordance with good industrial hygic practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well- place. Store in accordance with local regulation	
Further information on stor- age stability	:	No decomposition if stored and applied as direc	sted.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet use.	prior to any

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
manganese dioxide	1313-13-9	TWA (inhalable	0,2 mg/m3	2017/164/EU
-		fraction)	(Manganese)	
	Further inform	Further information: Indicative		
		TWA (Respirable	0,05 mg/m3	2017/164/EU
		fraction)	(Manganese)	
thiram (ISO)	137-26-8	TWA	1 mg/m3	DE TRGS 900

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

# 8.2 Exposure controls

# Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure:

SikaTank<sup>®</sup> PK-25 G Part B



Revision Date: 19.02.2024
Date of last issue: 14.02.2024

		Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

### **Environmental exposure controls**

General advice	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform
	respective authorities.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid paste grey		
Odour	:	sulphurous		
Melting point/range / Freezing point	:	No data available		
Boiling point/boiling range	:	No data available		
Flammability (solid, gas)	:	No data available		
Upper/lower flammability or explosive limits				

Upper explosion limit / Up- : No data available per flammability limit

# SikaTank<sup>®</sup> PK-25 G Part B

4.2024

Revision Date: 19.02.2024 Date of last issue: 14.02.2024		Version 5.1	Print Date 03.04
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity			
Viscosity, kinematic	:	Not applicable	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	Not applicable	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	
9.2 Other information			

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### **10.2 Chemical stability**

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.



Revision Date: 19.02.2024 Date of last issue: 14.02.2024 Version 5.1

<b>10.4 Conditions to avoid</b> Conditions to avoid	: Extremes of temperature and direct sunlight. No data available		
10.5 Incompatible materials			
Materials to avoid	: Strong bases Strong oxidizing agents		
	No data available		
10.6 Hazardous decomposition products			
	No decomposition if stored and applied as directed.		
	No hazardous decomposition products are known.		

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful if swallowed.

#### Components:

#### oxydipropyl dibenzoate:

Acute oral toxicity : LD50 Oral (Rat): 3.914 mg/kg

#### Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation Not classified due to lack of data.

Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

### **Respiratory sensitisation**

Not classified due to lack of data.

#### Germ cell mutagenicity

Not classified due to lack of data.

Revision Date: 19.02.2024 Date of last issue: 14.02.2024 Version 5.1



Carcinogenicity

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### oxydipropyl dibenzoate:

Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	EC50: 19,3 mg/l Exposure time: 48 h Species: Daphnia (water flea)
thiram (ISO):		
M-Factor (Acute aquatic tox- icity)	:	10
M-Factor (Chronic aquatic toxicity)	:	10
12.2 Persistence and degradabili	ity	
No data available		
12 3 Bioaccumulative potential		

#### 12.3 Bioaccumulative potential

No data available

Revision Date: 19.02.2024 Date of last issue: 14.02.2024 Version 5.1



#### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	

### Product:

Additional ecological infor- : mation	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.
---------------------------------------	---

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe way.</li> </ul>
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Print Date 03.04.2024

Revision Date: 19.02.2024 Date of last issue: 14.02.2024		Version 5.1	Print Date 03.04.2
ADR	:	UN 3082	
IMDG		UN 3082	
IATA		UN 3082	
14.2 UN proper shipping name	•	0110002	
ADR	:	ENVIRONMENTALLY HAZARDOUS N.O.S. (oxydipropyl dibenzoate)	S SUBSTANCE, LIQUID,
IMDG	:	ENVIRONMENTALLY HAZARDOUS N.O.S. (oxydipropyl dibenzoate)	S SUBSTANCE, LIQUID,
ΙΑΤΑ	:	Environmentally hazardous substand (oxydipropyl dibenzoate)	ce, liquid, n.o.s.
14.3 Transport hazard class(es)			
		Class Subsidiary ris	ks
ADR	:	9	
IMDG	:	9	
ΙΑΤΑ	:	9	
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code Remarks		III M6 90 9 (-) Transport in accordance with specia	l provision 375
<b>IMDG</b> Packing group Labels EmS Code Remarks	: : :	III 9 F-A, S-F Transport in accordance with 2.10.2	.7 of the IMDG-Code
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels Remarks	:	964 Y964 III Miscellaneous Transport in accordance with specia	l regulation A 197
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ)	:	964 Y964	
Country NL 10000007707			12 / 16

Revision Date: 19.02.2024 Date of last issue: 14.02.2024 Version 5.1



Date	of last issue: 14.02.2024		
	Packing group Labels	:	III Miscellaneous
14.5	Environmental hazards		
	<b>ADR</b> Environmentally hazardous	:	yes
	IMDG Marine pollutant	:	yes
	IATA (Passenger) Environmentally hazardous	:	yes
	IATA (Cargo) Environmentally hazardous	:	yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

**REACH** Information: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on : Conditions of restriction for the folthe market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 75, 3 REACH - Candidate List of Substances of Very High : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation : Not applicable (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-: Not applicable

# SikaTank<sup>®</sup> PK-25 G Part B



Revision Date: 19.02.2024 Version 5.1 Date of last issue: 14.02.2024 plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-: Not applicable tants (recast) Regulation (EU) No 649/2012 of the European Parlia-: thiram (ISO) ment and the Council concerning the export and import of dangerous chemicals Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. ENVIRONMENTAL HAZARDS E2 Volatile organic compounds Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable Contains a substance which is subject to the SZW-list of manganese dioxide reproductive toxic substances (Ministry of Social Affairs 1,3-diphenylguanidine

# 15.2 Chemical safety assessment

and Employment).

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# **SECTION 16: Other information**

### Full text of H-Statements

H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H361f	:	Suspected of damaging fertility.
H373	:	May cause damage to organs through prolonged or repeated
		exposure.
H373	:	May cause damage to organs through prolonged or repeated exposure if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

Revision Date: 19.02.2024 Date of last issue: 14.02.2024

Version 5.1



#### Full text of other abbreviations

Acute Tox. Aquatic Acute Aquatic Chronic Eye Irrit. Repr. Skin Irrit. Skin Sens. STOT RE STOT SE 2017/164/EU		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Eye irritation Reproductive toxicity Skin irritation Skin sensitisation Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
DE TRGS 900 2017/164/EU / TWA DE TRGS 900 / TWA ADR	:	Germany. TRGS 900 - Occupational exposure limit values. Limit Value - eight hours Time Weighted Average European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS DNEL EC50 GHS IATA IMDG LD50		Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL PBT	÷	Occupational Exposure Limit Persistent, bioaccumulative and toxic
PNEC		Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative

#### **Further information**

Classification of the mi	Classification procedure:	
Acute Tox. 4	H302	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

# SikaTank<sup>®</sup> PK-25 G Part B

Revision Date: 19.02.2024 Date of last issue: 14.02.2024 Version 5.1



Changes as compared to previous version !

NL / EN