Sika[®] Control[®]-40



Revision Date: 25.06.2024 Date of last issue: 01.09.2023 Version 3.0

Print Date 28.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Control[®]-40

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Concrete and mortar admixture

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1

H318: Causes serious eye damage.

2.2 Label elements

Signal word

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Prevention:P280Wear eye protection/ face protection.Response:P305 + P351 + P338 + P310IF IN EYES: Rinse cautiously

Hazard statements

Precautionary statements



Revision Date: 25.06.2024 Date of last issue: 01.09.2023 Version 3.0

Print Date 28.06.2024

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

2,2-dimethylpropane-1,3-diol

Additional Labelling

EUH208 Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

components			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
2,2-dimethylpropane-1,3-diol	126-30-7 204-781-0 01-2119480396-30- XXXX	Eye Dam. 1; H318	>= 40 - < 60
2-butylaminoethanol	111-75-1 203-904-5 01-2119987315-28- XXXX	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Acute toxicity esti- mate Acute oral toxicity: 1.150 mg/kg	>= 5 - < 10

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Control[®]-40

Jika®

Revision Date: 25.06.2024 Date of last issue: 01.09.2023	Version 3.0)	Print Date 28.06.2024
mixture of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239- 6] (3:1) (C(M)IT/MIT (3:1))	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 % specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 % specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % specific concentration limit Eye Dam. 1; H318 >= 0,6 %	>= 0,0002 - < 0,0015

For explanation of abbreviations see section 16.



Revision Date: 25.06.2024 Date of last issue: 01.09.2023 Version 3.0

Print Date 28.06.2024

SECTION 4: First aid measures

4.1 Description of first aid measures General advice Move out of dangerous area. : Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled Move to fresh air. : Consult a physician after significant exposure. In case of skin contact Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. In case of eye contact Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. If swallowed Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms Excessive lachrymation : See Section 11 for more detailed information on health effects and symptoms. Risks Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

irritant effects

Treatment

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

Sika[®] Control[®]-40



Date of last issue: 01.09.2023		Version 3.0	Print Date 28.06.2024
5.2 Special hazards arising from	the	e substance or mixture	
		No hazardous combustion products are known	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathin	ng apparatus.
Further information	:	Standard procedure for chemical fires.	
Personal precautions	:	e equipment and emergency procedures Use personal protective equipment.	
	•		
· · · · · · · · · · · · · · · · · · ·		Deny access to unprotected persons.	
6.2 Environmental precautions			
	:	Deny access to unprotected persons. Try to prevent the material from entering drains	or water
6.2 Environmental precautions	:	Deny access to unprotected persons.	
6.2 Environmental precautions	: ntai	Deny access to unprotected persons. Try to prevent the material from entering drains courses. No special environmental precautions required.	
6.2 Environmental precautions Environmental precautions	ntai	Deny access to unprotected persons. Try to prevent the material from entering drains courses. No special environmental precautions required.	d, silica gel,

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.

Sika[®] Control[®]-40



Revision Date: 25.06.2024 Date of last issue: 01.09.2023	Version 3.0	Print Date 28.06.2024
Hygiene measures :	Handle in accordance with good industria practice. When using do not eat or drink. smoke. Wash hands before breaks and a	When using do not
7.2 Conditions for safe storage, in	cluding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and place. Containers which are opened must sealed and kept upright to prevent leakag ance with local regulations.	t be carefully re-
Further information on stor- : age stability	No decomposition if stored and applied as	s directed.
7.3 Specific end use(s) Specific use(s)	Consult most current local Product Data S use.	Sheet prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
------------	---------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	: Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons

Sika[®] Control[®]-40



Revision Date: 25.06.2024 Date of last issue: 01.09.2023	Version 3.0	Print Date 28.06.2024
	and protective boots are additionaly rec and stirring work.	commended for mixing
Respiratory protection	: No special measures required.	
Environmental exposure c	ontrols	
General advice	 Try to prevent the material from enterin courses. No special environmental precautions r 	-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid red
Odour	:	aromatic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	> 100 °C
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o Upper explosion limit / Up- per flammability limit		
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 10,5 (20 °C) Concentration: 100 %

Viscosity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Control[®]-40



Revision Date: 25.06.2024 Date of last issue: 01.09.2023		Version 3.0	Print Date 28.06.2024
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	23 hPa	
Density	:	ca. 1 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	: No data available
---------------------	---------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



Revision Date: 25.06.2024 Date of last issue: 01.09.2023 Version 3.0

Print Date 28.06.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

2,2-dimethylpropane-1,3-diol:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg

2-butylaminoethanol:

Acute oral toxicity	:	LD50 Oral (Rat): 1.150 mg/kg
		Acute toxicity estimate: 1.150 mg/kg Method: Calculation method

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)):

Acute inhalation toxicity	:	Assessment: Corrosive to the respiratory tract.
---------------------------	---	---

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Sika[®] Control[®]-40



Revision Date: 25.06.2024 Date of last issue: 01.09.2023 Version 3.0

Print Date 28.06.2024

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

2-butylaminoethanol:

	2 batylanniottianon		
	Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 30 mg/l Exposure time: 72 h
	mixture of: 5-chloro-2-methyl-4 one [EC no. 220-239-6] (3:1) (othiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- /)IT/MIT (3:1)):
	M-Factor (Acute aquatic tox- icity)	:	100
	M-Factor (Chronic aquatic toxicity)	:	100
12.2	Persistence and degradabili	ity	
	No data available		
12.3	Bioaccumulative potential		
	No data available		
12.4	Mobility in soil		
	No data available		
12.5	Results of PBT and vPvB as	se	ssment
	Product:		
	Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher



Revision Date: 25.06.2024 Date of last issue: 01.09.2023

Version 3.0

Print Date 28.06.2024

12.6 Endocrine disrupting properties

Product:

Assessment

nt	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to
		REACH Article 57(f) or Commission Delegated regulation
		(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	06 02 05* other bases
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good

14.2 UN proper shipping name

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Control[®]-40



Revision Date: 25.06.2024 Date of last issue: 01.09.2023		Version 3.0	Print Date 28.06.2024
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

: Not applicable

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

REACH Information:	All substances containe - registered by our upstr - registered by us, and/o - excluded from the regunnation - exempted from the regunnation - exempted from the regunnation	rea or ulat	m suppliers, and/or tion, and/or
REACH - Restrictions on the the market and use of certain mixtures and articles (Annex 2)	dangerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Su Concern for Authorisation (Art	, .	:	None of the components are listed (=> 0.1 %).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Control[®]-40



Revision Date: 25.06.2024 Date of last issue: 01.09.2023	Version 3.0	Print Date 28.06.2024
REACH - List of substances subj (Annex XIV)	ect to authorisation : Not a	applicable
Regulation (EC) on substances th layer	nat deplete the ozone : Not a	applicable
Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu- : Not a	applicable
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals		applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		of the Council on the control of ma-
Volatile organic compounds :	Law on the incentive tax for vola (VOCV) no VOC duties	tile organic compounds
	Directive 2010/75/EU of 24 Nove emissions (integrated pollution p Volatile organic compounds (VO	prevention and control)

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H335 :	May cause respiratory irritation.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
------------	------------------

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Control[®]-40

Revision Date: 25.06.2024 Date of last issue: 01.09.2023 Version 3.0

Print Date 28.06.2024

Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens. STOT SE ADR CAS DNEL EC50 GHS IATA IMDG LD50		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitisation Specific target organ toxicity - single exposure European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of
LC50	:	test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from
OEL PBT PNEC	:	Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative

Further information

Classification of the mixtur	Classification procedure:	
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN



Sika[®] Control[®]-40

Revision Date: 25.06.2024 Date of last issue: 01.09.2023 Version 3.0

Print Date 28.06.2024

