Revision Date: 02.02.2024 Date of last issue: 31.01.2024 Version 7.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika Repair[®]-EP Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.					
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.					

2.2 Label elements

Labelling (REGULATION (Hazard pictograms	(EC) :	No 1272/2008))
Signal word	:	Warning	
Hazard statements	:		May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
Precautionary statements	:	Prevention:	

Sika Repair[®]-EP Part A

Revision Date: 02.02.2024 Date of last issue: 31.01.2024



P261 P273 P280	Avoid breathing mist or vapours. Avoid release to the environment. Wear protective gloves.
Response:	
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Disposal:	
	Dispose of contents/container in accordance with local regulation.

Version 7.1

Hazardous components which must be listed on the label:

1,6-bis(2,3-epoxypropoxy)hexane bis-[4-(2,3-epoxipropoxi)phenyl]propane bis-[4-(2,3-epoxypropoxy)phenyl]methane Phenol, styrenated Phenol, methylstyrenated

2.3 Other hazards

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponents			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
1,6-bis(2,3-epoxypropoxy)hexane	16096-31-4	Skin Irrit. 2; H315	>= 1 - < 2,5
	618-939-5	Eye Irrit. 2; H319	
	240-260-4	Skin Sens. 1; H317	
	01-2119463471-41-	Aquatic Chronic 3;	
	XXXX (covered by	H412	
	CAS 933999-84-9)		

Revision Date: 02.02.2024 Date of last issue: 31.01.2024 Version 7.1



bis-[4-(2,3-	Not Assigned	Skin Irrit. 2; H315	>= 1 - < 2,5
epoxypropoxy)phenyl]methane	701-263-0	Skin Sens. 1A; H317	
	01-2119454392-40-	Aquatic Chronic 2;	
	XXXX	H411	
bis-[4-(2,3-	1675-54-3	Skin Irrit. 2; H315	>= 1 - < 2,5
epoxipropoxi)phenyl]propane	216-823-5	Eye Irrit. 2; H319	
	01-2119456619-26-	Skin Sens. 1; H317	
	XXXX	Aquatic Chronic 2;	
		H411	
		specific concentration	
		limit	
		Eye Irrit. 2; H319	
		Skin Irrit. 2; H315 >= 5 %	
		~= 5 76	
Phenol, styrenated	61788-44-1	Skin Irrit. 2; H315	>= 0,5 - < 1
	262-975-0	Skin Sens. 1A; H317	,
	01-2119980970-27-	Aquatic Chronic 2;	
	XXXX, 01-	H411	
	2119979575-18-		
	XXXX		
Phenol, methylstyrenated	68512-30-1	Skin Irrit. 2; H315	>= 0,1 - < 0,25
	700-960-7	Skin Sens. 1; H317	
	270-966-8	Aquatic Chronic 3;	
	01-2119555274-38-	H412	
For evaluation of obbroviations a	XXXX		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Do not induce vomiting without medical advice. Rinse mouth with water.

Revision Date: 02.02.2024 Date of last issue: 31.01.2024

Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	:	Allergic reactions See Section 11 for more detailed information on health effects and symptoms.
Risks	:	sensitising effects
		May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.	
-----------	--------------------------	--

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.
SECTION 6: Accidental releas	e r	neasures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions : Use personal protective equipment. Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material (e.g. san	d, silica gel,
-------------------------	---	----------------

Revision Date: 02.02.2024 Date of last issue: 31.01.2024



Version 7.1

acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products 				
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.				
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.				
7.2	Conditions for safe storage, i	incl	uding any incompatibilities				
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.				
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.				
7.3	7.3 Specific end use(s)						
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.				

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Print Date 03.04.2024

Revision Date: 02.02.2024 Date of last issue: 31.01.2024 Version 7.1

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment						
Eye/face protection	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water					
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.	-				
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.					
Skin and body protection	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.					
Respiratory protection	: No special measures required.					
Environmental exposure controls						
General advice	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.					

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	solid beige
Odour	:	very faint
Melting point/range / Freezing point	:	No data available

Sika Repair[®]-EP Part A



Revision Date: 02.02.2024 Date of last issue: 31.01.2024	Version 7.1	Print Date 03.04.2024
Boiling point/boiling range	: > 200 °C	
Flammability (solid, gas)	: No data available	
Upper/lower flammability or e	-	
Upper explosion limit / Up- per flammability limit	: No data available	
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: 8	
Viscosity Viscosity, kinematic	: Not applicable	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: 1 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

Revision Date: 02.02.2024 Date of last issue: 31.01.2024 Version 7.1



SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	: No data available
---------------------	---------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

1,6-bis(2,3-epoxypropoxy)hexane:					
Acute oral toxicity	•	LD50 Oral (Rat): 2.900 mg/kg			
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.000 mg/kg			
bis-[4-(2,3-epoxipropoxi)phenyl]propane:					
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg			
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg			
Phenol, styrenated:					
Acute oral toxicity	:	LD50 Oral (Rat): 2.500 mg/kg			
Acute dermal toxicity	:	LD50 Dermal (Rat): > 5.000 mg/kg			

Skin corrosion/irritation

Not classified due to lack of data.

Sika Repair[®]-EP Part A

Revision Date: 02.02.2024 Date of last issue: 31.01.2024 Version 7.1



Serious eye damage/eye irritation Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxypropoxy)phenyl]methane:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 2,54 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 2,55 mg/l Exposure time: 48 h

Sika Repair[®]-EP Part A



•		
Revision Date: 02.02.2024 Date of last issue: 31.01.2024	Version 7.1	Print Date 03.04.
Toxicity to algae/aquatic plants	: EC50 (algae): 1,8 mg/l Exposure time: 72 h	
bis-[4-(2,3-epoxipropoxi)phe	nvl]propane:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbov Exposure time: 96 h	v trout)): 2 mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): Exposure time: 48 h	1,8 mg/l
12.2 Persistence and degradabili No data available	У	
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB as	sessment	
Product:		
Assessment	: This substance/mixture contains com be either persistent, bioaccumulative persistent and very bioaccumulative (and toxic (PBT), or very
12.6 Endocrine disrupting proper	ties	
Product:		
Assessment	 The substance/mixture does not conta ered to have endocrine disrupting pro REACH Article 57(f) or Commission E (EU) 2017/2100 or Commission Regu levels of 0.1% or higher. 	perties according to Delegated regulation
12.7 Other adverse effects		
Product:		
Additional ecological infor- mation	: An environmental hazard cannot be e unprofessional handling or disposal. Harmful to aquatic life with long lastin	
SECTION 13: Disposal conside	erations	

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	way.

Sika Repair[®]-EP Part A

Print Date 03.04.2024

Revision Date: 02.02.2024
Date of last issue: 31.01.2024

	Dispose of surplus and non-recyclable products via a lice waste disposal contractor. Disposal of this product, solutions and any by-products sh at all times comply with the requirements of environmenta protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact soil, waterways, drains and sewers.	nould al I
European Waste Catalogue	08 04 09* waste adhesives and sealants containing orga solvents or other dangerous substances	nic
Contaminated packaging	15 01 10* packaging containing residues of or contaminate by dangerous substances	ed

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					
Not regulated as a dangerous good					
14.6 Special precautions for user					

Not applicable

Print Date 03.04.2024

Revision Date: 02.02.2024 Date of last issue: 31.01.2024 Version 7.1

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environme International Chemical Weapon Schedules of Toxic Chemicals a	s Convention (CWC)	tion :	specific for the substance or mixture Not applicable	
REACH Information:	All substances contair - registered by our ups - registered by us, and - excluded from the re - exempted from the re	strea d/or egula	am suppliers, and/or ation, and/or	
REACH - Restrictions on the mathematic the market and use of certain date mixtures and articles (Annex X)	angerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3	
REACH - Candidate List of Sub Concern for Authorisation (Artic	, .	:	Phenol, methylstyrenated	
REACH - List of substances sub (Annex XIV)	pject to authorisation	:	Not applicable	
Regulation (EC) No 1005/2009 plete the ozone layer	on substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 on tants (recast)	persistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals				
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds	Law on the incentive t (VOCV) no VOC duties	ax fo	or volatile organic compounds	

Sika Repair[®]-EP Part A

Revision Date: 02.02.2024 Date of last issue: 31.01.2024 Version 7.1



15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements					
H315	:	Causes skin irritation.			
H317	:	May cause an allergic skin reaction.			
H319	:	Causes serious eye irritation.			
H411	:	Toxic to aquatic life with long lasting effects.			
H412	:	Harmful to aquatic life with long lasting effects.			
Full text of other abbreviations					
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Eye Irrit.	:	Eye irritation			
Skin Irrit.	:	Skin irritation			
Skin Sens.	:	Skin sensitisation			
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)			
MARPOL	:	International Convention for the Prevention of Pollution from			
···· ··· • • •	-	Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi-			
SVHC		cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern			
vPvB	:	Very persistent and very bioaccumulative			
	•	very persistent and very bloaccumulative			
Further information					
Classification of the mixtu	re:	Classification procedure:			
Skin Sens. 1	H	Calculation method			

H412

Calculation method

Sika Repair[®]-EP Part A

Revision Date: 02.02.2024 Date of last issue: 31.01.2024 Version 7.1



The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN