# Print Date 03.04.2024

Version 4.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikagard®-703 W

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete protection and repair system, Surfaces protection

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

#### 1.4 Emergency telephone number

+31-57-0854201

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classif	fication	(REGUL	ATION (EC) I	No 1272/2008)	

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms Signal word Warning Hazard statements H317 May cause an allergic skin reaction. If medical advice is needed, have product P101 Precautionary statements ÷ container or label at hand. P102 Keep out of reach of children. Prevention: P261 Avoid breathing mist or vapours.

# Sikagard<sup>®</sup>-703 W

Print Date 03.04.2024

Revision Date: 22.03.2024 Date of last issue: 17.03.2023 Version 4.0

P280	Wear protective gloves.
<b>Response:</b> P302 + P352	IF ON SKIN: Wash with plenty of water.
Disposal:	
P501	Dispose of contents/container in accordance with local regulation.

## Hazardous components which must be listed on the label:

1,2-benzisothiazol-3(2H)-one (BIT) 2-methyl-2H-isothiazol-3-one (MIT) mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1))

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, 2-methyl-2H-isothiazol-3-one (MIT), 2682-20-4, mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)), 55965-84-9. Please use treated articles responsibly.

Revision Date: 22.03.2024 Date of last issue: 17.03.2023



#### Version 4.0

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

## Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 	>= 0,0025 - < 0,025
		mg/l	

# Sikagard<sup>®</sup>-703 W

Revision Date: 22.03.2024 Date of last issue: 17.03.2023 Version 4.0



2-methyl-2H-isothiazol-3-one (MIT)	2682-20-4 220-239-6 01-2120764690-50- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400	>= 0,0025 - < 0,025
		Aquatic Chronic 1; H410 EUH071	
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 200 mg/kg	

# Sikagard<sup>®</sup>-703 W

Revision Date: 22.03.2024 Date of last issue: 17.03.2023





mixture of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239- 6] (3:1) (C(M)IT/MIT (3:1))	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 	< 0,0002
--	--	--	----------

Version 4.0

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.



Revision Date: 22.03.2024 Date of last issue: 17.03.2023	Version 4.0	Print Date 03.04.20
If swallowed	: Do not induce vomiting without medical a Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unco	
4.2 Most important symptoms a	nd effects, both acute and delayed	
Symptoms	: Allergic reactions See Section 11 for more detailed informa and symptoms.	ation on health effects
Risks	: sensitising effects	
	May cause an allergic skin reaction.	
4.3 Indication of any immediate	medical attention and special treatment ne	eded
4.3 Indication of any immediate Treatment SECTION 5: Firefighting mea	: Treat symptomatically.	eded
Treatment	: Treat symptomatically.	ter jet/carbon diox-
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media	<ul> <li>Treat symptomatically.</li> <li>sures</li> <li>In case of fire, use water/water spray/wat ide/sand/foam/alcohol resistant foam/che extinction.</li> </ul>	ter jet/carbon diox-
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	<ul> <li>Treat symptomatically.</li> <li>sures</li> <li>In case of fire, use water/water spray/wat ide/sand/foam/alcohol resistant foam/che extinction.</li> </ul>	ter jet/carbon diox- emical powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod-	<ul> <li>Treat symptomatically.</li> <li>sures</li> <li>In case of fire, use water/water spray/wat ide/sand/foam/alcohol resistant foam/che extinction.</li> </ul>	ter jet/carbon diox- emical powder for
Treatment SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts	<ul> <li>Treat symptomatically.</li> <li>sures</li> <li>In case of fire, use water/water spray/watide/sand/foam/alcohol resistant foam/cheextinction.</li> <li>the substance or mixture</li> <li>No hazardous combustion products are left.</li> </ul>	ter jet/carbon diox- emical powder for

6.1 Personal precautions, protectiv	ve equipment and emergency procedures
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.
<b>6.2 Environmental precautions</b> Environmental precautions :	Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for conta Methods for cleaning up :	<b>ainment and cleaning up</b> Soak up with inert absorbent material (e.g. sand, silica gel,

Print Date 03.04.2024

Revision Date: 22.03.2024 Date of last issue: 17.03.2023

> acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

Version 4.0

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits



Revision Date: 22.03.2024 Date of last issue: 17.03.2023 Version 4.0

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment					
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water				
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.				
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.				
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.				
Respiratory protection	: No special measures required.				
Environmental exposure controls					
General advice	: Do not flush into surface water or sanitary sewer system.				

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid white
Odour	:	very faint
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Silvagard® 702 M/

Upper/lower flammability or explosive limits

Upper explosion limit / Up- : No data available

# Sikagard<sup>®</sup>-703 W



Revision Date: 22.03.2024 Date of last issue: 17.03.2023

Flammability (solid, gas)

Version 4.0

: No data available

per flammability limit	
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: > 100 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
рН	: ca. 9 (20 °C) Concentration: 100 %
Viscosity Viscosity, kinematic	: < 5 mm2/s (40 °C)
<b>Solubility(ies)</b> Water solubility	: soluble
Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: 23 hPa
Density	: ca. 0,99 g/cm3 (20 °C)
Relative vapour density	: No data available

Particle characteristics : No data available

## 9.2 Other information

No data available

Print Date 03.04.2024

Revision Date: 22.03.2024 Date of last issue: 17.03.2023 Version 4.0

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

Conditions to avoid : No data av
----------------------------------

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Components:

#### 1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity : LD50 Oral (Rat): 597 mg/kg

#### 2-methyl-2H-isothiazol-3-one (MIT):

Acute oral toxicity : LD50 (Rat): 200 mg/kg

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)):

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

Revision Date: 22.03.2024 Date of last issue: 17.03.2023 Version 4.0



#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Components:**

#### 1,2-benzisothiazol-3(2H)-one (BIT):

Assessment : May cause sensitisation by skin contact.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### 1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other	:	EC50 (Daphnia (water flea)): 3 mg/l
aquatic invertebrates		Exposure time: 48 h



Revision Date: 22.03.2024 Date of last issue: 17.03.2023 Version 4.0

## 2-methyl-2H-isothiazol-3-one (MIT):

M-Factor (Acute aquatic tox- : 10 icity)

M-Factor (Chronic aquatic : 1 toxicity)

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **12.6 Endocrine disrupting properties**

#### Product:

Assessment : The substance/mixture does not contain components co ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/6 levels of 0.1% or higher.
--

#### 12.7 Other adverse effects

#### Product:

```
Additional ecological infor- : There is no data available for this product. mation
```

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

# Sikagard<sup>®</sup>-703 W

Print Date 03.04.2024

Revision Date: 22.03.2024	
Date of last issue: 17.03.2023	

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with
		soil, waterways, drains and sewers.
European Waste Catalogue	:	08 01 11* waste paint and varnish containing organic solvents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

# **SECTION 14: Transport information**

14.1 UN number or ID number					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					
Not regulated as a dangerous good					

Revision Date: 22.03.2024 Date of last issue: 17.03.2023

Version 4.0



## 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

15.1	5.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors						
	REACH Information: All substances contain - registered by our ups - registered by us, and - excluded from the re - exempted from the re			m suppliers, and/or tion, and/or			
	REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII)	gerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3			
	REACH - Candidate List of Substa Concern for Authorisation (Article		:	None of the components are listed (=> $0.1$ %).			
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable			
	Regulation (EC) No 1005/2009 or plete the ozone layer	substances that de-	:	Not applicable			
	Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu-	:	Not applicable			
	Regulation (EU) No 649/2012 of the ment and the Council concerning of dangerous chemicals		:	Not applicable			
	Seveso III: Directive 2012/18/EU	of the European Parliam	ent	and of the Council on the control of ma-			

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

<b>Jika</b> ®
Print Date 03.04.2024

Revision Date: 22.03.2024	Version 4.0
Date of last issue: 17.03.2023	

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Not applicable

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

Full text of other abbreviationsAcute Tox.:Acute toxicityAquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardEye Dam.:Serious eye damageSkin Corr.:Skin corrosionSkin Irrit.:Skin irritationSkin Sens.:Skin sensitisationADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure Limit	H301 H302 H310 H311 H314 H315 H317 H318 H330 H400 H410		Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Aquatic Acute:Short-term (acute) aquatic hazardAquatic Chronic:Long-term (chronic) aquatic hazardEye Dam.:Serious eye damageSkin Corr.:Skin corrosionSkin Irrit.:Skin irritationSkin Sens.:Skin sensitisationADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Ari Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978	Full text of other abbreviat	tions	
LC50: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure Limit	Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens. ADR CAS DNEL EC50 GHS IATA IMDG		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitisation European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at
OEL : Occupational Exposure Limit		:	test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) International Convention for the Prevention of Pollution from
	OEL	:	



Revision Date: 22.03.2024 Date of last issue: 17.03.2023	Version 4.0	Print Date 03.04.20
PBT PNEC	: Persistent, bioaccumulative and toxic : Predicted no effect concentration	
REACH	<ul> <li>Predicted no effect concentration</li> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency</li> </ul>	
SVHC	: Substances of Very High Concern	
vPvB	: Very persistent and very bioaccumula	tive
Further information		

Classification of the mixture:		Classification procedure:
Skin Sens. 1	H317	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN