

Version 4.1

Print Date 31.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikadur®-330 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

1.3 Details of the supplier of the safety data sheet

| : | Sika Nederland B.V. |
|---|---------------------|
| | Zonnebaan 56 |
| | 3542 EG Utrecht |
| | Nederland |
| : | +31-30-2410120 |
| : | +31-30-2414482 |
| : | EHS@nl.sika.com |
| | : |

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

| Classification (REGULATION (EC) No 1272/2008) | | | | |
|---|---|--|--|--|
| Skin ir | ritation, Category 2 | H315: Causes skin irritation. | | |
| Seriou | s eye damage, Category 1 | H318: Causes serious eye damage. | | |
| Skin s | ensitisation, Category 1 | H317: May cause an allergic skin reaction. | | |
| Long-t egory 2 | erm (chronic) aquatic hazard, Cat- 2 | H411: Toxic to aquatic life with long lasting effects. | | |

2.2 Label elements


Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Danger





| Revision Date: 30.05.2024 Date of last issue: 25.05.2024 | | Version 4.1 | Print Date 31.05.2024 |
|---|--|---|----------------------------|
| Hazard statements : | H317 N H318 C | Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting o | effects. |
| Precautionary statements : | Prevention: P261 P264 P273 P280 | Avoid breathing mist or vapours. Wash skin thoroughly after hand Avoid release to the environmer Wear protective gloves/ eye prot protection. | lling. ht. |
| | Response: P305 + P351 P391 | + P338 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor. Collect spillage. | Remove con- to do. Con- |

Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane 1,4-bis(2,3 epoxypropoxy)butane

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Version 4.1

Print Date 31.05.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Registration number | Classification | Concentration (% w/w) |
|---|---|--|--------------------------|
| bis-[4-(2,3- epoxipropoxi)phenyl]propane | 1675-54-3 216-823-5 01-2119456619-26- XXXX | Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 % | >= 40 - < 60 |
| 1,4-bis(2,3 epoxypropoxy)butane | 2425-79-8 219-371-7 01-2119494060-45- XXXX | Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 3; H412 Acute toxicity esti- mate Acute oral toxicity: 1.163 mg/kg | >= 10 - < 20 |
| Solvent naphtha (petroleum), heavy arom. | Not Assigned 922-153-0 | Asp. Tox. 1; H304 | >= 2,5 - < 5 |
| Contains: | 01-2119451097-39- | | |
| naphthalene <= 1 % | XXXX | | |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| General advice | : Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. |
|----------------|---|
| If inhaled | : Move to fresh air. |




Sikadur®-330 Part A

| Revision Date: 30.05.2024 Date of last issue: 25.05.2024 | Version 4.1 | Print Date 31.05.2024 |
|---|--|-----------------------|
| | Consult a physician after significant exposu | ıre. |
| In case of skin contact | Take off contaminated clothing and shoes i Wash off with soap and plenty of water. If symptoms persist, call a physician. | mmediately. |
| In case of eye contact | Small amounts splashed into eyes can cau sue damage and blindness. In the case of contact with eyes, rinse immo of water and seek medical advice. Continue rinsing eyes during transport to he Remove contact lenses. Keep eye wide open while rinsing. | ediately with plenty |
| If swallowed | Do not induce vomiting without medical adv Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconstruction | |
| 4.2 Most important symptoms and | l effects, both acute and delayed | |
| Symptoms | Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information and symptoms. | on on health effects |
| Risks | : irritant effects sensitising effects | |
| | Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. | |
| 4.3 Indication of any immediate m Treatment | edical attention and special treatment need | led |

SECTION 5: Firefighting measures

| 5.1 Extinguishing media Suitable extinguishing media | : | In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction. |
|---|----------|--|
| 5.2 Special hazards arising from Specific hazards during fire- fighting | the : | substance or mixture Do not allow run-off from fire fighting to enter drains or water courses. |





| Revision Date: 30.05.2024 Date of last issue: 25.05.2024 | | Version 4.1 | Print Date 31.05.2024 |
|---|---|---|-----------------------|
| Hazardous combustion prod- ucts | : | No hazardous combustion products are known | |
| 5.3 Advice for firefighters | | | |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing | j apparatus. |
| Further information | : | Collect contaminated fire extinguishing water sep must not be discharged into drains. Fire residues and contaminated fire extinguishing be disposed of in accordance with local regulation | g water must |

SECTION 6: Accidental release measures

| • • • • | ve equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. |
|------------------------------------|--|
| 6.2 Environmental precautions | |
| Environmental precautions : | Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. |
| 6.3 Methods and material for conta | inment and cleaning up |
| Methods for cleaning up : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. |

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on safe handling | : Avoid exceeding the given occupational exposure limits (see section 8). |
|-------------------------|---|
| | Do not get in eyes, on skin, or on clothing. |
| | For personal protection see section 8. |
| | Persons with a history of skin sensitisation problems or asth- |
| | ma, allergies, chronic or recurrent respiratory disease should |
| | not be employed in any process in which this mixture is being used. |
| | Smoking, eating and drinking should be prohibited in the ap- plication area. |
| | Follow standard hygiene measures when handling chemical products |



Sikadur®-330 Part A

| Revision Date: 30.05.2024 Date of last issue: 25.05.2024 | Version 4.1 | Print Date 31.05.2024 |
|---|--|-----------------------|
| | | |
| Advice on protection against fire and explosion | Normal measures for preventive fire prote | ection. |
| Hygiene measures | Handle in accordance with good industria practice. When using do not eat or drink. smoke. Wash hands before breaks and a | When using do not |
| 7.2 Conditions for safe storage, in | cluding any incompatibilities | |
| Requirements for storage areas and containers | Keep container tightly closed in a dry and place. Store in accordance with local regu | |
| Further information on stor- age stability | No decomposition if stored and applied a | s directed. |
| 7.3 Specific end use(s) | | |
| Specific use(s) | Consult most current local Product Data Suse. | Sheet prior to any |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| · | | | | |
|------------|---------|------------------|-----------------|---------|
| Components | CAS-No. | Value type (Form | Control parame- | Basis * |
| | | of exposure) | ters * | |

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

| Eye/face protection | : | Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water |
|---------------------|---|--|
| Hand protection | : | Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. |
| | | Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min. |



| Revision Date: 30.05.2024 Date of last issue: 25.05.2024 | Version 4.1 | Print Date 31.05.2024 | | | |
|---|---|-----------------------|--|--|--|
| Skin and body protection : | Protective clothing (e.g. Safety shoes acc. to EN long-sleeved working clothing, long trousers). Ru and protective boots are additionaly recommender and stirring work. | bber aprons | | | |
| Respiratory protection | No special measures required. | | | | |
| Environmental exposure controls | | | | | |
| General advice | Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or dr respective authorities. | | | | |

SECTION 9: Physical and chemical properties

_

9.1 Information on basic physical and chemical properties

| Physical state Appearance Colour | : | liquid paste white |
|--|-----|--|
| Odour | : | epoxy-like |
| Melting point/range / Freezing point | : | No data available |
| Boiling point/boiling range | : | No data available |
| Flammability (solid, gas) | : | No data available |
| | | |
| Upper/lower flammability or e | exp | losive limits |
| Upper/lower flammability or e Upper explosion limit / Up- per flammability limit | • | |
| Upper explosion limit / Up- | • | |
| Upper explosion limit / Up- per flammability limit Lower explosion limit / | • | No data available No data available |
| Upper explosion limit / Up- per flammability limit Lower explosion limit / Lower flammability limit | : | No data available No data available > 101 °C Method: closed cup |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikadur®-330 Part A



| Revision Date: 30.05.2024 Date of last issue: 25.05.2024 | Version 4.1 | Print Date 31.05.2024 |
|---|--|-----------------------|
| рН | : ca. 7 Concentration: 500 g/l 50 % | |
| Viscosity Viscosity, kinematic | : > 20,5 mm2/s (40 °C) | |
| Solubility(ies) Water solubility | : No data available | |
| Partition coefficient: n- octanol/water | : No data available | |
| Vapour pressure | : ca. 1 hPa (20 °C) | |
| Density | : ca. 1,35 g/cm3 (20 °C) | |
| Relative vapour density | : No data available | |
| Particle characteristics | : No data available | |

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

| 10.3 Possibility of hazardous reactions | | | | |
|---|---|--|--|--|
| Hazardous reactions | : | Stable under recommended storage conditions. | | |
| 10.4 Conditions to avoid | | | | |
| Conditions to avoid | : | No data available | | |
| 10.5 Incompatible materials | | | | |
| Materials to avoid | : | No data available | | |

| 10.6 | Hazardous | decomposition | products |
|------|-----------|---------------|----------|
|------|-----------|---------------|----------|

2



| Revision Date: 30.05.2024 |
|--------------------------------|
| Date of last issue: 25.05.2024 |

Version 4.1

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

| Acute oral toxicity | : | LD50 Oral (Rat): > 5.000 mg/kg |
|---------------------|---|--------------------------------|
| | | |

| Acute dermal toxicity | : | LD50 Dermal (Rabbit): > 5.000 mg/kg |
|-----------------------|---|-------------------------------------|
|-----------------------|---|-------------------------------------|

1,4-bis(2,3 epoxypropoxy)butane:

Acute oral toxicity : LD50 Oral (Rat): 1.163 mg/kg

Solvent naphtha (petroleum), heavy arom .:

| Acute oral toxicity | : | LD50 Oral (Rat): > 5.000 mg/kg |
|---------------------------|---|--|
| Acute inhalation toxicity | : | LC50 (Rat): > 4,7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhala- tion toxicity |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.



Revision Date: 30.05.2024 Date of last issue: 25.05.2024 Version 4.1

Print Date 31.05.2024

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h |
|---|---|---|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h |

Solvent naphtha (petroleum), heavy arom .:

| Toxicity to daphnia and other | : | EC50: 1,1 mg/l |
|-------------------------------|---|-------------------------------------|
| aquatic invertebrates (Chron- | | Exposure time: 48 h |
| ic toxicity) | | Species: Daphnia magna (Water flea) |

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available



Version 4.1

Print Date 31.05.2024

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

| Ρ | ro | du | ct: | |
|---|----|----|-----|--|
| | | | | |

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

| Additional ecological infor- | : | An environmental hazard cannot be excluded in the event of |
|------------------------------|---|--|
| mation | | unprofessional handling or disposal. |
| | | Toxic to aquatic life with long lasting effects. |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

| Product | w ET w D a p lc A | he generation of waste should be avoided or minimized wherever possible. Impty containers or liners may retain some product residues. his material and its container must be disposed of in a safe vay. Dispose of surplus and non-recyclable products via a licensed vaste disposal contractor. Disposal of this product, solutions and any by-products should t all times comply with the requirements of environmental rotection and waste disposal legislation and any regional bcal authority requirements. Novid dispersal of spilled material and runoff and contact with oil, waterways, drains and sewers. |
|--------------------------|--|---|
| European Waste Catalogue | | 08 04 09* waste adhesives and sealants containing organic olvents or other dangerous substances |
| Contaminated packaging | | 5 01 10* packaging containing residues of or contaminated y dangerous substances |



Version 4.1

Print Date 31.05.2024

SECTION 14: Transport information

14.1 UN number or ID number

| | ADR | : | UN 3082 |
|------|---|---|--|
| | IMDG | : | UN 3082 |
| | ΙΑΤΑ | : | UN 3082 |
| 14.2 | 2 UN proper shipping name | | |
| | ADR | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin) |
| | IMDG | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin) |
| | ΙΑΤΑ | : | Environmentally hazardous substance, liquid, n.o.s. (epoxy resin) |
| 14.3 | Transport hazard class(es) | | |
| | | | Class Subsidiary risks |
| | ADR | : | 9 |
| | IMDG | : | 9 |
| | ΙΑΤΑ | : | 9 |
| 14.4 | Packing group | | |
| | ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code Remarks | | III M6 90 9 (-) Transport in accordance with special provision 375 |
| | IMDG Packing group Labels EmS Code Remarks | | III 9 F-A, S-F Transport in accordance with 2.10.2.7 of the IMDG-Code |
| | Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels Remarks | | 964 Y964 III Miscellaneous Transport in accordance with special regulation A 197 |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikadur®-330 Part A



 Revision Date: 30.05.2024
 Version 4.1
 Print Date 31.05.2024

 Date of last issue: 25.05.2024
 IATA (Passenger)

| Packing instruction (passen- ger aircraft) | : | 964 |
|---|---|------------------------------|
| Packing instruction (LQ) Packing group Labels | : | Y964 III Miscellaneous |
| | | |

14.5 Environmental hazards

| ADR Environmentally hazardous | : | yes |
|---|---|-----|
| IMDG Marine pollutant | : | yes |
| IATA (Passenger) Environmentally hazardous | : | yes |
| IATA (Cargo) Environmentally hazardous | : | yes |

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

| REACH Information: | All substances contain - registered by our up - registered by us, and - excluded from the re- - exempted from the re- | strea d/or egula | im suppliers, and/or tion, and/or | |
|--|---|------------------------|--|--|
| REACH - Restrictions on the the market and use of certain mixtures and articles (Annex | n dangerous substances, | : | Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3 | |
| REACH - Candidate List of | Substances of Very High | : | None of the components are listed | |

Concern for Authorisation (Article 59).

Sikadur®-330 Part A



| Revision Date: 30.05.2024 Date of last issue: 25.05.2024 | Version 4.1 | Print Date 31.05.2024 |
|---|------------------------------------|-----------------------|
| REACH - List of substances subject t (Annex XIV) | o authorisation : Not applicable | 9 |
| Regulation (EC) No 1005/2009 on su plete the ozone layer | bstances that de- : Not applicable | 2 |

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS

| Volatile organic compounds | : | Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: <= 3% w/w no VOC duties |
|----------------------------|---|--|
| | | Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0.03% w/w |

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

| H302 H304 H312 H315 | : | Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. |
|--------------------------------------|-------------|---|
| H317 H319 H332 H411 H412 | : : : | May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. |

Full text of other abbreviations

Sikadur®-330 Part A



Revision Date: 30.05.2024 Date of last issue: 25.05.2024 Version 4.1

Print Date 31.05.2024

| ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road |
|---|
| |
| CAS : Chemical Abstracts Service |
| DNEL : Derived no-effect level |
| EC50 : Half maximal effective concentration |
| GHS : Globally Harmonized System |
| IATA : International Air Transport Association |
| IMDG : International Maritime Code for Dangerous Goods |
| LD50 : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) |
| LC50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) |
| MARPOL : International Convention for the Prevention of Pollution from |
| Ships, 1973 as modified by the Protocol of 1978 |
| OEL : Occupational Exposure Limit |
| PBT : Persistent, bioaccumulative and toxic |
| PNEC : Predicted no effect concentration |
| REACH : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency |
| SVHC : Substances of Very High Concern |
| vPvB : Very persistent and very bioaccumulative |

Further information

| Classification of the mixture: | | Classification procedure: |
|--------------------------------|------|---------------------------|
| Skin Irrit. 2 | H315 | Calculation method |
| Eye Dam. 1 | H318 | Calculation method |
| Skin Sens. 1 | H317 | Calculation method |
| Aquatic Chronic 2 | H411 | Calculation method |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN

Revision Date: 30.05.2024 Date of last issue: 25.05.2024

Version 4.1

Jika®

Print Date 31.05.2024