

Version 4.2

Print Date 14.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor®-1590 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Epoxy coating

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Warning

Sikafloor®-1590 Part A



Revision Date: 10.06.2024 Date of last issue: 27.05.2024	V	ersion 4.2	Print Date 14.06.2024
Hazard statements :	H317 Ma H319 Ca	uses skin irritation. ly cause an allergic skin reaction. uses serious eye irritation. xic to aquatic life with long lasting o	effects.
Precautionary statements :	Prevention: P261 P264 P273 P280	Avoid breathing mist or vapours Wash skin thoroughly after hand Avoid release to the environmer Wear protective gloves/ eye prot protection.	dling. ht.
	Response: P333 + P313 P391	If skin irritation or rash occurs: G advice/ attention. Collect spillage.	Get medical

Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane Reaction mass of isomers of epoxy resin BFDGE oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Version 4.2

Print Date 14.06.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	1675-54-3 216-823-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %	>= 25 - < 40
Reaction mass of isomers of epoxy resin BFDGE	Not Assigned 701-263-0 01-2119454392-40- XXXX	Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 5 - < 10
oxirane, mono[(C12-14- alkyloxy)methyl] derivs.	68609-97-2 271-846-8 01-2119485289-22- XXXX	Skin Irrit. 2; H315 Skin Sens. 1; H317 Repr. 1B; H360F	>= 5 - < 10
bis(isopropyl)naphthalene	38640-62-9 254-052-6 01-2119565150-48- XXXX	Asp. Tox. 1; H304 Aquatic Chronic 1; H410	>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

Sikafloor[®]-1590 Part A



Revision Date: 10.06.2024 Date of last issue: 27.05.2024		Version 4.2 Print Date 1	
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious	s person.
4.2 Most important symptoms a	nd e	effects, both acute and delayed	
Symptoms	:	Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on and symptoms.	health effects
Risks	:	irritant effects sensitising effects	
		Ocure e altie insitetie e	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
4.3 Indication of any immediate	meo	May cause an allergic skin reaction.	
4.3 Indication of any immediate Treatment	meo :	May cause an allergic skin reaction. Causes serious eye irritation.	
Treatment	:	May cause an allergic skin reaction. Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically.	
Treatment SECTION 5: Firefighting meas	:	May cause an allergic skin reaction. Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically.	
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media	: sur	May cause an allergic skin reaction. Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically.	
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	: sur	May cause an allergic skin reaction. Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical pe extinction.	
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	: sur	May cause an allergic skin reaction. Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical pe extinction.	owder for
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting	: sur : the	May cause an allergic skin reaction. Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical pe extinction. e substance or mixture Do not allow run-off from fire fighting to enter dra	owder for
Treatment SECTION 5: Firefighting mean 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod-	: sur : the	May cause an allergic skin reaction. Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical pe extinction. e substance or mixture Do not allow run-off from fire fighting to enter dra courses.	owder for
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod- ucts	: sur : :	May cause an allergic skin reaction. Causes serious eye irritation. dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical pe extinction. e substance or mixture Do not allow run-off from fire fighting to enter dra courses.	owder for ins or water

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-1590 Part A



Revision Date: 10.06.2024 Date of last issue: 27.05.2024 Version 4.2

Print Date 14.06.2024

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protecti	ve equipment and emergency procedures
Personal precautions	: Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions	 Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for conta	ainment and cleaning up
Methods for cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Sikafloor®-1590 Part A



06.2024

Revision Date: 10.06.2024	Version 4.2	Print Date 14.00
Date of last issue: 27.05.2024		

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

·				
Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.

Version 4.2



Print Date 14.06.2024

Sikafloor®-1590	Part A
-----------------	--------

Revision Date: 10.06.2024

Date of last issue: 27.05.2024

•	No special measures required.
ontro	Is
:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
emic	al properties
al an	d chemical properties
:	liquid
:	viscous liquid
:	colourless
:	epoxy-like
:	No data available
:	No data available
:	No data available
r exp	losive limits
-	No data available
:	No data available
:	> 101 °C Method: closed cup
:	No data available
:	No data available
:	Not applicable substance/mixture is non-soluble (in water)
:	ca. 3.470 mPa.s (20 °C)
	entro : emic al an : : : : : : : : : : : : : : : : : : :

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-1590 Part A



Revision Date: 10.06.2024 Date of last issue: 27.05.2024	Version 4.2	Print Date 14.06.2024
Viscosity, kinematic	> 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	insoluble	
Partition coefficient: n- octanol/water	No data available	
Vapour pressure	0,01 hPa	
Density	ca. 1,49 g/cm3 (20 °C)	
Relative vapour density	No data available	
Particle characteristics	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous read	ctio	ns
Hazardous reactions	:	Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



Version 4.2

Print Date 14.06.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified based on available information.

Components:

bis-[4-(2,3-epoxipropoxi)phe	əny	I]propane:			
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg			
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg			
oxirane, mono[(C12-14-alky	lox	y)methyl] derivs.:			
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg			
bis(isopropyl)naphthalene:					
Acute oral toxicity	:	LD50 Oral (Rat): > 3.900 mg/kg			
Acute inhalation toxicity	:	LC50 (Rat): > 5,64 mg/l Exposure time: 4 h Test atmosphere: dust/mist			
Acute dermal toxicity	:	LD50 Dermal (Rat): > 4.500 mg/kg			
Skin corrosion/irritation					
Causes skin irritation.					
Serious eye damage/eye irri Causes serious eye irritation.	itati	on			
•	atio	n			
Respiratory or skin sensitisation					
Skin sensitisation May cause an allergic skin reaction.					
Respiratory sensitisation					
Not classified based on available information.					
Germ cell mutagenicity					
Not classified based on available information.					
Carcinogenicity					
Not classified based on available information.					
Reproductive toxicity					
Not classified based on available information.					
STOT - single exposure Not classified based on available information.					



Version 4.2

Print Date 14.06.2024

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg. Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h
Reaction mass of isomers of	epoxy resin BFDGE:
Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): 2,54 mg/l

		Exposure time. 96 fr
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 2,55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 1,8 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available



Version 4.2

Print Date 14.06.2024

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

	Product:	
--	----------	--

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	The generation of waste should be avoided or mir wherever possible. Empty containers or liners may retain some product This material and its container must be disposed of way. Dispose of surplus and non-recyclable products v waste disposal contractor. Disposal of this product, solutions and any by-pro at all times comply with the requirements of enviro protection and waste disposal legislation and any local authority requirements. Avoid dispersal of spilled material and runoff and soil, waterways, drains and sewers.	ict residues. of in a safe ia a licensed ducts should onmental regional
European Waste Catalogue	08 01 11* waste paint and varnish containing org vents or other dangerous substances	anic sol-
Contaminated packaging	15 01 10* packaging containing residues of or cor by dangerous substances	Itaminated



Version 4.2

Print Date 14.06.2024

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	UN 3082	
	IMDG	:	UN 3082	
	ΙΑΤΑ	:	UN 3082	
14.2	UN proper shipping name			
	ADR	:	ENVIRONMENTALLY N.O.S. (epoxy resin)	HAZARDOUS SUBSTANCE, LIQUID,
	IMDG	:	ENVIRONMENTALLY N.O.S. (epoxy resin)	HAZARDOUS SUBSTANCE, LIQUID,
	ΙΑΤΑ	:	Environmentally hazar (epoxy resin)	dous substance, liquid, n.o.s.
14.3	Transport hazard class(es)			
			Class	Subsidiary risks
	ADR	:	9	
	IMDG	:	9	
	ΙΑΤΑ	:	9	
14.4	Packing group			
	ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code		III M6 90 9 (-)	
	IMDG Packing group Labels EmS Code	:	III 9 F-A, S-F	
	IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group	:	964 Y964 III	
	Labels	:	Miscellaneous	
	IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ)	:	964 Y964	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor[®]-1590 Part A



Revision Date: 10.06.2024 Version 4.2 Print Date 14.06.2024 Date of last issue: 27.05.2024 Packing group Ш 5 Labels Miscellaneous 14.5 Environmental hazards ADR Environmentally hazardous : yes IMDG Marine pollutant yes : IATA (Passenger) Environmentally hazardous : yes IATA (Cargo) Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:	All substances contained - registered by our upstrea - registered by us, and/or - excluded from the regula - exempted from the regis	am suppliers, and/or ation, and/or	
REACH - Restrictions on the m the market and use of certain d mixtures and articles (Annex X	angerous substances,	Conditions of restric lowing entries shou Number on list 3	
		Number on list 75:	
REACH - Candidate List of Sub Concern for Authorisation (Artic		None of the compo (=> 0.1 %).	nents are listed
REACH - List of substances su (Annex XIV)	bject to authorisation :	Not applicable	

Sikafloor[®]-1590 Part A



Revision Date: 10.06.2024 Date of last issue: 27.05.2024	Version 4.2	Print Date 14.06.2024				
Regulation (EC) on substances th layer	Regulation (EC) on substances that deplete the ozone : Not applicable layer					
Regulation (EU) 2019/1021 on pe tants (recast)	Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)					
Netherlands. Substances of very	Netherlands. Substances of very high concern (ZZS-list) : Quartz (SiO2)					
Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals						
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar E2	of the European Parliament and of the Coun ngerous substances. ENVIRONMENTAL HAZARDS	cil on the control of ma-				
Volatile organic compounds :	Law on the incentive tax for volatile organic (VOCV) Volatile organic compounds (VOC) content no VOC duties					
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 1,3% w/w					
Contains a substance which is su carcinogenic substances (Ministry Employment).						
Contains a substance which is sure reproductive toxic substances (M and Employment).						
15.2 Chamical safety assessment						

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H360F	: May damage fertility.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor[®]-1590 Part A



Revision Date: 10.06.2024 Date of last issue: 27.05.2024		Version 4.2	Print Date 14.06.2024	
H410	:	Very toxic to aquatic life with long lasting effects.		
H411	:	Toxic to aquatic life with long lasting effects.		
Full text of other abbreviation	ons	i		
Aquatic Chronic	:	Long-term (chronic) aquatic hazard		
Asp. Tox.	:	Aspiration hazard		
Eye Irrit.	:	Eye irritation		
Repr.	:	Reproductive toxicity		
Skin Irrit.	:	Skin irritation		
Skin Sens.	:	Skin sensitisation		
ADR	:	European Agreement concerning the Internation	al Carriage of	
		Dangerous Goods by Road		
CAS	:	: Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
ΙΑΤΑ	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Good		
LD50	:	: Median lethal dosis (the amount of a material, given all at		
		once, which causes the death of 50% (one half)	of a group of	
		test animals)		
LC50	:	Median lethal concentration (concentrations of th		
		air that kills 50% of the test animals during the ol	oservation	
		period)		
MARPOL	:	International Convention for the Prevention of Po	ollution from	
a =:		Ships, 1973 as modified by the Protocol of 1978		
OEL	:	Occupational Exposure Limit		
PBT	:	Persistent, bioaccumulative and toxic		
PNEC	:	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the European		
		and of the Council of 18 December 2006 concern		
		istration, Evaluation, Authorisation and Restriction		
0)////0	-	cals (REACH), establishing a European Chemica	als Agency	
SVHC	÷	Substances of Very High Concern		
vPvB	-	Very persistent and very bioaccumulative		

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-1590 Part A

Revision Date: 10.06.2024 Date of last issue: 27.05.2024

Version 4.2

Changes as compared to previous version !

NL / EN



Print Date 14.06.2024