

Revision Date: 01.09.2023 Date of last issue: 17.06.2023 Version 2.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikafloor<sup>®</sup> Marine-190

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

#### 1.3 Details of the supplier of the safety data sheet

:	Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht Nederland
:	+31-30-2410120
:	+31-30-2414482 EHS@nl.sika.com
	:

#### 1.4 Emergency telephone number

+31-57-0854201

### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.			
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.			

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	:	H315	Causes skin irritation.

# Sikafloor<sup>®</sup> Marine-190

Revision Date: 01.09.2023 Date of last issue: 17.06.2023



e of last issue: 17.06.2023		
	H317 H318 H335	May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.
Precautionary statements :	Prevention:	
	P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.
	Response:	
	P304 + P340 + F	P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
	P305 + P351 + F	•
	P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.

Version 2.1

#### Hazardous components which must be listed on the label:

Cement (chromium reduced) Cement, portland, chemicals calcium aluminate sulfate

#### 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 01.09.2023 Date of last issue: 17.06.2023





## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Components

Chemical name	CAS-No.	Classification	Concentration	
	EC-No.		(% w/w)	
	Registration number			
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25	
	266-043-4	Eye Dam. 1; H318		
		STOT SE 3; H335		
		(Respiratory system)		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 5 - < 10	
	266-043-4	Eye Dam. 1; H318		
		Skin Sens. 1; H317		
		STOT SE 3; H335		
calcium aluminate sulfate	12005-25-3	Skin Sens. 1; H317	>= 0,1 - < 0,5	
	Not Assigned			
Substances with a workplace exposure limit :				
Quartz (SiO2)	14808-60-7		>= 40 - < 60	
	238-878-4			
For evolution of obbroviations				

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages.

Revision Date: 01.09.2023 Date of last issue: 17.06.2023



Version 2.1

Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	<ul> <li>Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.</li> </ul>
Risks	: irritant effects sensitising effects
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.
-----------	--------------------------

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from the		
Hazardous combustion prod-	:	No hazardous combustion products are known

## 5.3 Advice for firefighters

Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.
for firefighters		

## Further information : Standard procedure for chemical fires.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Avoid breathing dust.
	Deny access to unprotected persons.

Revision Date: 01.09.2023 Date of last issue: 17.06.2023 Version 2.1



### 6.2 Environmental precautions

Environmental precautions

: Do not flush into surface water or sanitary sewer system.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Ac	dvice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	dvice on protection against e and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hy	ygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Co	nditions for safe storage, ir	nclu	uding any incompatibilities
	equirements for storage reas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	urther information on stor- ge stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Sp	ecific end use(s)		
Sp	pecific use(s)	:	Consult most current local Product Data Sheet prior to any use.

Print Date 03.04.2024

Revision Date: 01.09.2023 Date of last issue: 17.06.2023

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira-	0,075 mg/m3	NL WG
		ble dust)	(Silica)	
	Further information: Carcinogenic substances, based on the			
	thresholdlimit effect			

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal p	orotective	equipment
------------	------------	-----------

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

# Sikafloor<sup>®</sup> Marine-190

Print Date 03.04.2024

Revision Date: 01.09.2023 Date of last issue: 17.06.2023 Version 2.1

General advice

: Do not flush into surface water or sanitary sewer system.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder grey
Odour	:	characteristic
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Not classified as a flammability hazard

### Upper/lower flammability or explosive limits

Upper explosion limit / Up- per flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 10 (20 °C) Concentration: 50 %
<b>Viscosity</b> Viscosity, kinematic	:	Not applicable
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available

# Sikafloor<sup>®</sup> Marine-190

Revision Date: 01.09.2023 Date of last issue: 17.06.2023 Version 2.1



Vapour pressure	:	No data available
Density	:	ca. 1,32 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

## 10.4 Conditions to avoid

Conditions to avoid : No data available

### **10.5 Incompatible materials**

Materials to avoid : No data available

### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Skin corrosion/irritation

Causes skin irritation.

# Sikafloor<sup>®</sup> Marine-190

Revision Date: 01.09.2023 Date of last issue: 17.06.2023

Version 2.1



Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

### Skin sensitisation

May cause an allergic skin reaction.

### **Respiratory sensitisation**

Not classified due to lack of data.

## Germ cell mutagenicity

Not classified due to lack of data.

### Carcinogenicity

Not classified due to lack of data.

### **Reproductive toxicity**

Not classified due to lack of data.

## STOT - single exposure

May cause respiratory irritation.

### STOT - repeated exposure

Not classified due to lack of data.

### Aspiration toxicity

Not classified due to lack of data.

### 11.2 Information on other hazards

### **Endocrine disrupting properties**

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

Revision Date: 01.09.2023 Date of last issue: 17.06.2023 Version 2.1



#### 12.5 Results of PBT and vPvB assessment

#### Product:

mation

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

## 12.6 Endocrine disrupting properties

Product:		
Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		
Product:		
Additional ecological infor-	:	There is no data available for this product.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods Product The generation of waste should be avoided or minimized : wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. European Waste Catalogue 16 03 03\* inorganic wastes containing dangerous substances 1 15 01 10\* packaging containing residues of or contaminated Contaminated packaging 1 by dangerous substances

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Revision Date: 01.09.2023 Date of last issue: 17.06.2023



Date of last issue: 17.06.2023					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					
Not regulated as a dangerous good					
14.6 Special procedutions for user					

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

**REACH** Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or

Version 2.1

- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75

# Sikafloor<sup>®</sup> Marine-190



Revision Date: 01.09.2023 Date of last issue: 17.06.2023	Version 2.1	Print Date 03.04.202
REACH - Candidate List of Substances o Concern for Authorisation (Article 59).	f Very High :	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to au (Annex XIV)	thorisation :	Not applicable
Regulation (EC) No 1005/2009 on substa plete the ozone layer	nces that de- :	Not applicable
Regulation (EU) 2019/1021 on persistent tants (recast)	organic pollu- :	Not applicable
Netherlands. Substances of very high cor	ncern (ZZS-list) :	Quartz (SiO2)
Regulation (EC) No 649/2012 of the Euro ment and the Council concerning the exp of dangerous chemicals		Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# **SECTION 16: Other information**

Full text of H-Statements		
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.

# Full text of other abbreviations

Revision Date: 01.09.2023 Date of last issue: 17.06.2023



Version 2.1

Eye Dam. Skin Irrit. Skin Sens. STOT SE NL WG	<ul> <li>Serious eye damage</li> <li>Skin irritation</li> <li>Skin sensitisation</li> <li>Specific target organ toxicity - single exposure</li> <li>Netherlands. Law on Labour conditions - Occ sure Limits</li> </ul>	
NL WG / TLV-8hr	: Time Weighted Average	
ADR	<ul> <li>European Agreement concerning the Internat Dangerous Goods by Road</li> </ul>	ional Carriage of
CAS	: Chemical Abstracts Service	
DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentration	
GHS	: Globally Harmonized System	
ΙΑΤΑ	: International Air Transport Association	
IMDG	: International Maritime Code for Dangerous G	
LD50	<ul> <li>Median lethal dosis (the amount of a material once, which causes the death of 50% (one ha test animals)</li> </ul>	, given all at alf) of a group of
LC50	<ul> <li>Median lethal concentration (concentrations of air that kills 50% of the test animals during the period)</li> </ul>	
MARPOL	<ul> <li>International Convention for the Prevention of Ships, 1973 as modified by the Protocol of 19</li> </ul>	
OEL	: Occupational Exposure Limit	
РВТ	: Persistent, bioaccumulative and toxic	
PNEC	: Predicted no effect concentration	
REACH	<ul> <li>Regulation (EC) No 1907/2006 of the Europe and of the Council of 18 December 2006 con- istration, Evaluation, Authorisation and Restri cals (REACH), establishing a European Cher</li> </ul>	cerning the Reg- ction of Chemi-
SVHC	: Substances of Very High Concern	
vPvB	: Very persistent and very bioaccumulative	

#### **Further information**

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN

# Sikafloor<sup>®</sup> Marine-190

Revision Date: 01.09.2023 Date of last issue: 17.06.2023 Version 2.1

