

Revision Date: 05.06.2024 Date of last issue: 22.02.2024 Version 7.3

Print Date 06.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

SikaForce[®]-840 L07 (A) Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat-	H412: Harmful to aquatic life with long lasting ef-
egory 3	fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		•
Signal word	:	Warning	
Hazard statements	:	H317 H412	May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaForce[®]-840 L07 (A) Part A



Revision Date: 05.06.2024 Version 7.3 Print Date 06.06.2024 Date of last issue: 22.02.2024 **Prevention:** Precautionary statements 2 P261 Avoid breathing mist or vapours. P273 Avoid release to the environment. P280 Wear protective gloves.

F

Response: P333 + P313 P362 + P364	If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.
Disposal: P501	Dispose of contents/container in accordance

with local regulation.

Hazardous components which must be listed on the label:

ethylene bis(3-mercaptopropionate)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaForce®-840 L07 (A) Part A



Revision Date: 05.06.2024 Date of last issue: 22.02.2024

Version 7.3

Print Date 06.06.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
ethylene bis(3-	22504-50-3	Acute Tox. 4; H302	>= 1 - < 2,5
mercaptopropionate)	245-044-3	Acute Tox. 4; H312	
	01-2120775145-52-	Eye Irrit. 2; H319	
	XXXX	Skin Sens. 1A; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		1.000 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaForce[®]-840 L07 (A) Part A



Revision Date: 05.06.2024 Date of last issue: 22.02.2024		Version 7.3	Print Date 06.06.202
Symptoms	:	Allergic reactions See Section 11 for more detailed informa and symptoms.	tion on health effects
Risks	:	sensitising effects	
		May cause an allergic skin reaction.	
4.3 Indication of any immediate	me	dical attention and special treatment nee	eded
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/wat ide/sand/foam/alcohol resistant foam/che extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are k	nown
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained by	reathing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	se i	neasures	
6.1 Personal precautions, protec	tiv	e equipment and emergency procedures	5
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary If the product contaminates rivers and lak respective authorities.	
6.3 Methods and material for co	ntai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g acid binder, universal binder, sawdust). Keep in suitable, closed containers for dis	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaForce®-840 L07 (A) Part A



Revision Date: 05.06.2024 Date of last issue: 22.02.2024 Version 7.3

Print Date 06.06.2024

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.



Revision Date: 05.06.2024 Date of last issue: 22.02.2024 Version 7.3

Print Date 06.06.2024

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment				
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water			
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.			
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.			
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.			
Respiratory protection	: No special measures required.			
Environmental exposure controls				
General advice	 Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. 			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid paste black
Odour	:	musty
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaForce[®]-840 L07 (A) Part A



Revision Date: 05.06.2024 Date of last issue: 22.02.2024		Version 7.3	Print Date 06.06.2024
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or o	-		
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 101 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity			
Viscosity, dynamic	:	ca. 10.000 mPa.s (20 °C)	
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,16 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

No data available



Revision Date: 05.06.2024 Date of last issue: 22.02.2024 Version 7.3

Print Date 06.06.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

ethylene bis(3-mercaptopropionate):

Acute oral toxicity : LD50 Oral (Rat): >= 1.000 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Jika®

Revision Date: 05.06.2024 Date of last issue: 22.02.2024 Version 7.3

Print Date 06.06.2024

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

2

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

ethylene bis(3-mercaptopropionate):

Toxicity to fish (Chronic toxicity) : LC50: 4,85 mg/l Exposure time: 48 h Species: Fish

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:



Revision Date: 05.06.2024 Date of last issue: 22.02.2024		Version 7.3	Print Date 06.06.2024
Assessment	to V	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher	
12.6 Endocrine disrupting prop	perties		
Product:			
Assessment	e R (I	he substance/mixture does not contain red to have endocrine disrupting proper EACH Article 57(f) or Commission Dele EU) 2017/2100 or Commission Regulati evels of 0.1% or higher.	ties according to gated regulation
12.7 Other adverse effects			
Product: Additional ecological infor- mation	u	n environmental hazard cannot be exclunt nprofessional handling or disposal. Iarmful to aquatic life with long lasting e	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

luct	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.2 UN proper shipping name		

Country NL 10000020267

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaForce®-840 L07 (A) Part A



Revision Date: 05.06.2024 Date of last issue: 22.02.2024		Version 7.3	Print Date 06.06.2024
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a dangerous	go	od	
14.6 Special precautions for user	•		

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

: Not applicable

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered: Number on list 75, 3

1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich (Number on list 52)

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaForce[®]-840 L07 (A) Part A



Revision Date: 05.06.2024 Date of last issue: 22.02.2024	Version	7.3	Print Date 06.06.2024	
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).	
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds :	Law on the incentive t (VOCV) no VOC duties	ax f	or volatile organic compounds	
			4 November 2010 on industrial ution prevention and control)	
Contains a substance which is subject to the SZW-list of quinolin-8-ol reproductive toxic substances (Ministry of Social Affairs and Employment).			quinolin-8-ol	

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

 Harmful if swallowed. Harmful in contact with skin.
May cause an allergic skin reaction. Causes serious eye irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaForce[®]-840 L07 (A) Part A



Revision Date: 05.06.2024 Date of last issue: 22.02.2024	Version 7.3	Print Date 06.06.2024
H400 :	Very toxic to aquatic life.	
H410 :	Very toxic to aquatic life with long lasting effects	
Full text of other abbreviation	S	
Acute Tox. :	Acute toxicity	
Aquatic Acute :	Short-term (acute) aquatic hazard	
Aquatic Chronic :	Long-term (chronic) aquatic hazard	
Eye Irrit.	Eye irritation	
Skin Sens. :	Skin sensitisation	
ADR :	European Agreement concerning the Internation	al Carriage of
	Dangerous Goods by Road	J.
CAS :	Chemical Abstracts Service	
DNEL :	Derived no-effect level	
EC50 :	Half maximal effective concentration	
GHS :	Globally Harmonized System	
IATA :	International Air Transport Association	
IMDG :	International Maritime Code for Dangerous Good	
LD50 :	Median lethal dosis (the amount of a material, gi	ven all at
	once, which causes the death of 50% (one half)	of a group of
	test animals)	
LC50 :	Median lethal concentration (concentrations of the	ne chemical in
	air that kills 50% of the test animals during the o	bservation
	period)	
MARPOL :	International Convention for the Prevention of Po	ollution from
	Ships, 1973 as modified by the Protocol of 1978	
OEL :	Occupational Exposure Limit	
PBT :	Persistent, bioaccumulative and toxic	
PNEC :	Predicted no effect concentration	
REACH :	Regulation (EC) No 1907/2006 of the European	
	and of the Council of 18 December 2006 concer	
	istration, Evaluation, Authorisation and Restriction	
	cals (REACH), establishing a European Chemic	als Agency
SVHC :	Substances of Very High Concern	
vPvB :	Very persistent and very bioaccumulative	

Further information

Classification of the mixtu	Classification procedure:	
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN



Revision Date: 05.06.2024 Date of last issue: 22.02.2024 Version 7.3

Print Date 06.06.2024