

Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: PCI Polycret[®] 5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Wall levelling compound, Repairing mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Serious eye damage, Category 1	H318: Causes serious eye damage.				
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	L. L.	
Signal word	:	Danger	
Hazard statements	:	H315 H318 H335	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.

PCI Polycret[®] 5

Jika ®
Print Date 07.05.2024

Revision Date: 03.05.2024 Date of last issue: -	Ň	Print Date 07.05.202	
Precautionary statements :	P101	If medical advice is needed, ha container or label at hand.	ve product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-vea.	ventilated ar-
	P280	Wear protective gloves/ eye pro protection.	otection/ face
	Response:		
	-	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	n accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 03.05.2024 Date of last issue: -

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace exp	osure limit :		
Quartz (SiO2)	14808-60-7		>= 40 - < 60
	238-878-4		
kaolin	1332-58-7		>= 1 - < 2,5
	310-194-1		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled :	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed



Revision Date: 03.05.2024 Date of last issue: -		Version 1.0	Print Date 07.05.20
Symptoms	:	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information and symptoms.	on on health effects
Risks	:	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
		irritant effects	
4.3 Indication of any immediate	e meo	dical attention and special treatment need	ed
		- , , , , , ,	
Treatment	:	Treat symptomatically.	
Treatment SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing media	asur		
SECTION 5: Firefighting me	asur	es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.	
SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	asur a : m the	es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.	ical powder for
SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod	asur a : m the	es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.	ical powder for
SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion products	asur a : m the	es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction. e substance or mixture No hazardous combustion products are kno	ical powder for

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Avoid breathing dust.
		Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	 Try to prevent the material from entering drains or water courses. No special environmental precautions required.
---------------------------	--

Print Date 07.05.2024

Revision Date: 03.05.2024Version 1.0Print DaDate of last issue: -

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage,	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *	
		of exposure)	ters *		
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira- ble dust)	0,075 mg/m3 (Silica)	NL WG	
	Further information: Carcinogenic substances, based on the				



Revision Date: 03.05.2024 Date of last issue: - Version 1.0

	thresholdlimit	effect		
kaolin	1332-58-7	TWA (Respirable	0,1 mg/m3	2004/37/EC
		dust)		
	Further inform	nation: Carcinogens	or mutagens	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice	:	Try to prevent the material from entering drains or water
		courses.
		No special environmental precautions required.



Revision Date: 03.05.2024 Date of last issue: - Version 1.0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

mormation on basic physical	an	
Physical state	:	solid
Appearance	:	powder
Colour	:	grey
Odour	:	odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Upper flammability limit	-	
per narimability limit		
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %
Viscosity Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
·······		
Partition coefficient: n-	:	No data available



FCIFOIVCIEL 5		JIKa
Revision Date: 03.05.2024 Date of last issue: -	Version 1.0	Print Date 07.05.2024
octanol/water		
Vapour pressure	: No data available	
Density	: No data available	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
SECTION 10: Stability and 10.1 Reactivity	eactivity	
-	wn under conditions of normal use.	
10.2 Chemical stability		
The product is chemically s	table.	
10.3 Possibility of hazardous	eactions	
Hazardous reactions	: No hazards to be specially mention	ned.
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decompositio	n products	
	: No hazardous decomposition prod	lucts are known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

PCI Polycret[®] 5

Revision Date: 03.05.2024 Date of last issue: - Version 1.0



Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

	Version 1.0	Print Date 07.05.2024
asse	ssment	
2000		
:	This substance/mixture contains no com to be either persistent, bioaccumulative very persistent and very bioaccumulative 0.1% or higher	and toxic (PBT), or
oertie	S	
:	The substance/mixture does not contain ered to have endocrine disrupting proper REACH Article 57(f) or Commission Dele (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher.	ties according to egated regulation
:	There is no data available for this produc	xt.
	: pertie	 assessment This substance/mixture contains no com to be either persistent, bioaccumulative a very persistent and very bioaccumulative 0.1% or higher berties The substance/mixture does not contain ered to have endocrine disrupting proper REACH Article 57(f) or Commission Dele (EU) 2017/2100 or Commission Regulation

Product	: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR

: Not regulated as a dangerous good

Jika ®
Print Date 07.05.2024

Revision Date: 03.05.2024 Date of last issue: -

IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are - registered by our upstream suppliers, and/or
 - registered by us, and/or
 - excluded from the regulation, and/or
 - exempted from the registration.

REACH - Restrictions on the manufacture, placing on	:	Conditions of restriction for the fol-
the market and use of certain dangerous substances,		lowing entries should be considered:
mixtures and articles (Annex XVII)		Number on list 75

REACH - Candidate List of Substances of Very High : None of the components are listed Country NL 00000720301

PCI Polycret[®] 5



Revision Date: 03.05.2024 Date of last issue: -	Version 1.0		Print Date 07.05.2024
Concern for Authorisation (Article	59).	(=> 0.1 %).	
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable	
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de- :	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu- :	Not applicable	
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		Not applicable	
Netherlands. Substances of very	high concern (ZZS-list) :	Quartz (SiO2)	
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar		nt and of the Council on	the control of ma-
Volatile organic compounds :	Law on the incentive tax (VOCV) no VOC duties	for volatile organic com	pounds
	Directive 2010/75/EU of 2 emissions (integrated pol Not applicable		

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviat	ions	
Full text of other abbreviat Eye Dam.		Serious eye damage

PCI Polycret[®] 5



i en olyeret o		JING		
Revision Date: 03.05.2024 Date of last issue: -		Version 1.0	Print Date 07.05.20	
2004/37/EC	:	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work		
NL WG	:	Netherlands. Law on Labour conditions - Occupational Expo- sure Limits		
2004/37/EC / TWA	:	Long term exposure limit		
NL WG / TLV-8hr	:	Time Weighted Average		
ADR	:	European Agreement concerning the Inter Dangerous Goods by Road	national Carriage of	
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
IATA	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerou	s Goods	
LD50	:	Median lethal dosis (the amount of a mate once, which causes the death of 50% (one test animals)		
LC50	:	Median lethal concentration (concentration air that kills 50% of the test animals during period)		
MARPOL	:	International Convention for the Preventio Ships, 1973 as modified by the Protocol o		
OEL	:	Occupational Exposure Limit		
PBT	:	Persistent, bioaccumulative and toxic		
PNEC	:	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the Euro and of the Council of 18 December 2006 of		

	cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

istration, Evaluation, Authorisation and Restriction of Chemi-

Changes as compared to previous version !

NL / EN

PCI Polycret[®] 5

Revision Date: 03.05.2024 Date of last issue: - Version 1.0

