Revision Date: 07.03.2024 Date of last issue: 23.08.2023 Version 2.4

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1 Product identifier**

Trade name

: Sika<sup>®</sup>-Pronto Hardener

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special system, Product is not intended for consumer use

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

#### 1.4 Emergency telephone number

+31-57-0854201

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12 Organic peroxides, Type D	7 <b>2/2008)</b> H242: Heating may cause a fire.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 1B	H360D: May damage the unborn child.
Short-term (acute) aquatic hazard, Cate- gory 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat- egory 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Print Date 03.04.2024

Revision Date: 07.03.2024 Date of last issue: 23.08.2023		Version 2.4	Print Date 0
Hazard pictograms :			¥2
Signal word :	Danger		·
Hazard statements :	H317 I H319 ( H360D I	Heating may cause a fire. May cause an allergic skin re Causes serious eye irritation. May damage the unborn child Very toxic to aquatic life with	d.
Precautionary statements :	<b>Prevention:</b> P201 P210 P234 P273 P280	Obtain special instruction Keep away from heat, he open flames and other is smoking. Keep only in original pace Avoid release to the env Wear protective gloves/ eye protection/ face protection/	ot surfaces, sparks, gnition sources. No ckaging. ironment. protective clothing/
	Response:		
	P308 + P313	IF exposed or concerned vice/ attention.	d: Get medical ad-
	P370 + P378		
	P391	Collect spillage.	

#### Hazardous components which must be listed on the label:

dibenzoyl peroxide dicyclohexyl phthalate

#### **Additional Labelling**

Restricted to professional users.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: This substance/mixture contains components considered to have endocrine disrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Revision Date: 07.03.2024 Date of last issue: 23.08.2023



## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
dibenzoyl peroxide	94-36-0 202-327-6 01-2119511472-50- XXXX	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 40 - < 60
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
dicyclohexyl phthalate	84-61-7 201-545-9 01-2119978223-34- XXXX	Skin Sens. 1; H317 Repr. 1B; H360D Aquatic Chronic 3; H412	>= 40 - < 60

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

Revision Date: 07.03.2024

Date of last issue: 23.08.2023



Version 2.4

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Allergic reactions Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Risks	: irritant effects sensitising effects toxic effects for reproduction
	May cause an allergic skin reaction. Causes serious eye irritation. May damage the unborn child.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	Treat symptomatically.
-----------	---	------------------------

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Sand Water spray jet
		In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
Unsuitable extinguishing media	:	High volume water jet
		Water
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.

Further information	Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must
---------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

for firefighters

Revision Date: 07.03.2024 Date of last issue: 23.08.2023



Version 2.4

be disposed of in accordance with local regulations.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective	e equipment and emergency procedures
Personal precautions :	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contai	nment and cleaning up
Methods for cleaning up :	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Open drum carefully as content may be under pressure.</li> <li>Pregnant women or women of child-bearing age should not be exposed to this product.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Take precautionary measures against electrostatic discharges.

# Sika®-Pronto Hardener



Revision Date: 07.03.2024 Date of last issue: 23.08.2023	Version 2.4	Print Date 03.04.20
Hygiene measures	: Handle in accordance with good industrial practice. When using do not eat or drink. V smoke. Wash hands before breaks and at	Vhen using do not
7.2 Conditions for safe storage, ir	cluding any incompatibilities	
Requirements for storage areas and containers	: Store in cool place. Store in accordance w	ith local regulations.
Further information on stor- age stability	: Keep in a dry place. No decomposition if stored and applied as	directed.

# 7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	AS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

## **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

## Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	No special measures required.

Revision Date: 07.03.2024 Date of last issue: 23.08.2023 Version 2.4



#### Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder white
Odour	:	slight
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	ca. 180 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Self-Accelerating decomposi- tion temperature (SADT)	:	> 70 °C
рН	:	Not applicable substance/mixture is non-soluble (in water)

## Viscosity

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# Sika<sup>®</sup>-Pronto Hardener



Revision Date: 07.03.2024 Date of last issue: 23.08.2023	Version 2.4	Print Date 03.04.2
Viscosity, dynamic	: Not applicable	
Viscosity, kinematic	: Not applicable	
<b>Solubility(ies)</b> Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: ca. 1 hPa (20 °C)	
Density	: ca. 1,24 g/cm3 (20 °C)	
Bulk density	: ca. 640 kg/m3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

## 9.2 Other information

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Decomposes on heating.

## 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
---------------------	---	----------------------------------------------

## 10.4 Conditions to avoid

:	Heat, flames and sparks.

## 10.5 Incompatible materials

Materials to avoid	: Acids and bases
	Reducing agents
	Heavy metals

Revision Date: 07.03.2024 Date of last issue: 23.08.2023 Version 2.4



#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### **Components:**

#### dibenzoyl peroxide:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 24,3 mg/l Exposure time: 4 h Test atmosphere: dust/mist

#### Skin corrosion/irritation

Not classified due to lack of data.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified due to lack of data.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

## **Reproductive toxicity**

May damage the unborn child.

## STOT - single exposure

Not classified due to lack of data.

## STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

Revision Date: 07.03.2024 Date of last issue: 23.08.2023 Version 2.4



#### 11.2 Information on other hazards

#### Endocrine disrupting properties

Product:

Assessment

: This substance/mixture contains components considered to have endocrine disrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

## dibenzoyl peroxide:

M-Factor (Acute aquatic tox- : 10 icity)

M-Factor (Chronic aquatic : 10 toxicity)

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

2

#### Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment	: The substance/mixture does not contain components consid-
	ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

# Sika®-Pronto Hardener

Revision Date: 07.03.2024 Date of last issue: 23.08.2023 Version 2.4



## 12.7 Other adverse effects

## Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Very toxic to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	16 09 03* peroxides, for example hydrogen peroxide
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADR	:	UN 3106
IMDG	:	UN 3106
ΙΑΤΑ	:	UN 3106
14.2 UN proper shipping name		
ADR	:	ORGANIC PEROXIDE TYPE D, SOLID (dibenzoyl peroxide)
IMDG	:	ORGANIC PEROXIDE TYPE D, SOLID (dibenzoyl peroxide)
ΙΑΤΑ	:	Organic peroxide type D, solid (dibenzoyl peroxide)
14.3 Transport hazard class(es)		

# Class Subsidiary risks Country NL 00000120971 11 / 15

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# Sika<sup>®</sup>-Pronto Hardener

Print Date 03.04.2024

Revision Date: 07.03.2024 Date of last issue: 23.08.2023		Version 2.4	Print Date 03.04.2024		
		5.0			
ADR	:	5.2			
IMDG	:	5.2			
ΙΑΤΑ	:	5.2 HEAT			
14.4 Packing group					
ADR					
Packing group	:	Not assigned by regulation			
Classification Code Labels	÷	P1 5.2			
Tunnel restriction code	÷	5.2 (D)			
IMDG					
Packing group	:	Not assigned by regulation			
Labels	:	5.2			
EmS Code	:	F-J, S-R			
IATA (Cargo)		570			
Packing instruction (cargo aircraft)	:	570			
Packing group	:	Not assigned by regulation			
Labels	:	Organic Peroxides, Keep Away From Heat			
IATA (Passenger)					
Packing instruction (passen-	:	570			
ger aircraft) Packing group		Not assigned by regulation			
Labels	:	Organic Peroxides, Keep Away From Heat			
14.5 Environmental hazards					
ADR Environmentally hazardous	:	yes			
IMDG	•	300			
Marine pollutant	:	yes			
IATA (Passenger)		,			
Environmentally hazardous	:	yes			
IATA (Cargo)					
Environmentally hazardous	:	yes			
14.6 Special precautions for use	r				
• •		wided berein are for informational nurnoses of	nly, and solely based		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006



Revision Date: 07.03.2024 Date of last issue: 23.08.2023	Version 2	2.4	Print Date 03.04.20
International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	strea I/or gula	im suppliers, and/or tion, and/or
REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII	gerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75
			dicyclohexyl phthalate (Number on list 30)
REACH - Candidate List of Subst Concern for Authorisation (Article		:	dicyclohexyl phthalate
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) No 1005/2009 or plete the ozone layer	n substances that de-	:	Not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable
Netherlands. Substances of very	high concern (ZZS-list)	:	dicyclohexyl phthalate
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar P6b	ngerous substances.	BST.	and of the Council on the control of ma-
E1	ENVIRONMENTAL H	٩ZA	RDS
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compounds
Country NI 00000120971			13/15

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# Sika<sup>®</sup>-Pronto Hardener

Revision Date: 07.03.2024 Date of last issue: 23.08.2023

> Directive 1999/13/EC Not applicable

Version 2.4

dicyclohexyl phthalate

Contains a substance which is subject to the SZW-list of reproductive toxic substances (Ministry of Social Affairs and Employment).

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

Full text of H-Statements	
H241 :	Heating may cause a fire or explosion.
H317 :	May cause an allergic skin reaction.
H319 :	Causes serious eye irritation.
H360D :	May damage the unborn child.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H412 :	Harmful to aquatic life with long lasting effects.
Full text of other abbreviations	5
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Eye Irrit. :	Eye irritation
Org. Perox. :	Organic peroxides
Repr. :	Reproductive toxicity
Skin Sens. :	Skin sensitisation
ADR :	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS :	Chemical Abstracts Service
DNEL :	Derived no-effect level
EC50 :	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA :	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50 :	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50 :	
	air that kills 50% of the test animals during the observation
	period)
MARPOL :	International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL :	Occupational Exposure Limit
PBT :	Persistent, bioaccumulative and toxic
PNEC :	Predicted no effect concentration
REACH :	Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-



Print Date 03.04.2024

Revision Date: 07.03.2024 Date of last issue: 23.08.2023 Version 2.4

	cals (REACH), establishing a European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative

## **Further information**

re:	Classification procedure:
H242	Based on product data or assessment
H319	Calculation method
H317	Calculation method
H360D	Calculation method
H400	Calculation method
H410	Calculation method
	H319 H317 H360D H400

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN