

Revision Date: 26.04.2024 Date of last issue: 25.04.2023 Version 2.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Sika® ViscoCrete®-2650 con.36% SPL UFI:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one (BIT), 2-octyl-2H-isothiazole-3-one (OIT), mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Sika® ViscoCrete®-2650 con.36% SPL



Revision Date: 26.04.2024 Date of last issue: 25.04.2023 Version 2.3

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1, mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)), 55965-84-9. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,025 - < 0,05
		specific concentration limit Skin Sens. 1; H317 >= 0,05 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 597 mg/kg Acute inhalation tox- icity (dust/mist): 0,4 mg/l	

Sika® ViscoCrete®-2650 con.36% SPL

Revision Date: 26.04.2024 Date of last issue: 25.04.2023 Version 2.3



2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1 247-761-7 01-2120768921-45- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 % Acute toxicity esti- mate Acute oral toxicity: 125 mg/kg Acute inhalation tox- icity (dust/mist): 0,27	>= 0,0002 - < 0,0015
		mg/l Acute dermal toxicity: 311 mg/kg	

Sika® ViscoCrete®-2650 con.36% SPL

Revision Date: 26.04.2024 Date of last issue: 25.04.2023 Version 2.3



mixture of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239- 6] (3:1) (C(M)IT/MIT (3:1))	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	>= 0,0002 - < 0,0015	
--	--	---	-------------------------	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.



Revision Date: 26.04.2024 Date of last issue: 25.04.2023 Version 2.3

4.2 Most important symptoms and effects, both acute and delayed					
Symptoms	:	See Section 11 for more detailed information on health effects and symptoms.			
Risks	:	No known significant effects or hazards.			
4.3 Indication of any immediate	me	dical attention and special treatment needed			
Treatment	:	Treat symptomatically.			
SECTION 5: Firefighting mea	sur	res			
5.1 Extinguishing media					
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.			
5.2 Special hazards arising fron	5.2 Special hazards arising from the substance or mixture				
Hazardous combustion prod- ucts	• :	No hazardous combustion products are known			
5.3 Advice for firefighters					
Special protective equipment for firefighters	: :	In the event of fire, wear self-contained breathing apparatus.			
Further information	:	Standard procedure for chemical fires.			
SECTION 6: Accidental release measures					
6.1 Personal precautions. prote	ctiv	e equipment and emergency procedures			
Personal precautions	:	For personal protection see section 8.			
6.2 Environmental precautions					
Environmental precautions	:	No special environmental precautions required.			

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Wipe up with absorbent material (e.g. cloth, fleece).	
	Keep in suitable, closed containers for disposal.	

6.4 Reference to other sections

For personal protection see section 8.

Print Date 26.04.2024

Revision Date: 26.04.2024 Date of last issue: 25.04.2023 Version 2.3

SECTION 7: Handling and storage

7.1	Precautions for safe handling	g	
	Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Advice on common storage	:	No special restrictions on storage with other products.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
------------	---------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.

Sika® ViscoCrete®-2650 con.36% SPL



Revision Date: 26.04.2024 Date of last issue: 25.04.2023	Version 2.3	Print Date 26.04.202
Skin and body protection	 Butyl rubber/nitrile rubber gloves (> Recommended: Butyl rubber/nitrile Protective clothing (e.g. Safety sho long-sleeved working clothing, long and protective boots are additionaly and stirring work. 	rubber gloves. es acc. to EN ISO 20345, i trousers). Rubber aprons
Respiratory protection	: No special measures required.	
Environmental exposure co	ntrols	

General advice : No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid yellow			
Odour	:	characteristic			
Melting point/range / Freezing point	:	No data available			
Boiling point/boiling range	:	No data available			
Flammability (solid, gas)	:	No data available			
Upper/lower flammability or explosive limits					
Upper explosion limit / Upper flammability limit	•				
Lower explosion limit / Lower flammability limit	:	No data available			
Flash point	:	Not applicable			
Auto-ignition temperature	:	No data available			
Decomposition temperature	:	No data available			
рН	:	ca. 5 (20 °C)			

Sika® ViscoCrete®-2650 con.36% SPL

Revision Date: 26.04.2024 Date of last issue: 25.04.2023 Version 2.3



	Concentration: 100 %	
Viscosity		
Viscosity, dynamic	: ca. 100 mPa.s (20 °C)	
Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
Solubility(ies)		
Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 23 hPa	
Density	: ca. 1,07 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous read	ctio	ns
Hazardous reactions	:	No hazards to be specially mentioned.
10.4 Conditions to avoid Conditions to avoid	:	No data available
10.5 Incompatible materials Materials to avoid	:	No data available

Sika® ViscoCrete®-2650 con.36% SPL

Print Date 26.04.2024

Revision Date: 26.04.2024 Date of last issue: 25.04.2023

Version 2.3

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity : LD50 Oral (Rat): 597 mg/kg

2-octyl-2H-isothiazole-3-one (OIT):

Acute oral toxicity	:	Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity	:	Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute dermal toxicity	:	Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)):

Acute inhalation toxicity : /	Assessment: Corrosive to the respiratory tract.
-------------------------------	---

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Assessment

: May cause sensitisation by skin contact.

Sika® ViscoCrete®-2650 con.36% SPL

Print Date 26.04.2024

Revision Date: 26.04.2024 Date of last issue: 25.04.2023 Version 2.3

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 3 mg/l aquatic invertebrates Exposure time: 48 h

2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)):

M-Factor (Acute aquatic tox- : 100

Revision Date: 26.04.2024 Date of last issue: 25.04.2023 Version 2.3



icity)

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

12.7 Other adverse effects

Product:	

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way. Dispose of surplus and non-recyclable products via a licensed
	waste disposal contractor. Disposal of this product, solutions and any by-products should
	at all times comply with the requirements of environmental protection and waste disposal legislation and any regional

Sika® ViscoCrete®-2650 con.36% SPL

Revision Date: 26.04.2024 Date of last issue: 25.04.2023 Version 2.3



local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2	UN proper shipping name			
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)				
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4	Packing group			
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	IATA (Cargo)	:	Not regulated as a dangerous good	
	IATA (Passenger)	:	Not regulated as a dangerous good	

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

```
REACH Information: All substances contained in our Products are
```

Sika® ViscoCrete®-2650 con.36% SPL



Revision Date: 26.04.2024
Date of last issue: 25.04.2023

Version 2.3

 registered by our upstream suppliers, and/or registered by us, and/or excluded from the regulation, and/or exempted from the registration. 			
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)		:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer		:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		:	Not applicable
Regulation (EU) No 649/2012 of the European Parlia- : If ment and the Council concerning the export and import of dangerous chemicals			Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable			
Volatile organic compounds :	: Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties		
Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable			
Contains a substance which is subject to the SZW-list of sulphuric acid carcinogenic substances (Ministry of Social Affairs and Employment).			

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Revision Date: 26.04.2024 Date of last issue: 25.04.2023 Version 2.3



SECTION 16: Other information

Full text of H-Statements

Toxic if swallowed. H301 : H302 Harmful if swallowed. H310 Fatal in contact with skin. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. Causes skin irritation. H315 : May cause an allergic skin reaction. H317 Causes serious eye damage. H318 Fatal if inhaled. H330 Very toxic to aquatic life. H400 Very toxic to aquatic life with long lasting effects. H410 Full text of other abbreviations Acute Tox. Acute toxicity Aquatic Acute Short-term (acute) aquatic hazard Aquatic Chronic Long-term (chronic) aquatic hazard Eye Dam. Serious eye damage Skin corrosion Skin Corr. Skin Irrit. Skin irritation : Skin Sens. Skin sensitisation : European Agreement concerning the International Carriage of ADR Dangerous Goods by Road **Chemical Abstracts Service** CAS Derived no-effect level DNEL EC50 Half maximal effective concentration GHS **Globally Harmonized System** IATA International Air Transport Association IMDG International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at LD50 once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in LC50 air that kills 50% of the test animals during the observation period) International Convention for the Prevention of Pollution from MARPOL Ships, 1973 as modified by the Protocol of 1978 OEL **Occupational Exposure Limit** : PBT Persistent, bioaccumulative and toxic PNEC Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament REACH and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency SVHC Substances of Very High Concern Very persistent and very bioaccumulative vPvB

Further information

Sika® ViscoCrete®-2650 con.36% SPL



Revision Date: 26.04.2024 Date of last issue: 25.04.2023 Version 2.3

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN