

Version 1.2

Print Date 11.02.2025

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: PCI Collastic<sup>®</sup> Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Product use
- : Tile adhesive, Product is not intended for consumer use, For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht Nederland
Telephone		+31-30-2410120
•	•	
Telefax	:	+31-30-2414482
E-mail address of person responsible for the SDS	:	EHS@nl.sika.com

#### 1.4 Emergency telephone number

+31-57-0854201

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)Acute toxicity, Category 4H332: Harmful if inhaled.						
Skin irritation, Category 2	H315: Causes skin irritation.					
Eye irritation, Category 2	H319: Causes serious eye irritation.					
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.					
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.					
Carcinogenicity, Category 2	H351: Suspected of causing cancer.					
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.					
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.					

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Collastic<sup>®</sup> Part B

Revision Date: 08.02.2025 Date of last issue: 24.11.2024

Labelling (REGULATION (EC) No 1272/2008)

Version 1.2

Print Date 11.02.2025

2.2 Labe	l elements
----------	------------

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<ul> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H332 Harmful if inhaled.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>H335 May cause respiratory irritation.</li> <li>H351 Suspected of causing cancer.</li> <li>H373 May cause damage to organs through prolonged or repeated exposure if inhaled.</li> </ul>
Precautionary statements	:	Prevention:P201Obtain special instructions before use.P260Do not breathe mist or vapours.P264Wash skin thoroughly after handling.P280Wear protective gloves/ protective clothing/ eye protection/ face protection.Response:P304 + P340 + P312IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.P342 + P311If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

#### Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues

#### **Additional Labelling**

"As from 24 August 2023 adequate training is required before industrial or professional use."

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





Version 1.2

Print Date 11.02.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components Chemical name	CAS-No.	Classification	Concentration
	EC-No.	Classification	(% w/w)
	Registration number		(70 00/00)
Diphenylmethanediisocyanate,	9016-87-9	Acute Tox. 4; H332	>= 40 - < 60
isomeres and homologues	Not Assigned	Skin Irrit. 2; H315	
		Eye Irrit. 2; H319	
		Resp. Sens. 1; H334	
		Skin Sens. 1; H317	
		Carc. 2; H351 STOT SE 3; H335	
		(Respiratory system)	
		STOT RE 2; H373	
		· · · · · · · · · · · · · · · · · · ·	
		specific concentration	
		limit	
		Eye Irrit. 2; H319 >= 5 %	
		~= 5 76	
		specific concentration	
		Resp. Sens. 1; H334	
		>= 0,1 %	
		specific concentration	
		limit	
		Skin Irrit. 2; H315	
		>= 5 %	
		specific concentration	
		limit	
		STOT SE 3; H335	
		>= 5 %	

For explanation of abbreviations see section 16.



Version 1.2

Print Date 11.02.2025

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	nd e	effects, both acute and delayed
Symptoms	:	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled. irritant effects
		sensitising effects



Revision Date: 08.02.2025 Date of last issue: 24.11.2024		Version 1.2	Print Date 11.02.202
4.3 Indication of any immediate	me	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting mea	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/oide/sand/foam/alcohol resistant foam/chemical extinction.	
5.2 Special hazards arising from	n the	e substance or mixture	
• •		No hazardous combustion products are known	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathin	ng apparatus.
Further information	:	Standard procedure for chemical fires.	
Further information SECTION 6: Accidental relea	: se i		
SECTION 6: Accidental relea		measures	
SECTION 6: Accidental relea			
SECTION 6: Accidental relea 6.1 Personal precautions, prote		measures e equipment and emergency procedures Use personal protective equipment.	
SECTION 6: Accidental relea 6.1 Personal precautions, prote Personal precautions		measures e equipment and emergency procedures Use personal protective equipment.	
SECTION 6: Accidental relea 6.1 Personal precautions, prote Personal precautions 6.2 Environmental precautions	ctiv : :	measures e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sewe If the product contaminates rivers and lakes or respective authorities.	
<ul> <li>SECTION 6: Accidental relea</li> <li>6.1 Personal precautions, protections</li> <li>Personal precautions</li> <li>6.2 Environmental precautions</li> <li>Environmental precautions</li> </ul>	ctiv : :	measures e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary sewe If the product contaminates rivers and lakes or respective authorities.	drains inform d, silica gel,
<ul> <li>SECTION 6: Accidental relea</li> <li>6.1 Personal precautions, protections</li> <li>Personal precautions</li> <li>6.2 Environmental precautions Environmental precautions </li> <li>6.3 Methods and material for co</li> </ul>	ctiv : :	<ul> <li>measures</li> <li>e equipment and emergency procedures</li> <li>Use personal protective equipment. Deny access to unprotected persons.</li> <li>Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or respective authorities.</li> <li>inment and cleaning up Soak up with inert absorbent material (e.g. sand acid binder, universal binder, sawdust).</li> </ul>	drains inform d, silica gel,

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI Collastic<sup>®</sup> Part B



Revision Date: 08.02.2025 Version 1.2 Print Date 11.02.2025 Date of last issue: 24.11.2024 section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products Advice on protection against 1 Normal measures for preventive fire protection. fire and explosion Hygiene measures Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage : Keep container tightly closed in a dry and well-ventilated areas and containers place. Store in accordance with local regulations. Further information on stor-No decomposition if stored and applied as directed. : age stability 7.3 Specific end use(s) Specific use(s) Cleaning with aprotic polar solvents must be avoided.

#### **SECTION 8: Exposure controls/personal protection**

use.

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	AGW (Inhalable fraction)	0,05 mg/m3 (MDI)	DE TRGS 900
	pounds at the	ation: Senate comm work place dangero alue for the same O	hission for the revious for the health h	nas also estab-

Consult most current local Product Data Sheet prior to any



Revision Date: 08.02.2025 Date of last issue: 24.11.2024

Version 1.2

Print Date 11.02.2025

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	nt	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.

#### **Environmental exposure controls**

General advice	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform
	respective authorities.



Version 1.2

Print Date 11.02.2025

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	: : :	liquid paste blue
Odour	:	musty
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	vn	losivo limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 200 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	No data available

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-

tion (EU) 2020/878 PCI Collastic<sup>®</sup> Part B

# **Sika**®

Revision Date: 08.02.2025 Date of last issue: 24.11.2024	Version 1.2	Print Date 11.02.2025
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: ca. 1,6 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

#### 9.2 Other information

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

#### 10.4 Conditions to avoid

No data available
ľ

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Harmful if inhaled.

# PCI Collastic<sup>®</sup> Part B



Revision Date: 08.02.2025 Date of last issue: 24.11.2024

Version 1.2

Print Date 11.02.2025

#### **Components:**

#### Diphenylmethanediisocyanate, isomeres and homologues: Acute oral toxicity : LD50 Oral (Rat): > 10.000 mg/kg Acute inhalation toxicity : LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation. Acute dermal toxicity LD50 Dermal (Rabbit): > 9.400 mg/kg : Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye irritation Causes serious eye irritation. Respiratory or skin sensitisation Skin sensitisation May cause an allergic skin reaction. **Respiratory sensitisation** May cause allergy or asthma symptoms or breathing difficulties if inhaled. Germ cell mutagenicity Not classified due to lack of data. Carcinogenicity Suspected of causing cancer. **Reproductive toxicity** Not classified due to lack of data. STOT - single exposure May cause respiratory irritation. STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure if inhaled. Aspiration toxicity Not classified due to lack of data. 11.2 Information on other hazards Endocrine disrupting properties Product: Assessment 2



Revision Date: 08.02.2025 Date of last issue: 24.11.2024 Version 1.2

Print Date 11.02.2025

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

#### Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

#### Product:

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	Assessment	:	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
---	------------	---	--

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		



Version 1.2

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
44 C Curdenaum autol baranda		

#### 14.5 Environmental hazards

Not regulated as a dangerous good



Revision Date: 08.02.2025 Date of last issue: 24.11.2024	Version	1.2		Print Date 11.02.2025
<b>14.6 Special precautions for user</b> Not applicable				
<b>14.7 Maritime transport in bulk acc</b> Not applicable for product as su	-	ents		
SECTION 15: Regulatory inform	nation			
<b>15.1 Safety, health and environme</b> International Chemical Weapon Schedules of Toxic Chemicals a	s Convention (CWC)	ion :	specific for the subst Not applicable	ance or mixture
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the re- - exempted from the re-	strea I/or gula	im suppliers, and/or tion, and/or	
REACH - Restrictions on the mathematic the market and use of certain date mixtures and articles (Annex XV	angerous substances,	:	Conditions of restriction lowing entries should Number on list 3	
			Number on list 75 Banned and/or restric	ted
REACH - Candidate List of Sub Concern for Authorisation (Artic		:	None of the compone (=> 0.1 %).	nts are listed
REACH - List of substances sub (Annex XIV)	pject to authorisation	:	Not applicable	
Regulation (EU) No 2024/590 o plete the ozone layer	n substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 on p tants (recast)	persistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 o ment and the Council concernin of dangerous chemicals		:	Not applicable	



Revision Date: 08.02.2025	Version 1.2	Print Date 11.02.2025
Date of last issue: 24.11.2024	he European Parliament and of the	Council on the control of ma-

jor-accident hazards involving		of the European Parliament and of the Council on the control of ma- ngerous substances. Not applicable
Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

Full text of H-Statements	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficul-
	ties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated
	exposure if inhaled.
Full text of other abbreviation	S
Acute Tox.	Acute toxicity
Carc.	Carcinogenicity
Eye Irrit.	Eye irritation
Resp. Sens.	Respiratory sensitisation
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitisation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
DE TRGS 900	Germany. TRGS 900 - Occupational exposure limit values.
DE TRGS 900 / AGW	Time Weighted Average
ADR	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# PCI Collastic<sup>®</sup> Part B

\_



Revision Date: 08.02.2025 Date of last issue: 24.11.2024		Version 1.2	Print Date 11.02.2025
LD50	:	Median lethal dosis (the amount of a material, g once, which causes the death of 50% (one half) test animals)	
LC50	:	Median lethal concentration (concentrations of the air that kills 50% of the test animals during the coperiod)	
MARPOL	:	International Convention for the Prevention of P Ships, 1973 as modified by the Protocol of 1978	
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the European and of the Council of 18 December 2006 concer istration, Evaluation, Authorisation and Restriction cals (REACH), establishing a European Chemic	rning the Reg- on of Chemi-
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative	

#### **Further information**

Classification of the r	Classification procedure:	
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN