SikaEmaco[®] T 350 SL Part A



Revision Date: 29.12.2024 Date of last issue: 20.11.2024 Version 1.2

Print Date 10.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaEmaco[®] T 350 SL Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Danger

SikaEmaco® T 350 SL Part A



Revision Date: 29.12.2024 Date of last issue: 20.11.2024		Version 1.2	Print Date 10.01.2025
Hazard statements :	H315 H317 H318 H335	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.	
Precautionary statements :	P101	If medical advice is needed, hav container or label at hand.	e product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-ve ea.	entilated ar-
	P280	Wear protective gloves/ eye prot protection.	ection/ face
	Response:		
	P305 + P35	1 + P338 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy t tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced) calcium sulfoaluminate clinker

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
SikaEmaco [®] T 350 SL Part A



Version 1.2

Print Date 10.01.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta				
Chemical name	CAS-No.	Classification	Concentration	
	EC-No.		(% w/w)	
	Registration number			
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25	
	266-043-4	Eye Dam. 1; H318		
		STOT SE 3; H335		
		(Respiratory system)		
calcium sulfoaluminate clinker	Not Assigned	Skin Irrit. 2; H315	>= 5 - < 10	
	934-133-9	Eye Dam. 1; H318		
		Skin Sens. 1; H317		
		STOT SE 3; H335		
		(Respiratory system)		
Substances with a workplace exposure limit :				
Quartz (SiO2)	14808-60-7		>= 60 - < 80	
	238-878-4			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled :	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

SikaEmaco[®] T 350 SL Part A



Revision Date: 29.12.2024 Date of last issue: 20.11.2024 Version 1.2

Print Date 10.01.2025

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	 Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. irritant effects
4.3 Indication of any imn	sensitising effects nediate medical attention and special treatment needed : Treat symptomatically.
SECTION 5: Firefightir	

5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.			
2 Special hazards arising from the substance or mixture					

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

5.3 Advice for firefighters

Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.
for firefighters		

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Avoid breathing dust.
	Deny access to unprotected persons.

SikaEmaco® T 350 SL Part A



Revision Date: 29.12.2024	Version 1.2	Print Date 10.01.2025
Date of last issue: 20.11.2024		
6.2 Environmental precautions Environmental precautions	: Do not flush into surface water or sanitary s	sewer system.
6.3 Methods and material for cont	ainment and cleaning up	
Methods for cleaning up	: Pick up and arrange disposal without creat Keep in suitable, closed containers for disp	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Version 1.2

Print Date 10.01.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira- ble dust)	0,075 mg/m3 (Silica)	NL WG	
	Further information: Carcinogenic substances, based on the thresholdlimit effect				

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaEmaco[®] T 350 SL Part A



Revision Date: 29.12.2024	Version 1.2	Print Date 10.01.2025
Date of last issue: 20.11.2024		

General advice

: Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

1	Information on basic physical	an	d chemical properties
	Physical state	:	solid
	Appearance	:	powder
	Colour	:	grey
	Odour	:	odourless
	Melting point/ range / Freez- ing point	:	No data available
	Boiling point/boiling range	:	No data available
	Flammability (solid, gas)	:	No data available
	Upper/lower flammability or e	yn	losive limits
	Upper explosion limit / Up- per flammability limit		
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	Not applicable
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	рН	:	> 11 Concentration: 50 %
	Viscosity		
	Viscosity, kinematic	:	Not applicable
	Solubility(ies)		
	Water solubility	:	No data available
	-		

:

No data available

SikaEmaco® T 350 SL Part A



Revision Date: 29.12.2024 Date of last issue: 20.11.2024	Version 1.2	Print Date 10.01.2025
octanol/water		
Vapour pressure	: No data available	
Density	: No data available	
Bulk density	: 1.800 - 2.400 kg/m3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



Version 1.2

Print Date 10.01.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Version 1.2

Print Date 10.01.2025

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

 The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues.
This material and its container must be disposed of in a safe
way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental

SikaEmaco[®] T 350 SL Part A



Revision Date: 29.12.2024 Date of last issue: 20.11.2024 Version 1.2

Print Date 10.01.2025

protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

SikaEmaco® T 350 SL Part A



Revision Date: 29.12.2024 Date of last issue: 20.11.2024	Version 2	1.2	Print Date 10.01.202	Print Date 10.01.2025	
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	eam suppliers, and/or r lation, and/or		
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement (chromi- um reduced)		
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).		
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable		
Regulation (EC) on substances th layer	nat deplete the ozone	:	Not applicable		
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable		
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable		
Netherlands. Substances of very	high concern (ZZS-list)	:	Quartz (SiO2) Crystalline silica		
Seveso III: Directive 2012/18/EU jor-accident hazards involving da	nt and of the Council on the control of ma-				
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	for volatile organic compounds		
			24 November 2010 on industrial llution prevention and control)		

SikaEmaco® T 350 SL Part A



Revision Date: 29.12.2024 Date of last issue: 20.11.2024 Version 1.2

Print Date 10.01.2025

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviat	ions	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.		Skin sensitisation
STOT SE	÷	Specific target organ toxicity - single exposure
NL WG	•	Netherlands. Law on Labour conditions - Occupational Expo- sure Limits
NL WG / TLV-8hr	:	Time Weighted Average
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL		International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC		Substances of Very High Concern
vPvB	÷	Very persistent and very bioaccumulative
Further information		
Classification of the mixtu	re:	Classification procedure:
Skin Irrit. 2	H3	Calculation method





Revision Date: 29.12.2024 Date of last issue: 20.11.2024		Version 1.2	Print Date 10.01.2025
Eye Dam. 1	H318	Calculation method	
Skin Sens. 1	H317	Calculation method	
STOT SE 3	H335	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN