PCI[®] Flexmörtel Premium



Revision Date: 25.06.2024 Date of last issue: - Version 1.0

Print Date 28.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: PCI[®] Flexmörtel Premium

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Tile adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)Skin irritation, Category 2H315: Causes skin irritation.Serious eye damage, Category 1H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)				
Hazard pictograms	:	L'E	•	
Signal word	:	Danger		
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.	
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI® Flexmörtel Premium



Revision Date: 25.06.2024 Version 1.0 Print Date 28.06.2024 Date of last issue: -P102 Keep out of reach of children. Read label before use. P103 Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ eye protection/ face protection. Response: P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	



PCI® Flexmörtel Premium

Revision Date: 25.06.2024 Date of last issue: -	Version 1.0	Print Date 28.06.2024		
Substances with a workpla Quartz (SiO2)	ce exposure limit : 14808-60-7 238-878-4	>= 40 - < 60		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms	Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	Causes skin irritation. Causes serious eye damage.
	irritant effects
4.3 Indication of any immediate m	edical attention and special treatment needed
Treatment	Treat symptomatically.



Revision Date: 25.06.2024

Version 1.0

Print Date 28.06.2024

SECTION 5: Firefighting measures

5.1 Extinguishing media

Date of last issue: -

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox-
		ide/sand/foam/alcohol resistant foam/chemical powder for
		extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	: Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupation	onal exposure limits (see
	section 8).	
	Do not get in eyes, on skin, or on cl	othing.
	For personal protection see section	8.
	Smoking, eating and drinking shoul	d be prohibited in the ap-

PCI® Flexmörtel Premium



Revision Date: 25.06.2024 Date of last issue: -		Version 1.0	Print Date 28.06.2024
		plication area. Follow standard hygiene measures when handli products	ng chemical
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhau at places where dust is formed.	ust ventilation
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	
7.2 Conditions for safe storage, i	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-v place. Store in accordance with local regulations	
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as direc	ted.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet puse.	prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *	
		of exposure)	ters *		
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira-	0,075 mg/m3	NL WG	
		ble dust)	(Silica)		
	Further information: Carcinogenic substances, based on the				
	thresholdlimit effect				

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI® Flexmörtel Premium



Revision Date: 25.06.2024 Date of last issue: -	Version 1.0	Print Date 28.06.2024
	chemical products. Reference number EN 374 facturer specifications.	. Follow manu-
	Recommended: Butyl rubber/nitrile rubber glov Contaminated gloves should be removed.	′es.
Skin and body protection	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to E long-sleeved working clothing, long trousers). I and protective boots are additionaly recommer and stirring work.	Rubber aprons
Respiratory protection	 In case of inadequate ventilation wear respirate Respirator selection must be based on known exposure levels, the hazards of the product an ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substance Ensure adequate ventilation. This can be achie exhaust extraction or by general ventilation. (E ods for determining inhalation exposure). This ticular to the mixing / stirring area. In case this to keep the concentrations under the occupation limits then respiration protection measures must 	or anticipated d the safe work- ces eved by local N 689 - Meth- applies in par- is not sufficent onal exposure
Environmental exposure con	rols	
General advice	: Try to prevent the material from entering drains courses.	s or water

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder grey
Odour	:	very faint
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	The product is not flammable.

PCI® Flexmörtel Premium



Revision Date: 25.06.2024 Date of last issue: -

Version 1.0

Print Date 28.06.2024

	Upper/lower flammability or Upper explosion limit / Up- per flammability limit	-	
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	Not applicable
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	рН	:	> 11 Concentration: 50 %
	Viscosity Viscosity, kinematic	:	Not applicable
	Solubility(ies) Water solubility	•	dispersible
	Partition coefficient: n- octanol/water	:	No data available
	Vapour pressure	:	No data available
	Density	:	ca. 1,28 g/cm3
	Bulk density	:	ca. 1.200 kg/m3 (23 °C)
	Relative vapour density	:	No data available
	Particle characteristics	:	No data available
9.2	Other information Explosives	:	Not explosive
		-	north, minoit-t-

: partly miscible



Revision Date: 25.06.2024

PCI® Flexmörtel Premium

Version 1.0

Print Date 28.06.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

Date of last issue: -

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

PCI[®] Flexmörtel Premium



Revision Date: 25.06.2024 Date of last issue: - Version 1.0

Print Date 28.06.2024

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

:

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

PCI® Flexmörtel Premium



Revision Date: 25.06.2024 Date of last issue: -		Version 1.0	Print Date 28.06.2024
Assessment	:	The substance/mixture does not contain com ered to have endocrine disrupting properties REACH Article 57(f) or Commission Delegate (EU) 2017/2100 or Commission Regulation (I levels of 0.1% or higher.	according to ed regulation
12.7 Other adverse effects			
Product:			
Additional ecological infor- mation	:	There is no data available for this product.	
SECTION 13: Disposal consi	der	ations	
13.1 Waste treatment methods			
Product	:	The generation of waste should be avoided of wherever possible. Empty containers or liners may retain some p This material and its container must be dispo- way. Dispose of surplus and non-recyclable produ- waste disposal contractor. Disposal of this product, solutions and any by at all times comply with the requirements of e protection and waste disposal legislation and local authority requirements.	product residues. sed of in a safe cts via a licensed y-products should environmental

soil, waterways, drains and sewers.

Avoid dispersal of spilled material and runoff and contact with

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI® Flexmörtel Premium



 Revision Date: 25.06.2024
 Version 1.0
 Print Date 28.06.2024

 IMDG
 :
 Not regulated as a dangerous good

 IATA
 :
 Not regulated as a dangerous good

 14.4 Packing group
 :
 Not regulated as a dangerous good

Not regulated as a dangerous good

IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good

14.5 Environmental hazards

IATA (Passenger)

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are registered by our upstream suppliers, and/or
- registered by us, and/or
 - excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-: the market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 75: REACH - Candidate List of Substances of Very High : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation ÷ Not applicable (Annex XIV) Regulation (EC) on substances that deplete the ozone : Not applicable layer

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI[®] Flexmörtel Premium



Revision Date: 25.06.2024 Date of last issue: -	Version 1.0	Print Date 28.06.2024
Regulation (EU) 2019/1021 on tants (recast)	persistent organic pollu- : Not applicable	
Regulation (EU) No 649/2012 o ment and the Council concernin of dangerous chemicals		
Netherlands. Substances of ver	y high concern (ZZS-list) : Quartz (SiO2)	
Seveso III: Directive 2012/18/El jor-accident hazards involving d	J of the European Parliament and of the Cou angerous substances. Not applicable	ncil on the control of ma-
Volatile organic compounds	 Law on the incentive tax for volatile organ (VOCV) no VOC duties 	ic compounds
	Directive 2010/75/EU of 24 November 20 ⁻ emissions (integrated pollution prevention Not applicable	

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	ons	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
NL WG	:	Netherlands. Law on Labour conditions - Occupational Expo- sure Limits
NL WG / TLV-8hr	:	Time Weighted Average
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI® Flexmörtel Premium



Revision Date: 25.06.2024 Version 1.0 Print Date 28.06.2024 Date of last issue: -IMDG International Maritime Code for Dangerous Goods : LD50 Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in LC50 : air that kills 50% of the test animals during the observation period) MARPOL International Convention for the Prevention of Pollution from : Ships, 1973 as modified by the Protocol of 1978 OEL **Occupational Exposure Limit** PBT Persistent, bioaccumulative and toxic : PNEC Predicted no effect concentration : REACH Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency SVHC Substances of Very High Concern : Very persistent and very bioaccumulative vPvB

Further information

Classification of the mixtur	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN