Sika MonoTop®-4012



Revision Date: 23.01.2025 Date of last issue: 23.01.2025 Version 4.2

Print Date 24.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika MonoTop[®]-4012

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person responsible for the SDS	:	EHS@nl.sika.com

1.4 Emergency telephone number

+31-57-0854201


SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika MonoTop[®]-4012



Revision Date: 23.01.2025 Date of last issue: 23.01.2025		Version 4.2	Print Date 24.01.2025
	H335 M	ay cause respiratory irritation.	
Precautionary statements :	P101	If medical advice is needed, hav container or label at hand.	e product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-ve ea.	entilated ar-
	P280	Wear protective gloves/ eye prot protection.	ection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy t tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

Additional Labelling

EUH208 Contains calcium aluminate sulfate. May produce an allergic reaction.

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sika MonoTop[®]-4012



Revision Date: 23.01.2025 Date of last issue: 23.01.2025 Version 4.2

Print Date 24.01.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponents			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		· · ·
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
calcium aluminate sulfate	12005-25-3	Skin Sens. 1; H317	>= 0,1 - < 0,5
	Not Assigned		
	_		
Substances with a workplace expos	sure limit :		
Quartz (SiO2)	14808-60-7		>= 60 - < 80
	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

Sika MonoTop®-4012



Revision Date: 23.01.2025Version 4.2Date of last issue: 23.01.2025

Print Date 24.01.2025

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. irritant effects
4.3 Indication of any imme Treatment	ediate medical attention and special treatment needed : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media :	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from the	e substance or mixture
	No hazardous combustion products are known
5.3 Advice for firefighters	
Special protective equipment : for firefighters	In the event of fire, wear self-contained breathing apparatus.
Further information :	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions :	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.			
6.2 Environmental precautions				
Environmental precautions :	Try to prevent the material from entering drains or water courses.			

Sika MonoTop[®]-4012



Revision Date: 23.01.2025	Version 4.2	Print Date 24.01.2025
Date of last issue: 23.01.2025		

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products Avoid dust formation. Provide appropriate exhaust ventilation Advice on protection against : fire and explosion at places where dust is formed. Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep container tightly closed in a dry and well-ventilated areas and containers place. Store in accordance with local regulations. Further information on stor-: Keep in a dry place. age stability No decomposition if stored and applied as directed. 7.3 Specific end use(s) Specific use(s) Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
------------	---------	------------------	-----------------	---------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika MonoTop®-4012



Revision Date: 23.01.2025 Date of last issue: 23.01.2025 Version 4.2

Print Date 24.01.2025

		of exposure)	ters *	
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira-	0,075 mg/m3	NL WG
		ble dust)	(Silica)	
	Further information: Carcinogenic substances, based on the thresholdlimit effect			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	ent	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice	: Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.

Sika MonoTop[®]-4012



Revision Date: 23.01.2025 Date of last issue: 23.01.2025 Version 4.2

Print Date 24.01.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physica	ai and	a chemical propertie
Physical state Appearance Colour	:	solid powder grov
Odour	•	grey odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	r exp	losive limits
Upper explosion limit / Upper flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
		No data available
Decomposition temperature	:	No data available
рН	:	> 11 (20 °C) Concentration: 50 %
Viscosity		
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	insoluble
·····,	-	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika MonoTop[®]-4012



Revision Date: 23.01.2025 Date of last issue: 23.01.2025	Version 4.2	Print Date 24.01.2025
Partition coefficient: n- octanol/water	No data available	
Vapour pressure	Not applicable	
Density	No data available	
Bulk density	ca. 1.300 kg/m3 (20 °C)	
Relative vapour density	No data available	
Particle characteristics	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

Version 4.2

Sika MonoTop[®]-4012

Revision Date: 23.01.2025 Date of last issue: 23.01.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Print Date 24.01.2025

SEC

13.1 Waste treatment methods

Product

		(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.		
Other adverse effects				
Product: Additional ecological infor- mation	:	There is no data available for this product.		
CTION 13: Disposal considerations				

wherever possible.

0.1% or higher...

tion (EU) 2020/878 Sika MonoTop[®]-4012

2

1

way.

Revision Date: 23.01.2025 Date of last issue: 23.01.2025

No data available

No data available

12.4 Mobility in soil No data available

> Product: Assessment

> **Product:** Assessment

12.7

12.1 Toxicity

SECTION 12: Ecological information

12.5 Results of PBT and vPvB assessment

12.6 Endocrine disrupting properties

12.2 Persistence and degradability

12.3 Bioaccumulative potential No data available

Version 4.2

This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

The generation of waste should be avoided or minimized

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe

Print Date 24.01.2025



tion (EU) 2020/878 Sika MonoTop®-4012



Revision Date: 23.01.2025 Date of last issue: 23.01.2025		Version 4.2	Print Date 24.01.2025	
		protection and waste disposal legislation local authority requirements. Avoid dispersal of spilled material and rur soil, waterways, drains and sewers.		
European Waste Catalogue	:	17 01 01 concrete		
	:	16 03 03* inorganic wastes containing da	angerous substances	
Contaminated packaging	:	15 01 10* packaging containing residues by dangerous substances	of or contaminated	

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2	2 UN proper shipping name			
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)				
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group				
	ADR	:	Not regulated as a dangerous good	
	IMDG	:	Not regulated as a dangerous good	
	IATA (Cargo)	:	Not regulated as a dangerous good	
	IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards				
	Not regulated as a dangerous	go	bd	

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Sika MonoTop[®]-4012

Print Date 24.01.2025

Revision Date: 23.01.2025 Date of last issue: 23.01.2025 Version 4.2

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors					
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.				
REACH - Restrictions on the ma the market and use of certain da mixtures and articles (Annex XV	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement (chromi- um reduced)		
REACH - Candidate List of Subs Concern for Authorisation (Article	, ,	:	None of the components are listed (=> 0.1 %).		
REACH - List of substances sub (Annex XIV)	ject to authorisation	:	Not applicable		
Regulation (EC) on substances t layer	that deplete the ozone	:	Not applicable		
Regulation (EU) 2019/1021 on p tants (recast)	ersistent organic pollu-	:	Not applicable		
Netherlands. Substances of very	v high concern (ZZS-list)	:	Quartz (SiO2)		
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals	•	:	Not applicable		
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		nent	and of the Council on the control of ma-		
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: < 0,01% w/w		

Sika MonoTop[®]-4012



Revision Date: 23.01.2025 Date of last issue: 23.01.2025 Version 4.2

Print Date 24.01.2025

no VOC duties

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviatio	ns	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
NL WG	:	Netherlands. Law on Labour conditions - Occupational Expo-
		sure Limits
NL WG / TLV-8hr	:	Time Weighted Average
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
	-	air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
	-	Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT		Persistent, bioaccumulative and toxic
PNEC	÷	Predicted no effect concentration
REACH		Regulation (EC) No 1907/2006 of the European Parliament
	-	and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC		Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative
	•	

Further information

Sika MonoTop[®]-4012



Revision Date: 23.01.2025Print Date 24.01.2025Classification of the mixture:Classification procedure:Skin Irrit. 2H315Calculation methodEye Dam. 1H318Calculation methodSTOT SE 3H335Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN