

Revision Date: 25.10.2024 Date of last issue: 28.06.2024 Version 8.2

Print Date 31.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Pulastic[®] EG 2000/EG 2000 Thix Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure.



Revision Date: 25.10.2024 Date of last issue: 28.06.2024 Version 8.2

Print Date 31.10.2024

2.2 Label elements

Labelling (REGULATION (Hazard pictograms	(EC) :	No 1272/2008)	!
Signal word	:	Danger	
Hazard statements	:	H317 Ma H319 Ca H332 Ha H334 Ma ing H335 Ma H351 Su H373 Ma	uses skin irritation. y cause an allergic skin reaction. uses serious eye irritation. rmful if inhaled. y cause allergy or asthma symptoms or breath- difficulties if inhaled. y cause respiratory irritation. spected of causing cancer. y cause damage to organs through prolonged repeated exposure.
Precautionary statements	:	Prevention: P201 P260 P264 P280 Response: P304 + P340 + P342 + P311	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

4,4`-Methylenediphenyl diisocyanate, oligomers aromatic isocyanate-prepolymer

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 25.10.2024 Date of last issue: 28.06.2024 Version 8.2

Print Date 31.10.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
4,4`-Methylenediphenyl diisocya- nate, oligomers	25686-28-6 500-040-3 01-2119457013-49- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	>= 60 - < 80
aromatic isocyanate-prepolymer	9048-57-1 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H315 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	>= 25 - < 40

For explanation of abbreviations see section 16.



Revision Date: 25.10.2024 Date of last issue: 28.06.2024 Version 8.2

Print Date 31.10.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	l effects, both acute and delayed
Symptoms	: Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

_



Revision Date: 25.10.2024 Date of last issue: 28.06.2024	Version 8.2	Print Date 31.10.2024		
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment :	Treat symptomatically.			
SECTION 5: Firefighting measu	res			
5.1 Extinguishing media				
Suitable extinguishing media :	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.			
5.2 Special hazards arising from th	ne substance or mixture			
Hazardous combustion prod- : ucts	No hazardous combustion products are know	'n		
5.3 Advice for firefighters				
Special protective equipment : for firefighters	In the event of fire, wear self-contained breat	hing apparatus.		
Further information :	Standard procedure for chemical fires.			
SECTION 6: Accidental release	measures			
6.1 Personal precautions, protectiv	ve equipment and emergency procedures			
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.			
6.2 Environmental precautions				
Environmental precautions :	Do not flush into surface water or sanitary set If the product contaminates rivers and lakes or respective authorities.			
6.3 Methods and material for conta	ainment and cleaning up			
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sa acid binder, universal binder, sawdust). Keep in suitable, closed containers for dispos	-		
6.4 Reference to other sections				
For personal protection see sect	tion 8.			

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Pulastic[®] EG 2000/EG 2000 Thix Part B



Revision Date: 25.10.2024 Date of last issue: 28.06.2024	Version 8.2	Print Date 31.10.2024
	Avoid exceeding the given occupational ex section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation ma, allergies, chronic or recurrent respirato not be employed in any process in which th used. Smoking, eating and drinking should be pro- plication area. Provide sufficient air exchange and/or exha Follow standard hygiene measures when h products	problems or asth- bry disease should his mixture is being bhibited in the ap- aust in work rooms.
Advice on protection against fire and explosion	: Normal measures for preventive fire protec	tion.
Hygiene measures	: Handle in accordance with good industrial l practice. When using do not eat or drink. W smoke. Wash hands before breaks and at t	/hen using do not
7.2 Conditions for safe storage, ir	cluding any incompatibilities	
Requirements for storage areas and containers	: Keep container tightly closed in a dry and v place. Containers which are opened must b sealed and kept upright to prevent leakage ance with local regulations.	be carefully re-
Further information on stor- age stability	: No decomposition if stored and applied as	directed.
7.3 Specific end use(s)		
Specific use(s)	: Cleaning with aprotic polar solvents must b Consult most current local Product Data Sh use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Contains no substances with accupational exposure limit values				

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.



Revision Date: 25.10.2024 Version 8.2 Print Date 31.10.2024 Date of last issue: 28.06.2024 Personal protective equipment Eye/face protection Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min. Skin and body protection Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. In case of inadequate ventilation wear respiratory protection. Respiratory protection Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas. **Environmental exposure controls** General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	yellow

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Pulastic® EG 2000/EG 2000 Thix Part B



Revision Date: 25.10.2024 Date of last issue: 28.06.2024	Version 8.2	Print Date 31.10.2024
Odour	: slight	
Melting point/ range / Freez- ing point	: No data available	
Boiling point/boiling range	: No data available	
Flammability (solid, gas)	: No data available	
Upper/lower flammability or Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: 195 °C Method: closed cup	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: Not applicable substance/mixture reacts with water	
Viscosity Viscosity, kinematic	: > 7 mm2/s (40 °C)	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: ca. 1,21 g/cm3 (20 °C)	
Relative vapour density	: No data available	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Revision Date: 25.10.2024 Date of last issue: 28.06.2024	Version 8.2	Print Date 31.10.2024
Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and re	activity	
10.1 Reactivity		
No dangerous reaction know	under conditions of normal use.	
10.2 Chemical stability		
The product is chemically sta	le.	
10.3 Possibility of hazardous re	ctions	
Hazardous reactions	: No hazards to be specially mentioned	l.
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	products	
No decomposition if stored a		
	•••	

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity
Harmful if inhaled.Components:4,4'-Methylenediphenyl diisocyanate, oligomers:
Acute oral toxicityCute oral toxicity:LD50 Oral (Rat): > 5.000 mg/kgAcute inhalation toxicity:LC50: 1,5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Expert judgementAcute toxicity estimate: 1,5 mg/l
Test atmosphere: dust/mist
Method: Calculation method

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Pulastic® EG 2000/EG 2000 Thix Part B



Revision Date: 25.10.2024 Date of last issue: 28.06.2024		Version 8.2	Print Date 31.10.2024
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg	
aromatic isocyanate-prepo	olyme	er:	
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement	
		Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method	
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg	
Skin corrosion/irritation Causes skin irritation.			
Serious eye damage/eye ir Causes serious eye irritation		on	
Respiratory or skin sensiti	isatio	n	
Skin sensitisation May cause an allergic skin re	eactio	n.	
Respiratory sensitisation May cause allergy or asthma	a sym	ptoms or breathing difficulties if inhaled.	
Germ cell mutagenicity Not classified based on avai	lable	information.	
Carcinogenicity Suspected of causing cance	r.		
Reproductive toxicity Not classified based on avai	lable	information.	
STOT - single exposure May cause respiratory irritati	ion.		
, , ,		ough prolonged or repeated exposure.	
Aspiration toxicity Not classified based on avai	lahla	information	
11.2 Information on other haza			
Endocrine disrupting prop		S	
Product:			
Assessment	:	The substance/mixture does not contain comp ered to have endocrine disrupting properties a REACH Article 57(f) or Commission Delegated	ccording to



Revision Date: 25.10.2024 Date of last issue: 28.06.2024 Version 8.2

Print Date 31.10.2024

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

aromatic isocyanate-prepolymer:

Toxicity to fish

: LC50 (Danio rerio (zebra fish)): > 1.000 mg/l Exposure time: 96 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		



Revision Date: 25.10.2024 Date of last issue: 28.06.2024 Version 8.2

Print Date 31.10.2024

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	ne generation of waste should be a nerever possible. Inpty containers or liners may retain his material and its container must l ay. spose of surplus and non-recyclab aste disposal contractor. sposal of this product, solutions an all times comply with the requirem otection and waste disposal legisla cal authority requirements. void dispersal of spilled material an il, waterways, drains and sewers.	some product residues. be disposed of in a safe e products via a licensed d any by-products should ents of environmental tion and any regional
European Waste Catalogue	8 05 01* waste isocyanates	
Contaminated packaging	6 01 10* packaging containing resid dangerous substances	ues of or contaminated

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
Country NI 000000214439		

Revision Date: 25.10.2024



Print Date 31.10.2024

Date of last issue: 28.06.2024 IATA (Passenger) Not regulated as a dangerous good 14.5 Environmental hazards Not regulated as a dangerous good 14.6 Special precautions for user Not applicable 14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied. **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on Conditions of restriction for the folthe market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 3 Banned and/or restricted REACH - Candidate List of Substances of Very High None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EC) on substances that deplete the ozone Not applicable layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable tants (recast) Regulation (EU) No 649/2012 of the European Parlia-Not applicable :

Version 8.2

ment and the Council concerning the export and import



Revision Date: 25.10.2024 Date of last issue: 28.06.2024 Version 8.2

Print Date 31.10.2024

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statem	iento .	
H315		Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H334	:	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
H335	:	May cause respiratory irritation.
H351	:	Suspected of causing cancer.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H373	:	May cause damage to organs through prolonged or repeated exposure if inhaled.
Full text of other abl	previations	
Acute Tox.	:	Acute toxicity
Carc.	:	Carcinogenicity
Eye Irrit.	:	Eye irritation
Resp. Sens.	:	Respiratory sensitisation
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS		Globally Harmonized System
IATA	:	International Air Transport Association
ntry NL 00000021443	39	. 14

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Pulastic[®] EG 2000/EG 2000 Thix Part B



Revision Date: 25.10.2024 Date of last issue: 28.06.2024		Version 8.2	Print Date 31.10.2024
IMDG	:	International Maritime Code for Dangerous	
LD50	:	Median lethal dosis (the amount of a mater	ial, given all at
		once, which causes the death of 50% (one test animals)	half) of a group of
LC50	:	Median lethal concentration (concentration	s of the chemical in
		air that kills 50% of the test animals during period)	the observation
MARPOL	:	International Convention for the Prevention	of Pollution from
		Ships, 1973 as modified by the Protocol of	1978
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Euro	pean Parliament
		and of the Council of 18 December 2006 co	
		istration, Evaluation, Authorisation and Rescals (REACH), establishing a European Ch	striction of Chemi-
SVHC	:	Substances of Very High Concern	
vPvB		Very persistent and very bioaccumulative	
=	-		

Further information

Classification of the I	Classification procedure:	
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN