Sika MonoTop[®]-3020



Revision Date: 25.01.2025 Date of last issue: 30.08.2024 Version 3.0

Print Date 30.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika MonoTop[®]-3020

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person responsible for the SDS	:	EHS@nl.sika.com

1.4 Emergency telephone number

+31-57-0854201


SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Serious eye damage, Category 1	H318: Causes serious eye damage.				
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sika MonoTop®-3020

Revision Date: 25.01.2025 Date of last issue: 30.08.2024	Version 3.0		Print Date 30.01.2025
	H335 Ma	cause respiratory irritation.	
Precautionary statements :	P101	If medical advice is needed, hav container or label at hand.	e product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-ve	entilated ar-
	P280	Wear protective gloves/ eye prot protection.	tection/ face
	Response:		
	P305 + P351 + F	P338 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy t tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Sika MonoTop[®]-3020

Ve

Print Date 30.01.2025

Revision Date: 25.01.2025 Date of last issue: 30.08.2024 Version 3.0

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponents			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 20 - < 25
	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms an	d e	ffects, both acute and delayed
	Symptoms	:	Cough Respiratory disorder

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika MonoTop®-3020



Revision Date: 25.01.2025 Date of last issue: 30.08.2024		Version 3.0	Print Date 30.01.202
		Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information	on on health effects
		and symptoms.	
Risks	:	irritant effects	
		Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
4.3 Indication of any immediate r	mee	dical attention and special treatment need	led
•		-	
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media			
SECTION 5: Firefighting meas		es	•
SECTION 5: Firefighting meas	:	es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chemi extinction.	•
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	: the	es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chemi extinction.	ical powder for
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- 	: the	es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chemi extinction.	ical powder for
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters 	: the :	es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chemi extinction.	ical powder for
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion products 5.3 Advice for firefighters Special protective equipment 	: the :	es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chemi extinction. e substance or mixture No hazardous combustion products are kno	ical powder for

1 /1		0 11
Personal precautions		personal protective equipment. I breathing dust.
	Deny a	access to unprotected persons.

6.2 Environmental precautions

:	Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.
	:

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika MonoTop[®]-3020



Revision Date: 25.01.2025Version 3.0Print Date 30.01.2025Date of last issue: 30.08.2024Version 3.0Print Date 30.01.2025

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling		Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	clu	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor-	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira- ble dust)	0,075 mg/m3 (Silica)	NL WG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika MonoTop[®]-3020



Revision Date: 25.01.2025 Date of last issue: 30.08.2024 Version 3.0

Print Date 30.01.2025

Further information: Carcinogenic substances, based on the thresholdlimit effect

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water					
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.					
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.					
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.					
Environmental exposure controls						
General advice	Try to prevent the material from entering drains or water courses. No special environmental precautions required.					

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika MonoTop®-3020



Revision Date: 25.01.2025 Date of last issue: 30.08.2024		Version 3.0	Print Date 30.01.2025
Physical state Appearance Colour	:	solid powder grey	
Odour	:	odourless	
Melting point/ range / Freez- ing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	losive limits	
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
		No data available	
Decomposition temperature	:	No data available	
рН	:	> 11 Concentration: 50 %	
Viscosity			
Viscosity, kinematic	:	Not applicable	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	Not applicable	
Country NI 10000026776			7/1/

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika MonoTop®-3020



Revision Date: 25.01.2025 Date of last issue: 30.08.2024	Version 3.0	Print Date 30.01.2025

: No data available

Bulk density	: ca. 1.300 kg/m3 (20 °C)
Relative vapour density	: No data available

Particle characteristics : No data available

9.2 Other information

Density

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid	:	No data available
Materials to avoid	:	No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika MonoTop®-3020

Jika®

Revision Date: 25.01.2025 Date of last issue: 30.08.2024 Version 3.0

Print Date 30.01.2025

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available Country NL 10000026776

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika MonoTop®-3020



Revision Date: 25.01.2025 Date of last issue: 30.08.2024 Version 3.0

Print Date 30.01.2025

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 are levels of 0.1% or higher.
2.7 Other adverse effects	

Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Distant		The second sector stands with the second state of the second state
Product	:	The generation of waste should be avoided or minimized wherever possible.
		Empty containers or liners may retain some product residues.
		This material and its container must be disposed of in a safe way.
		Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
		Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with
		soil, waterways, drains and sewers.
European Waste Catalogue	:	17 01 06* mixtures of, or separate fractions of concrete, bricks, tiles and ceramics containing dangerous substances
	:	16 03 03* inorganic wastes containing dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances
0		10.1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika MonoTop®-3020



Revision Date: 25.01.2025 Date of last issue: 30.08.2024 Version 3.0

Print Date 30.01.2025

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1	Safety, health and environmental regulations/legisla	tion	specific for the substance or mixture
	International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable

REACH Information:	All substances contained in our Products are
	 registered by our upstream suppliers, and/or
	 registered by us, and/or

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika MonoTop®-3020



Revision Date: 25.01.2025 Date of last issue: 30.08.2024	Version 3	8.0	Print Date 30.01.202
	 excluded from the reg exempted from the reg 		
REACH - Restrictions on the manute the market and use of certain dang mixtures and articles (Annex XVII)	gerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement (chromi- um reduced)
			Number on list 75:
REACH - Candidate List of Substa Concern for Authorisation (Article s		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject (Annex XIV)	ct to authorisation	:	Not applicable
Regulation (EC) on substances the layer	at deplete the ozone	:	Not applicable
Regulation (EU) 2019/1021 on per tants (recast)	sistent organic pollu-	:	Not applicable
Netherlands. Substances of very h	igh concern (ZZS-list)	:	Quartz (SiO2)
Regulation (EU) No 649/2012 of the ment and the Council concerning to fangerous chemicals		:	Not applicable
jor-accident hazards involving dan		nent	and of the Council on the control of ma-
	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compounds
Contains a substance which is sub carcinogenic substances (Ministry Employment).			Distillates (petroleum), solvent- refined light paraffinic; Baseoil — unspecified
15.2 Chomical safety assessment			

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika MonoTop®-3020



Revision Date: 25.01.2025 Date of last issue: 30.08.2024 Version 3.0

Print Date 30.01.2025

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	ons	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
NL WG	:	Netherlands. Law on Labour conditions - Occupational Expo- sure Limits
NL WG / TLV-8hr	:	Time Weighted Average
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL		Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	÷	Regulation (EC) No 1907/2006 of the European Parliament
	•	and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika MonoTop®-3020



Print Date 30.01.2025

Revision Date: 25.01.2025 Date of last issue: 30.08.2024 Version 3.0

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN