

Revision Date: 11.02.2025 Date of last issue: 26.11.2024 Version 4.0

Print Date 14.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Rugasol[®] ST

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Post treatment agent

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		·
Signal word	:	Warning	
Hazard statements	:	H317	May cause an allergic skin reaction.
Precautionary statements	:	Prevention P261 P272	Avoid breathing mist or vapours. Contaminated work clothing should not be allowed out of the workplace.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sika[®] Rugasol[®] ST

Revision Date: 11.02.2025 Version 4.0 Print Date 14.02.2025 Date of last issue: 26.11.2024 P280 Wear protective gloves. **Response:** P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. Disposal: P501 Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

1,2-benzisothiazol-3(2H)-one (BIT)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Alcohols, C16-18, ethoxylated	68439-49-6 Not Assigned	Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 0,5 - < 1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Rugasol[®] ST

Revision Date: 11.02.2025 Date of last issue: 26.11.2024 Version 4.0

Print	Date	14.02	.2025
	Date		0_0

1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21	>= 0,025 - < 0,036



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Rugasol[®] ST

Revision Date: 11.02.2025 Date of last issue: 26.11.2024

te of last issue: 26.11.2024			
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0015 - < 0,0025
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
		specific concentration limit Skin Corr. 1C; H314 >= 0,6 %	
		specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 %	
		specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 %	
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		specific concentration limit Eye Dam. 1; H318 >= 0,6 %	
For explanation of abbreviations se	a saction 16		

For explanation of abbreviations see section 16.





Revision Date: 11.02.2025 Date of last issue: 26.11.2024 Version 4.0

Print Date 14.02.2025

SECTION 4: First aid measures

4.1 Description of first aid measu	4.1 Description of first aid measures			
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.			
If inhaled	: Move to fresh air. Consult a physician after significant exposure.			
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. 			
In case of eye contact	 Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 			
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 			
4.2 Most important symptoms and	d effects, both acute and delayed			
Symptoms	: Allergic reactions See Section 11 for more detailed information on health effects and symptoms.			
Risks	: sensitising effects			
	May cause an allergic skin reaction.			
4.3 Indication of any immediate m	4.3 Indication of any immediate medical attention and special treatment needed			
Treatment	: Treat symptomatically.			
SECTION 5: Firefighting meas	SECTION 5: Firefighting measures			

5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.	
5.2 Special hazards arising from the substance or mixture			

Hazardous combustion prod- : No hazardous combustion products are known ucts

Sika[®] Rugasol[®] ST



Revision Date: 11.02.2025 Date of last issue: 26.11.2024		Version 4.0	Print Date 14.02.2025	
5.3 Advice for firefighters				
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	apparatus.	
Further information	:	Standard procedure for chemical fires.		
SECTION 6: Accidental releas	e r	neasures		
6.1 Personal precautions, protec	tiv	e equipment and emergency procedures		
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.		
6.2 Environmental precautions				
Environmental precautions	:	Do not flush into surface water or sanitary sewer	system.	
6.3 Methods and material for con	6.3 Methods and material for containment and cleaning up			
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	silica gel,	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Sika[®] Rugasol[®] ST



2.2025

Revision Date: 11.02.2025	Version 4.0	Print Date 14.02
Date of last issue: 26.11.2024		

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	No special measures required.
ountry NL 000000130111		7,

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Rugasol[®] ST



Revision Date: 11.02.2025 Print Date 14.02.2025 Date of last issue: 26.11.2024 **Environmental exposure controls** General advice : Do not flush into surface water or sanitary sewer system. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties Physical state liquid 2 Colour white 2 Odour characteristic Melting point/ range / Freez-: No data available ing point Boiling point/boiling range No data available Flammability (solid, gas) No data available : Upper/lower flammability or explosive limits Upper explosion limit / Up- : No data available per flammability limit

Version 4.0

- Lower explosion limit / : No data available Lower flammability limit Flash point : > 101 °C Method: closed cup
- No data available Auto-ignition temperature •
- Decomposition temperature : No data available
- 7 pН 2 Concentration: 100 %

Viscosity

Viscosity, kinematic : ca. 7 - 20,5 mm2/s (40 °C)

Solubility(ies)

Water solubility soluble •

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Rugasol[®] ST



Revision Date: 11.02.2025 Date of last issue: 26.11.2024	Version 4.0	Print Date 14.02.2025
Partition coefficient: n- : octanol/water	No data available	
Vapour pressure :	23 hPa	
Density :	1,01 g/cm3 (20 °C)	
Relative vapour density :	No data available	
Particle characteristics :	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



Revision Date: 11.02.2025 Date of last issue: 26.11.2024 Version 4.0

Print Date 14.02.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity :	Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
	LD50 Oral (Rat): 450 mg/kg
Acute inhalation toxicity :	Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
	LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity :	LD50 Dermal (Rabbit): > 2.000 mg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Assessment : May cause sensitisation by skin contact.

Sika[®] Rugasol[®] ST

Revision Date: 11.02.2025 Date of last issue: 26.11.2024

Version 4.0

Print Date 14.02.2025

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified due to lack of data.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other
aquatic invertebrates:EC50 (Daphnia (water flea)): 3 mg/l
Exposure time: 48 hM-Factor (Acute aquatic tox-
icity):1

M-Factor (Chronic aquatic : 1 toxicity)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Rugasol[®] ST

Revision Date: 11.02.2025 Date of last issue: 26.11.2024 Version 4.0

Print Date 14.02.2025

toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product: Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.
 Empty containers or liners may retain some product residues.
 This material and its container must be disposed of in a safe way.
 Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
 Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
 Avoid dispersal of spilled material and runoff and contact with

Sika[®] Rugasol[®] ST

Jika®

Revision Date: 11.02.2025 Date of last issue: 26.11.2024 Version 4.0

Print Date 14.02.2025

soil, waterways, drains and sewers.

SECTION 14: Transport information 14.1 UN number or ID number ADR Not regulated as a dangerous good : IMDG Not regulated as a dangerous good ΙΑΤΑ Not regulated as a dangerous good 14.2 UN proper shipping name ADR 2 Not regulated as a dangerous good IMDG Not regulated as a dangerous good ΙΑΤΑ Not regulated as a dangerous good 14.3 Transport hazard class(es) ADR Not regulated as a dangerous good 2 IMDG Not regulated as a dangerous good 2 ΙΑΤΑ Not regulated as a dangerous good 14.4 Packing group ADR Not regulated as a dangerous good IMDG Not regulated as a dangerous good 2 IATA (Cargo) Not regulated as a dangerous good 2 Not regulated as a dangerous good IATA (Passenger) 14.5 Environmental hazards Not regulated as a dangerous good 14.6 Special precautions for user Not applicable 14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied. **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are - registered by our upstream suppliers, and/or

Sika[®] Rugasol[®] ST

_



Revision Date: 11.02.2025 Date of last issue: 26.11.2024	Version 4.0		Print Date 14.02.2025		
 registered by us, and/or excluded from the regulation, and/or exempted from the registration. 					
REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII)	gerous substances,	Conditions of restriction lowing entries should Number on list 3			
		Number on list 75			
REACH - Candidate List of Substa Concern for Authorisation (Article		None of the compone (=> 0.1 %).	nts are listed		
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable			
Regulation (EU) No 2024/590 on a plete the ozone layer	substances that de- :	Not applicable			
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu- :	Not applicable			
Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals					
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable					
Volatile organic compounds :	Law on the incentive tax for (VOCV) no VOC duties	or volatile organic comp	pounds		
Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Not applicable					

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Sika[®] Rugasol[®] ST

Revision Date: 11.02.2025 Date of last issue: 26.11.2024 Version 4.0

Print Date 14.02.2025

SECTION 16: Other information

Full text of H-Statements H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. : H314 Causes severe skin burns and eye damage. : Causes skin irritation. H315 1 May cause an allergic skin reaction. H317 Causes serious eye damage. H318 Fatal if inhaled. H330 Very toxic to aquatic life. H400 Very toxic to aquatic life with long lasting effects. H410 Harmful to aquatic life with long lasting effects. H412 Full text of other abbreviations Acute Tox. Acute toxicity Aquatic Acute Short-term (acute) aquatic hazard Aquatic Chronic Long-term (chronic) aquatic hazard Eve Dam. Serious eye damage Skin Corr. Skin corrosion : Skin Irrit. Skin irritation : Skin Sens. Skin sensitisation : ADR European Agreement concerning the International Carriage of Dangerous Goods by Road **Chemical Abstracts Service** CAS DNEL Derived no-effect level **EC50** Half maximal effective concentration GHS **Globally Harmonized System** IATA International Air Transport Association International Maritime Code for Dangerous Goods IMDG Median lethal dosis (the amount of a material, given all at LD50 once, which causes the death of 50% (one half) of a group of test animals) LC50 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL International Convention for the Prevention of Pollution from : Ships, 1973 as modified by the Protocol of 1978 **Occupational Exposure Limit** OEL PBT Persistent, bioaccumulative and toxic PNEC Predicted no effect concentration REACH Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency Substances of Very High Concern SVHC Very persistent and very bioaccumulative vPvB



Sika[®] Rugasol[®] ST

Revision Date: 11.02.2025 Date of last issue: 26.11.2024 Version 4.0

Print Date 14.02.2025

Further information

Classification of the mixtur	e:
Skin Sens. 1	H317

Classification procedure: Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN

