

Revision Date: 06.11.2024 Date of last issue: 12.06.2024 Version 2.3

Print Date 11.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: PCI Repaflow[®] EP plus Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Product is not intended for consumer use, Epoxy-Cementitious system, Grouting mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

2

Hazard statements : H315

PCI Repaflow[®] EP plus Part A

SAFETY DATA SHEET

Revision Date: 06.11.2024

Date of last issue: 12.06.2024

tion (EU) 2020/878

Hazard statements	H315 H317 H318 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects.
Precautionary statements	Preventio P261 P264 P273 P280	n: Avoid breathing mist or vapours. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.
	Response):
	P305 + P3 P391	851 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor. Collect spillage.

Version 2.3

Hazardous components which must be listed on the label:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-

bis-[4-(2,3-epoxipropoxi)phenyl]propane Reaction mass of isomers of epoxy resin BFDGE 1,4-bis(2,3 epoxypropoxy)butane

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Print Date 11.11.2024



PCI Repaflow[®] EP plus Part A

Revision Date: 06.11.2024 Date of last issue: 12.06.2024 Version 2.3

Print Date 11.11.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	1675-54-3 216-823-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit	>= 60 - < 80
Reaction mass of isomers of epoxy resin BFDGE	Not Assigned 701-263-0 01-2119454392-40-	Skin Irrit. 2; H315 >= 5 % Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2;	>= 10 - < 20
1,4-bis(2,3 epoxypropoxy)butane	XXXX 2425-79-8 219-371-7 01-2119494060-45- XXXX	H411 Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 10 - < 20
		Acute toxicity esti- mate Acute oral toxicity: 1.163 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

: Move out of dangerous area.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Repaflow[®] EP plus Part A



Revision Date: 06.11.2024 Date of last issue: 12.06.2024	V	ersion 2.3	Print Date 11.11.2024
	Consult a phys Show this safe	ician. ty data sheet to the do	ctor in attendance.
If inhaled	: Move to fresh a Consult a phys	air. ician after significant e	xposure.
In case of skin contact	Wash off with s	minated clothing and s soap and plenty of wate ersist, call a physician.	
In case of eye contact	sue damage au In the case of o of water and se Continue rinsin Remove conta	nd blindness. contact with eyes, rinse eek medical advice. ng eyes during transpor	in cause irreversible tis- e immediately with plenty rt to hospital.
If swallowed	Rinse mouth w Do not give mil	vomiting without medic ith water. lk or alcoholic beverag rthing by mouth to an u	es.
4.2 Most important symptoms	and effects, both ac	ute and delayed	
Symptoms	: Allergic reactio Excessive lach Erythema Dermatitis See Section 11 and symptoms	rymation I for more detailed info	rmation on health effects
Risks	: Causes skin irr May cause an Causes serious	allergic skin reaction.	
	irritant effects sensitising effe	ects	
4.3 Indication of any immediat	e medical attention a	and special treatment	needed
Treatment	: Treat symptom	•	

5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Repaflow[®] EP plus Part A



Revision Date: 06.11.2024 Date of last issue: 12.06.2024	Version 2.3	Print Date 11.11.2024
5.2 Special hazards arising from t	he substance or mixture	
Specific hazards during fire- fighting	: Do not allow run-off from fire fighting to en courses.	ter drains or water
Hazardous combustion prod- ucts	: No hazardous combustion products are kr	iown
5.3 Advice for firefighters Special protective equipment for firefighters	: In the event of fire, wear self-contained bro	eathing apparatus.
Further information	 Collect contaminated fire extinguishing wa must not be discharged into drains. Fire residues and contaminated fire exting be disposed of in accordance with local re 	uishing water must

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	ctive	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for co	ntai	nment and cleaning up
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8).
		Do not get in eyes, on skin, or on clothing.
		For personal protection see section 8.
		Persons with a history of skin sensitisation problems or asth-
		ma, allergies, chronic or recurrent respiratory disease should
		not be employed in any process in which this mixture is being

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Repaflow[®] EP plus Part A



Revision Date: 06.11.2024 Date of last issue: 12.06.2024	Version 2.3	Print Date 11.11.2024
	used. Smoking, eating and drinking should be prohibit plication area. Follow standard hygiene measures when handl products	·
Advice on protection against : fire and explosion	Normal measures for preventive fire protection.	
Hygiene measures :	Handle in accordance with good industrial hygic practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the e	using do not
7.2 Conditions for safe storage, inc	luding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-velace. Containers which are opened must be casealed and kept upright to prevent leakage. Sto ance with local regulations.	arefully re-
Further information on stor- : age stability	No decomposition if stored and applied as direc	:ted.
7.3 Specific end use(s)		
Specific use(s) :	Consult most current local Product Data Sheet use.	prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components CAS-No. Va	Value type (Form of exposure)	Control parame- ters *	Basis *
-----------------------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment				
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		

PCI Repaflow[®] EP plus Part A



Revision Date: 06.11.2024 Date of last issue: 12.06.2024	Version 2.3	Print Date 11.11.2024
	Suitable for short time use or protection against Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	splashes:
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN long-sleeved working clothing, long trousers). Re and protective boots are additionaly recommend and stirring work.	ubber aprons
Respiratory protection	No special measures required.	
Environmental exposure contr	ols	
General advice	 Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or d respective authorities. 	-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour		liquid viscous clear
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	olosive limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Repaflow[®] EP plus Part A



Revision Date: 06.11.2024 Date of last issue: 12.06.2024		Version 2.3	Print Date 11.11.2024
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	7 - 9 Concentration: 100 %	
Viscosity			
Viscosity, kinematic	:	No data available	
Solubility(ies)			
Water solubility	:	No data available	
Partition coefficient: n-	:	No data available	
octanol/water	•		
Vapour pressure	:	0,1 hPa	
Density	:	ca. 1,1 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Version 2.3



Print Date 11.11.2024

PCI Repaflow[®] EP plus Part A

Revision Date: 06.11.2024

Date of last issue: 12.06.2024	Version 2.3	Print Date 11.11.20
10.5 Incompatible materials		
Materials to avoid	: No data available	
0.6 Hazardous decomposition	products	
	: No hazardous decomposition products	s are known.
SECTION 11: Toxicological	nformation	
1.1 Information on hazard clas	sses as defined in Regulation (EC) No 127	2/2008
Acute toxicity		
Not classified due to lack of	data.	
Components:		
bis-[4-(2,3-epoxipropoxi)pl		
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 5.000 mg/kg	
1,4-bis(2,3 epoxypropoxy)	outane:	
Acute oral toxicity	: LD50 Oral (Rat): 1.163 mg/kg	
Skin corrosion/irritation		
Causes skin irritation.		
Serious eye damage/eye ir		
Causes serious eye damage Respiratory or skin sensiti		
Skin sensitisation		
May cause an allergic skin r	eaction.	
Respiratory sensitisation		
Not classified due to lack of	data.	
Germ cell mutagenicity		
Not classified due to lack of	data.	
Carcinogenicity Not classified due to lack of	data.	
Reproductive toxicity		
Not classified due to lack of	data.	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PCI Repaflow[®] EP plus Part A

Revision Date: 06.11.2024 Date of last issue: 12.06.2024 Version 2.3

Print Date 11.11.2024

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:					
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h			
Reaction mass of isomers of	ⁱ ep	poxy resin BFDGE:			
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 2,54 mg/l Exposure time: 96 h			
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 2,55 mg/l Exposure time: 48 h			
Toxicity to algae/aquatic plants	:	EC50 (algae): 1,8 mg/l Exposure time: 72 h			

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Repaflow[®] EP plus Part A



Revision Date: 06.11.2024 Date of last issue: 12.06.2024 Version 2.3

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Assessment :	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
--------------	---

12.7 Other adverse effects

Product:	

<u>I loudot.</u>		
Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	20 01 27* paint, inks, adhesives and resins containing dan- gerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances



Revision Date: 06.11.2024 Date of last issue: 12.06.2024 Version 2.3

Print Date 11.11.2024

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	UN 3082	
IMDG	:	UN 3082	
ΙΑΤΑ	:	UN 3082	
14.2 UN proper shipping name			
ADR	:	ENVIRONMENTALLY HAZAR N.O.S. (epoxy resin)	DOUS SUBSTANCE, LIQUID,
IMDG	:	ENVIRONMENTALLY HAZAR N.O.S. (epoxy resin)	DOUS SUBSTANCE, LIQUID,
ΙΑΤΑ	:	Environmentally hazardous sul (epoxy resin)	ostance, liquid, n.o.s.
14.3 Transport hazard class(es)			
		Class Subsidia	ary risks
ADR	:	9	
IMDG	:	9	
ΙΑΤΑ	:	9	
14.4 Packing group			
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code		III M6 90 9 (-)	
IMDG Packing group Labels EmS Code	:	III 9 F-A, S-F	
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels		964 Y964 III Miscellaneous	
IATA (Passenger) Packing instruction (passen- ger aircraft)	:	964	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PCI Repaflow[®] EP plus Part A

Revision Date: 06.11.2024 Date of last issue: 12.06.2024	Version 2.3	Print Date 11.11.2024
Packing instruction (LQ) Packing group Labels	: Y964 : III : Miscellaneous	
14.5 Environmental hazards		
ADR Environmentally hazardous	: no	
IMDG Marine pollutant	: no	
IATA (Passenger) Environmentally hazardous	: no	
IATA (Cargo) Environmentally hazardous	: no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legisl	lation	specific for the substance or mixture
International Chemical Weapons Convention (CWC)	:	Not applicable
Schedules of Toxic Chemicals and Precursors		

REACH Information:	 registered by our up registered by us, ar excluded from the r 	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.		
REACH - Restrictions on th the market and use of certa mixtures and articles (Anne	in dangerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
REACH - Candidate List of Concern for Authorisation (A		:	Number on list 75: None of the components are listed (=> 0.1 %).	
REACH - List of substances (Annex XIV)	s subject to authorisation	:	Not applicable	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Repaflow[®] EP plus Part A



Revision Date: 06.11.2024 Date of last issue: 12.06.2024	Version 2.3		Print Date 11.11.2024
Regulation (EC) on substances that de layer	eplete the ozone :	Not applicable	
Regulation (EU) 2019/1021 on persiste tants (recast)	ent organic pollu- :	Not applicable	

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H302 H312 H315 H317 H319 H332 H411 H412	· · · ·	Harmful if swallowed. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.	
Full text of other abbreviations			
Acute Tox. Aquatic Chronic Eye Irrit. Skin Irrit. Skin Sens.	: : : : : : : : : : : : : : : : : : : :	Acute toxicity Long-term (chronic) aquatic hazard Eye irritation Skin irritation Skin sensitisation	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Repaflow[®] EP plus Part A



Print Date 11.11.2024

Revision Date: 06.11.2024 Date of last issue: 12.06.2024

Version 2.3

ADR	:	European Agreement concerning the International Carriage Dangerous Goods by Road	of	
CAS	:	Chemical Abstracts Service		
DNEL	÷	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
ΙΑΤΑ	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at		
		once, which causes the death of 50% (one half) of a group of	JL	
LC50		test animals)	in	
LC30	•	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation		
		period)		
MARPOL	:	International Convention for the Prevention of Pollution from		
-		Ships, 1973 as modified by the Protocol of 1978		
OEL	:	Occupational Exposure Limit		
PBT	:	Persistent, bioaccumulative and toxic		
PNEC	:	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament		
		and of the Council of 18 December 2006 concerning the Re		
		istration, Evaluation, Authorisation and Restriction of Chemi	-	
SVHC		cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern		
vPvB	:	Very persistent and very bioaccumulative		
	•	very periodelin and very bloadedinalative		
Further information				
Classification of the mixtu	re:	Classification procedure:		
Skin Irrit. 2	HB	Calculation method		
Eye Dam. 1	HB	Calculation method		
Skin Sens. 1	H3	Calculation method		
Aquatic Chronic 2	H4	11 Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN