

Revision Date: 29.11.2024 Date of last issue: 12.06.2024 Version 2.0

Print Date 29.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: PCI Durapox[®] Premium Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Joint mortar, Product is not intended for consumer use, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person responsible for the SDS	:	EHS@nl.sika.com

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture


Classification (REGULATION (EC) No 12 Skin irritation, Category 2	72/2008) H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

2

Warning



Signal word

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PCI Durapox[®] Premium Part A

Revision Date: 29.11.2024 Date of last issue: 12.06.2024		Version 2.0	Print Date 29.11.2024
Hazard statements :	H317 N H319 C	auses skin irritation. lay cause an allergic skin reaction. auses serious eye irritation. armful to aquatic life with long lasti	ng effects.
Precautionary statements :	Prevention: P261 P264 P273 P280	Avoid breathing mist or vapours Wash skin thoroughly after han Avoid release to the environme Wear protective gloves/ eye pro protection.	dling. nt.
	Response: P333 + P313 P337 + P313	If skin irritation or rash occurs: advice/ attention. If eye irritation persists: Get me attention.	

Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane Reaction mass of isomers of epoxy resin BFDGE Fatty acids, C16-18 and C18-unsatd., Me esters, epoxidized reaction products of 2,2-dimethylpropane-1,3-diol with 1-chloro-2,3-epoxypropane Naphtha (petroleum), steam-cracked, C8-10 aromatic hydrocarbon fraction, alkylated and oligomerised

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





Revision Date: 29.11.2024 Date of last issue: 12.06.2024 Version 2.0

Print Date 29.11.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
bis-[4-(2,3- epoxipropoxi)phenyl]propane	1675-54-3 216-823-5 01-2119456619-26- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 	>= 10 - < 20
		specific concentration limit Skin Irrit. 2; H315 >= 5 %	
Reaction mass of isomers of epoxy resin BFDGE	Not Assigned 701-263-0 01-2119454392-40- XXXX	Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411	>= 5 - < 10
Fatty acids, C16-18 and C18- unsatd., Me esters, epoxidized	158318-67-3 Not Assigned	Skin Sens. 1B; H317	>= 2,5 - < 5
reaction products of 2,2- dimethylpropane- 1,3-diol with 1- chloro-2,3-epoxypropane	Not Assigned 701-333-0 01-2120759332-55- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 1 - < 2,5
Naphtha (petroleum), steam- cracked, C8-10 aromatic hydro- carbon fraction, alkylated and oligomerised	Not Assigned 701-299-7 01-2119555292-40- XXXX	Skin Sens. 1A; H317 Aquatic Chronic 3; H412	>= 1 - < 2,5

For explanation of abbreviations see section 16.

2

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Durapox[®] Premium Part A



Revision Date: 29.11.2024 Date of last issue: 12.06.2024		Version 2.0	Print Date 29.11.2024
		Show this safety data sheet to the doctor in atte	endance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact		Take off contaminated clothing and shoes imme Wash off with soap and plenty of water. If symptoms persist, call a physician.	ediately.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	
4.2 Most important symptoms	and ef	ffects, both acute and delayed	
Symptoms		Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information of and symptoms.	n health effects
Risks	:	irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
4.3 Indication of any immediat	e med	ical attention and special treatment needed	
Treatment	:	Treat symptomatically.	

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for
5.2 Special hazards arising from Hazardous combustion prod- ucts		extinction. substance or mixture No hazardous combustion products are known

_



Revision Date: 29.11.2024 Date of last issue: 12.06.2024		Version 2.0	Print Date 29.11.2024
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained brea	athing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental release	e n	neasures	
6.1 Personal precautions, protect	tive	equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary s If the product contaminates rivers and lakes respective authorities.	
6.3 Methods and material for con	tai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. acid binder, universal binder, sawdust). Keep in suitable, closed containers for disp	-

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling		 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety
\sim			



Revision Date: 29.11.2024 Date of last issue: 12.06.2024	Version 2.0	Print Date 29.11.2024
	practice. When using do not eat or drink. Whe smoke. Wash hands before breaks and at the	
7.2 Conditions for safe storage, inc	luding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and wel place. Store in accordance with local regulation	
Further information on stor- : age stability	No decomposition if stored and applied as dire	ected.
7.3 Specific end use(s)		
Specific use(s)	Consult most current local Product Data Shee use.	t prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

PCI Durapox[®] Premium Part A

• •				
Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal	protective	equipment
1 01001101	p. 0.000.00	oquipinoni

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	No special measures required.
ountry NL 00000720089		6 /



Revision Date: 29.11.2024
Date of last issue: 12.06.2024

Version 2.0

Print Date 29.11.2024

Environmental exposure controls

General advice

_

: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	::	liquid paste brown
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	0 V 10	locivo limito
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	6 - 8 (20 °C) Concentration: 50 %
Viscosity Viscosity, kinematic	:	Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Durapox[®] Premium Part A



Revision Date: 29.11.2024 Date of last issue: 12.06.2024	Version 2.0	Print Date 29.11.2024
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: ca. 1,78 g/cm3 (20 °C)	
Relative vapour density	: No data available	

: No data available

9.2 Other information

No data available

Particle characteristics

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



Revision Date: 29.11.2024 Date of last issue: 12.06.2024 Version 2.0

Print Date 29.11.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

 Acute toxicity

 Not classified due to lack of data.

 Components:

 bis-[4-(2,3-epoxipropoxi)phenyl]propane:

 Acute oral toxicity
 :

 LD50 Oral (Rat): > 5.000 mg/kg

 Acute dermal toxicity
 :

 LD50 Dermal (Rabbit): > 5.000 mg/kg

 reaction products of 2,2-dimethylpropane- 1,3-diol with 1-chloro-2,3-epoxypropane:

 Acute oral toxicity
 :

 LD50 (Rat): 3.595 mg/kg

 Acute dermal toxicity
 :

 LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

Naphtha (petroleum), steam-cracked, C8-10 aromatic hydrocarbon fraction, alkylated and oligomerised:

Acute oral toxicity	:	LD50 Oral (Rat): > 2.000 mg/kg
---------------------	---	--------------------------------

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.



Revision Date: 29.11.2024 Date of last issue: 12.06.2024 Version 2.0

Print Date 29.11.2024

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

Toxicity to fish	-	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h

Reaction mass of isomers of epoxy resin BFDGE:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 2,54 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 2,55 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 1,8 mg/l Exposure time: 72 h

Naphtha (petroleum), steam-cracked, C8-10 aromatic hydrocarbon fraction, alkylated and oligomerised:

Toxicity to daphnia and other	:	EL50 (Daphnia magna (Water flea)): 54 mg/l
aquatic invertebrates		Exposure time: 48 h
		Method: OECD Test Guideline 202

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

SAFETY DATA SHEET

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PCI Durapox[®] Premium Part A

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:		
Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		
Product:		
Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Print Date 29.11.2024



Revision Date: 29.11.2024 Date of last issue: 12.06.2024 Version 2.0

Print Date 29.11.2024

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legis	slation	specific for the substance or mixture
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable

REACH Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



_



Revision Date: 29.11.2024 Date of last issue: 12.06.2024	Version 2.	.0	Print Date 29.11.2024
REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII)	igerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
			Number on list 75:
REACH - Candidate List of Substa Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) on substances th layer	nat deplete the ozone	:	Not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable
Netherlands. Substances of very l	high concern (ZZS-list)	:	Quartz (SiO2)
Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals			Not applicable
Seveso III: Directive 2012/18/EU o jor-accident hazards involving dar		ent	and of the Council on the control of ma-
Volatile organic compounds :	Law on the incentive ta: (VOCV) no VOC duties	x fc	or volatile organic compounds
			4 November 2010 on industrial ution prevention and control)

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.



Revision Date: 29.11.2024 Date of last issue: 12.06.2024 Version 2.0

Print Date 29.11.2024

SECTION 16: Other information

Full text of H-Statements					
H315	Causes skin irritation.				
H317 :	May cause an allergic skin reaction.				
H319	Causes serious eye irritation.				
H411 :	Toxic to aquatic life with long lasting effects.				
H412 :	Harmful to aquatic life with long lasting effects.				
Full text of other abbreviations					
Aquatic Chronic	Long-term (chronic) aquatic hazard				
Eye Irrit.	Eye irritation				
Skin Irrit.	Skin irritation				
Skin Sens.	Skin sensitisation				
ADR	European Agreement concerning the International Carriage of				
	Dangerous Goods by Road				
CAS	Chemical Abstracts Service				
DNEL	Derived no-effect level				
EC50	Half maximal effective concentration				
GHS	Globally Harmonized System				
IATA	International Air Transport Association				
IMDG	International Maritime Code for Dangerous Goods				
LD50 :	Median lethal dosis (the amount of a material, given all at				
	once, which causes the death of 50% (one half) of a group of				
	test animals)				
LC50	Median lethal concentration (concentrations of the chemical in				
	air that kills 50% of the test animals during the observation				
	period)				
MARPOL	International Convention for the Prevention of Pollution from				
	Ships, 1973 as modified by the Protocol of 1978				
OEL	Occupational Exposure Limit				
PBT	Persistent, bioaccumulative and toxic				
PNEC	Predicted no effect concentration				
REACH	Regulation (EC) No 1907/2006 of the European Parliament				
	and of the Council of 18 December 2006 concerning the Reg-				
	istration, Evaluation, Authorisation and Restriction of Chemi-				
	cals (REACH), establishing a European Chemicals Agency				
SVHC	Substances of Very High Concern				
vPvB	Very persistent and very bioaccumulative				
Further information					

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 3	H412	Calculation method



Revision Date: 29.11.2024 Date of last issue: 12.06.2024 Version 2.0

Print Date 29.11.2024

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN