

Revision Date: 22.03.2024 Date of last issue: 22.03.2024 Version 7.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Pulastic[®] GM 2000 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Eye irritation, Category 2	H319: Causes serious eye irritation.			

2.2 Label elements

Labelling (REGULATION (B Hazard pictograms	E C) :	No 1272/200	8)
Signal word	:	Warning	
Hazard statements	:	H319	Causes serious eye irritation.
Precautionary statements	:	Prevention P264 P280 Response:	Wash skin thoroughly after handling. Wear eye protection/ face protection.

Print Date 03.04.2024

Revision Date: 22.03.2024 Date of last issue: 22.03.2024 Version 7.0

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Additional Labelling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			
Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
2-ethylhexane-1,3-diol	94-96-2	Eye Dam. 1; H318	>= 1 - < 2,5
	202-377-9	-	
	01-2120000832-71-		
	XXXX		
Substances with a workplace expo	sure limit :		
Titanium dioxide (> 10 µm)	13463-67-7		>= 1 - < 2,5
	236-675-5		
	01-2119489379-17-		
	XXXX		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

: Move out of dangerous area.

Pulastic[®] GM 2000 Part A

Revision Date: 22.03.2024



Date of last issue: 22.03.2024		version 7.0	Plint Date 03.04.2
		Consult a physician. Show this safety data sheet to the doctor in att	endance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	:	Take off contaminated clothing and shoes imm Wash off with soap and plenty of water. If symptoms persist, call a physician.	nediately.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscio	
4.2 Most important symptoms ar	nd e	effects, both acute and delayed	
Symptoms	:	Excessive lachrymation See Section 11 for more detailed information of and symptoms.	on health effects
Risks	:	irritant effects	
		Causes serious eye irritation.	
1.3 Indication of any immediate	me	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet, ide/sand/foam/alcohol resistant foam/chemical extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	I
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	ing apparatus.
Further information	:	Standard procedure for chemical fires.	
Couptry NL 100000011200			3/13

Version 7.0

Print Date 03.04.2024

Revision Date: 22.03.2024 Date of last issue: 22.03.2024 Version 7.0

SECTION 6: Accidental release measures

6.1	Personal precautions, protective	e equipment and emergency procedures
	Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.
6.2	Environmental precautions	
	Environmental precautions :	If the product contaminates rivers and lakes or drains inform respective authorities. No special environmental precautions required.
6.3	Methods and material for contai	nment and cleaning up
	Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8).Do not get in eyes, on skin, or on clothing.For personal protection see section 8.Smoking, eating and drinking should be prohibited in the application area.Follow standard hygiene measures when handling chemical products
Advice on protection agains fire and explosion	st :	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage	e, incl	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.

Further information on stor-	: No decomposition if stored and applied as directed.	
Country NL 100000011200		

Revision Date: 22.03.2024 Date of last issue: 22.03.2024

age stability

7.3 Specific end use(s)

Specific use(s)

Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

:

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Titanium dioxide (> 10 μm)	13463-67-7	TWA	10 mg/m3	DE TRGS 900

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth-



Version 7.0



Revision Date: 22.03.2024 Date of last issue: 22.03.2024 Version 7.0

ods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental expos	ure controls
General advice	 If the product contaminates rivers and lakes or drains inform respective authorities. No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid beige
Odour	:	characteristic
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Upper/lower flammability or explosive limits

	Upper explosion limit / Up- per flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
Fla	sh point	:	93,3 °C Method: closed cup
Aut	o-ignition temperature	:	No data available
Decomposition temperature			No data available
pН		:	7
	cosity Viscosity, kinematic	:	> 7 mm2/s (40 °C)

Revision Date: 22.03.2024 Date of last issue: 22.03.2024





Solubility(ies)

Water solubility	: No data available
Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: 0,01 hPa
Density	: ca. 1,50 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

Pulastic[®] GM 2000 Part A

Revision Date: 22.03.2024 Date of last issue: 22.03.2024 Version 7.0



SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity Not classified due to lack of data.

Reproductive toxicity Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 22.03.2024 Date of last issue: 22.03.2024 Version 7.0



SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

|--|

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

 Product
 : The generation of waste should be avoided or minimized wherever possible.

 Empty containers or liners may retain some product residues.

 This material and its container must be disposed of in a safe way.

 Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

 Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional

Revision Date: 22.03.2024 Date of last issue: 22.03.2024 Version 7.0



local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	Transport hazard class(es)		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	Packing group		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good
	IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information: All substances contained in our Products are

Pulastic[®] GM 2000 Part A



Revision Date: 22.03.2024	
Date of last issue: 22.03.2024	

Version 7.0

	- registered by our upstream suppliers, and/	or
--	--	----

- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3			
REACH - Candidate List of Substa Concern for Authorisation (Article	:	None of the components are listed (=> 0.1 %).			
REACH - List of substances subje (Annex XIV)	:	Not applicable			
Regulation (EC) No 1005/2009 or plete the ozone layer	:	Not applicable			
Regulation (EU) 2019/1021 on pe tants (recast)	Not applicable				
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals					
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma jor-accident hazards involving dangerous substances. Not applicable					
 Volatile organic compounds Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: <= 3% w/w no VOC duties 					
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,51% w/w				

MAL-Code-Number

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

: 0-1

Revision Date: 22.03.2024 Date of last issue: 22.03.2024 Version 7.0



SECTION 16: Other information

Full text of H-Statements				
H318	:	Causes serious eye damage.		
Full text of other abbreviation	ns			
Eye Dam. DE TRGS 900 DE TRGS 900 / TWA ADR CAS DNEL EC50 GHS IATA IMDG		Serious eye damage Germany. TRGS 900 - Occupational exposure limit values. Time Weighted Average European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods		
LD50 LC50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)		
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978		
OEL PBT PNEC REACH	:	Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency		
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative		
Further information				

Classification of the mixture:		Classification procedure:
Eye Irrit. 2	H319	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN

Pulastic[®] GM 2000 Part A

Revision Date: 22.03.2024 Date of last issue: 22.03.2024 Version 7.0

