

Revision Date: 17.10.2024 Date of last issue: 11.04.2024 Version 6.0

Print Date 18.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Betonverflüssiger BV 1 M

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Concrete and mortar admixture

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains triisobutyl phosphate, 1,2-benzisothiazol-3(2H)-one (BIT), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Revision Date: 17.10.2024 Date of last issue: 11.04.2024 Version 6.0

Print Date 18.10.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 55965-84-9. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
triisobutyl phosphate	126-71-6	Skin Sens. 1B; H317	>= 0,1 - < 0,5
	204-798-3		
	01-2119957118-32-		
	XXXX		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sika[®] Betonverflüssiger BV 1 M

Revision Date: 17.10.2024 Date of last issue: 11.04.2024 Version 6.0

e of last issue. 11.04.2024			
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,025 - < 0,05
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
		specific concentration limit Skin Sens. 1A; H317 >= 0,036 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® Betonverflüssiger BV 1 M

Revision Date: 17.10.2024 Date of last issue: 11.04.2024 Version 6.0

Print Date 18.10.2024

e of last issue: 11.04.2024			
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0002 - < 0,0015
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
		specific concentration limit Skin Corr. 1C; H314 >= 0,6 %	
		specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 %	
		specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 %	
		specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
		specific concentration limit Eye Dam. 1; H318 >= 0,6 %	

For explanation of abbreviations see section 16.



Revision Date: 17.10.2024 Date of last issue: 11.04.2024 Version 6.0

Print Date 18.10.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: No hazards which require special first aid measures.	
If inhaled	: Move to fresh air.	
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.	
In case of eye contact	: Remove contact lenses. Keep eye wide open while rinsing.	
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 	
2 Most important symptom	and effects, both acute and delayed	
Symptoms	: See Section 11 for more detailed information on health eff	e

4.2

Symptoms	See Section 11 for more of and symptoms.	detailed information on health effects
Risks	No known significant effe	cts or hazards.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from Hazardous combustion prod- ucts		substance or mixture No hazardous combustion products are known
5.3 Advice for firefighters Special protective equipment for firefighters Further information	:	In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.



Revision Date: 17.10.2024 Date of last issue: 11.04.2024 Version 6.0

Print Date 18.10.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	ctiv	e equipment and emergency procedures
Personal precautions	:	For personal protection see section 8.
6.2 Environmental precautions Environmental precautions	:	No special environmental precautions required.
6.3 Methods and material for co		nment and cleaning up

: Wipe up with absorbent material (e.g. cloth, fleece). Methods for cleaning up Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Advice on common storage	:	No special restrictions on storage with other products.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Revision Date: 17.10.2024 Date of last issue: 11.04.2024 Version 6.0

Print Date 18.10.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
--------------------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment Eye/face protection Safety glasses Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves. Skin and body protection Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, 5 long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work. Respiratory protection : No special measures required.

Environmental exposure controls

General advice	:	No special environmental	precautions requ	ired
----------------	---	--------------------------	------------------	------

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid brown
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Betonverflüssiger BV 1 M



Revision Date: 17.10.2024 Date of last issue: 11.04.2024		Version 6.0	Print Date 18.10.2024
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	plosive limits	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	ca. 5	
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	soluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	23 hPa	
Density	:	ca. 1,19 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available



Print Date 18.10.2024

Date of last issue: 11.04.2024	
SECTION 10: Stability and re	
	sactivity
10.1 Reactivity	
No dangerous reaction know	n under conditions of normal use.
10.2 Chemical stability	
The product is chemically sta	able.
10.3 Possibility of hazardous re	eactions
Hazardous reactions	: No hazards to be specially mentioned.
10.4 Conditions to avoid	
Conditions to avoid	: No data available
10.5 Incompatible materials	
Materials to avoid	: No data available
10.6 Hazardous decomposition	products
	No hazardous decomposition products are known.

Version 6.0

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Revision Date: 17.10.2024

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity	:	Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LD50 Oral (Rat): 450 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Betonverflüssiger BV 1 M



Version 6.0	Print Date 18.10.2024
LD50 Dermal (Rabbit): > 2.000 mg/kg	
on	
BIT): May cause sensitisation by skin contact.	
es	
ered to have endocrine disrupting propert REACH Article 57(f) or Commission Dele (EU) 2017/2100 or Commission Regulation	ties according to gated regulation
	LD50 Dermal (Rabbit): > 2.000 mg/kg ethyl-2H-isothiazol-3-one and 2-methyl-2 Assessment: Corrosive to the respiratory



Revision Date: 17.10.2024 Date of last issue: 11.04.2024 Version 6.0

Print Date 18.10.2024

SECTION 12: Ecological information

12.1 Toxicity

Components:

	triisobutyl phosphate:		
	Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 11 mg/l Exposure time: 48 h
	Toxicity to algae/aquatic plants	:	IC50 (Desmodesmus subspicatus (green algae)): 34,1 mg/l Exposure time: 72 h
	1,2-benzisothiazol-3(2H)-one	e (B	BIT):
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h
	M-Factor (Acute aquatic tox- icity)	:	1
	M-Factor (Chronic aquatic toxicity)	:	1
	reaction mass of 5-chloro-2-	me	thyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):
		:	
	M-Factor (Chronic aquatic toxicity)	:	100
12.2	Persistence and degradabili	tv	
	No data available		
12.3	Bioaccumulative potential No data available		
12.4	Mobility in soil		
	No data available		
12.5	Results of PBT and vPvB as	se	ssment
	Product:		
	Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

Sika® Betonverflüssiger BV 1 M



Revision Date: 17.10.2024 Date of last issue: 11.04.2024 Version 6.0

Print Date 18.10.2024

12.6 Endocrine disrupting properties

Product:

Assessment

	ssment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
--	--------	---	---

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Betonverflüssiger BV 1 M



Date of last issue: 11.04.2024	Version	6.0	Print Date 18.10.202
ADR	· Not regulated as a dr	and a source and	
IMDG	: Not regulated as a da		
	: Not regulated as a da		
14.4 Packing group	: Not regulated as a da	angerous good	
ADR	: Not regulated as a da	0 0	
IMDG	: Not regulated as a da	0 0	
IATA (Cargo)	: Not regulated as a da		
IATA (Passenger)	: Not regulated as a da	angerous good	
14.5 Environmental hazards			
Not regulated as a dange	0		
I4.6 Special precautions for Not applicable	user		
14.7 Maritime transport in b	ulk according to IMO instrum	nents	
Not applicable for produc	-		
International Chemical W Schedules of Toxic Chem	eapons Convention (CWC) nicals and Precursors	: Not applicable	
REACH Information:		ined in our Products ar ostream suppliers, and, id/or egulation, and/or	
REACH - Restrictions on	 registered by our up registered by us, an excluded from the registered from the registe	ined in our Products ar ostream suppliers, and, id/or egulation, and/or registration. Conditions of re	for striction for the fol- hould be considered:
REACH - Restrictions on the market and use of cer mixtures and articles (And	 registered by our up registered by us, an excluded from the reserved from the res	ined in our Products ar ostream suppliers, and od/or egulation, and/or registration. Conditions of re lowing entries sl Number on list 7	for striction for the fol- hould be considered:
REACH - Restrictions on the market and use of cer mixtures and articles (And REACH - Candidate List Concern for Authorisation	 registered by our up registered by us, an excluded from the reserved from the res	ined in our Products ar ostream suppliers, and id/or egulation, and/or registration. : Conditions of re- lowing entries sl Number on list 7 : None of the com	for striction for the fol- hould be considered: 75:

layer

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Betonverflüssiger BV 1 M



Revision Date: 17.10.2024 Date of last issue: 11.04.2024

Version 6.0

Print Date 18.10.2024

Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
Full text of other abbreviations		
Acute Tox.	Acute toxicity	
Aquatic Acute	Short-term (acute) aquatic hazard	
Aquatic Chronic	Long-term (chronic) aquatic hazard	
Eye Dam.	Serious eye damage	
Skin Corr.	Skin corrosion	
Skin Irrit.	Skin irritation	
Skin Sens.	Skin sensitisation	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® Betonverflüssiger BV 1 M



Revision Date: 17.10.2024	
Date of last issue: 11.04.2024	

Version 6.0

Print Date 18.10.2024

CAS DNEL EC50 GHS IATA IMDG LD50	 Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	 International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN