

Version 1.4

Print Date 16.01.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

Trade name

SCHÖNOX<sup>®</sup> CF DESIGN Part B

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Joint mortar, Epoxy coating

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

### **1.4 Emergency telephone number**

+31-57-0854201

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin corrosion, Sub-category 1A	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Short-term (acute) aquatic hazard, Cate- gory 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat- egory 1	H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
SCHÖNOX <sup>®</sup> CF DESIGN Part B

**Jika** 

# Revision Date: 10.01.2025 Date of last issue: 26.09.2024

Version 1.4

Print Date 16.01.2025

te of last issue: 26.09.2024			
Hazard pictograms	:	Ly Pie	
Signal word	:	Danger	
Hazard statements	:	H314 ( H317 I	Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P273 P280	Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		<b>Response:</b> P303 + P361	+ P353 IF ON SKIN (or hair): Take off immedi- ately all contaminated clothing. Rinse skin with water.
		P304 + P340	+ P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Im- mediately call a POISON CENTER/ doctor.
		P305 + P351	+ P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
		P391	Collect spillage.

## Hazardous components which must be listed on the label:

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine Fatty acids, tall-oil, reaction products with tetraethylenepentamine 3,6,9-triazaundecamethylenediamine

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Version 1.4

Print Date 16.01.2025

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
2,2,4(or 2,4,4)-trimethylhexane- 1,6-diamine	25513-64-8 247-063-2 01-2119560598-25- XXXX	Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Acute toxicity esti- mate Acute oral toxicity: 910 mg/kg	>= 40 - < 60
Fatty acids, tall-oil, reaction prod- ucts with tetraethylenepentamine	68953-36-6 273-201-6 01-2119487006-38- XXXX [covered by CAS 1226892-45-0]	Skin Corr. 1C; H314 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 25 - < 40
3,6,9- triazaundecamethylenediamine	112-57-2 203-986-2 01-2119487290-37- XXXX (covered by CAS 90640-66-7)	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 2; H411 Acute toxicity esti- mate Acute oral toxicity: 1.716,2 mg/kg Acute dermal toxicity: 1.260 mg/kg	>= 5 - < 10
Oxirane, reaction products with ammonia, N-benzyl derivate	1191251-49-6 Not Assigned	Skin Corr. 1B; H314	>= 1 - < 2,5

For explanation of abbreviations see section 16.



Version 1.4

Print Date 16.01.2025

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures General advice Move out of dangerous area. : Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled Move to fresh air. : Consult a physician after significant exposure. In case of skin contact Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. In case of eye contact Small amounts splashed into eyes can cause irreversible tis-5 sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. If swallowed Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms Gastrointestinal discomfort Allergic reactions Dermatitis See Section 11 for more detailed information on health effects and symptoms. Risks Health injuries may be delayed. : corrosive effects sensitising effects Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.



Version 1.4

Print Date 16.01.2025

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protectiv	e equipment and emergency procedures
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for contain	inment and cleaning up
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	

For personal protection see section 8.



Version 1.4

Print Date 16.01.2025

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

	Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 (	Conditions for safe storage, i	inc	luding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 \$	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
			1010	

Contains no substances with occupational exposure limit values.



Version 1.4

Print Date 16.01.2025

### 8.2 Exposure controls

## Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipmen	t			
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.			
Hand protection	<ul> <li>Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.</li> <li>Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (&gt; 0,1 mm) Contaminated gloves should be removed.</li> <li>Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time &gt;30 min.</li> </ul>			
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.			
Respiratory protection	: No special measures required.			
Environmental exposure controls				
General advice	<ul> <li>Do not flush into surface water or sanitary sewer system.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>			

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid (20 °C) yellow
Odour	:	ammoniacal
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	> 200 °C

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SCHÖNOX® CF DESIGN Part B



Revision Date: 10.01.2025 Date of last issue: 26.09.2024	Version 1.4	Print Date 16.01.2025
Flammability (solid, gas)	: No data available	
Upper/lower flammability or	-	
Upper explosion limit / Up- per flammability limit	: No data available	
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: not determined	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: 7 Concentration: 100 % Not applicable	
Viscosity Viscosity, kinematic	: > 20,5 mm2/s (40 °C)	
<b>Solubility(ies)</b> Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 23 hPa	
Density	: 1,01 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

# 9.2 Other information

No data available



Version 1.4

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

Hazardous reactions	:	Stable under recommended storage conditions
nazaruous reactions		Stable under recommended storage condition

## 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

### **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Harmful if swallowed.

### **Components:**

# 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

2,2,4(or 2,4,4)-trimethylnexa	ne-	1,6-diamine:
Acute oral toxicity	:	LD50 Oral (Rat): 910 mg/kg
		Acute toxicity estimate: 910 mg/kg Method: Calculation method
3,6,9-triazaundecamethylen	edia	amine:
Acute oral toxicity	:	LD50 Oral (Rat): 1.716,2 mg/kg
		Acute toxicity estimate: 1.716,2 mg/kg Method: Calculation method
Acute dermal toxicity	:	LD50 Dermal (Rat): 1.260 mg/kg
		Acute toxicity estimate: 1.260 mg/kg Method: Calculation method



Skin corrosion/irritation

Version 1.4

Print Date 16.01.2025

Causes severe burns. Serious eye damage/eye irritation Causes serious eye damage. Respiratory or skin sensitisation Skin sensitisation May cause an allergic skin reaction. **Respiratory sensitisation** Not classified due to lack of data. Germ cell mutagenicity Not classified due to lack of data. Carcinogenicity Not classified due to lack of data. **Reproductive toxicity** Not classified due to lack of data. STOT - single exposure Not classified due to lack of data. **STOT - repeated exposure** Not classified due to lack of data. Aspiration toxicity Not classified due to lack of data. 11.2 Information on other hazards Endocrine disrupting properties Product: Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 12: Ecological information**

12.1 Toxicity

Components:

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Toxicity to algae/aquatic : EC50 (Scenedesmus capricornutum (fresh water algae)): 29,5

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SCHÖNOX<sup>®</sup> CF DESIGN Part B



Revision Date: 10.01.2025 Date of last issue: 26.09.2024	Version 1.4	Print Date 16.01.2025
plants	mg/l Exposure time: 72 h	
Toxicity to fish (Chronic tox- : icity)	LC50: 174 mg/l Exposure time: 48 h Species: Leuciscus idus (Golden orfe)	
Fatty acids, tall-oil, reaction pr	oducts with tetraethylenepentamine:	
M-Factor (Acute aquatic tox- : icity)		
M-Factor (Chronic aquatic : toxicity)	1	
<b>12.2 Persistence and degradability</b> No data available		
<b>12.3 Bioaccumulative potential</b> No data available		
<b>12.4 Mobility in soil</b> No data available		
12.5 Results of PBT and vPvB asse	essment	
Product:		
Assessment :	This substance/mixture contains no comport to be either persistent, bioaccumulative and very persistent and very bioaccumulative (v 0.1% or higher	d toxic (PBT), or
12.6 Endocrine disrupting propertie	es	
Product:		
Assessment :	The substance/mixture does not contain co ered to have endocrine disrupting propertie REACH Article 57(f) or Commission Delega (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher.	s according to ated regulation
12.7 Other adverse effects		
Product:		
Additional ecological infor- : mation	An environmental hazard cannot be exclude unprofessional handling or disposal. Very toxic to aquatic life with long lasting ef	



Version 1.4

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product	The generation of waste should be avoided or minimiz wherever possible. Empty containers or liners may retain some product re This material and its container must be disposed of in way. Dispose of surplus and non-recyclable products via a l waste disposal contractor. Disposal of this product, solutions and any by-products at all times comply with the requirements of environme protection and waste disposal legislation and any region local authority requirements. Avoid dispersal of spilled material and runoff and contains soil, waterways, drains and sewers.	sidues. a safe icensed s should ental onal
European Waste Catalogue	08 04 09* waste adhesives and sealants containing or solvents or other dangerous substances	ganic
Contaminated packaging	15 01 10* packaging containing residues of or contam by dangerous substances	nated

# **SECTION 14: Transport information**

14.1 UN number or ID number				
ADR	:	UN 2735		
IMDG	:	UN 2735		
ΙΑΤΑ	:	UN 2735		
14.2 UN proper shipping name				
ADR	:		ID, CORROSIVE, N.O.S. hylhexane-1,6-diamine)	
IMDG	:	,	ID, CORROSIVE, N.O.S. hylhexane-1,6-diamine)	
ΙΑΤΑ	:	Polyamines, liquid, corrosive, n.o.s. (2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine)		
14.3 Transport hazard class(es)				
		Class	Subsidiary risks	
ADR	:	8		
IMDG	:	8		

: 8

ΙΑΤΑ



Version 1.4

Print Date 16.01.2025

## 14.4 Packing group

ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	-	III C7 80 8 (E)
<b>IMDG</b> Packing group Labels EmS Code	:	III 8 F-A, S-B
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	856 Y841 III Corrosive
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	:	852 Y841 III Corrosive
5 Environmental hazards		

# 14.5 Environmental hazards

ADR Environmentally hazardous	:	no
IMDG Marine pollutant	:	no
IATA (Passenger) Environmentally hazardous	:	no
IATA (Cargo) Environmentally hazardous	:	no

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** International Chemical Weapons Convention (CWC) : Not applicable



Version 1.4

Print Date 16.01.2025

Schedules of Toxic Chemicals and Precursors

REACH Information:	All substances contained - registered by our upstr - registered by us, and/o - excluded from the regunnation - exempted from the reg		eam suppliers, and/or r lation, and/or		
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3		
			Number on list 75:		
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		:	None of the components are listed (=> 0.1 %).		
REACH - List of substances subject to authorisation (Annex XIV)		:	Not applicable		
Regulation (EC) on substances that deplete the ozone layer		:	Not applicable		
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)		:	Not applicable		
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals			Not applicable		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS					
Volatile organic compounds :	Law on the incentive tax (VOCV) no VOC duties	fc	or volatile organic compounds		
			4 November 2010 on industrial ution prevention and control)		

**Further information** 

## Revision Date: 10.01.2025 Date of last issue: 26.09.2024

**15.2 Chemical safety assessment** 

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Version 1.4

# **SECTION 16: Other information**

## Full text of H-Statements

H302 H312 H314 H317 H318 H400 H410 H411	Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.
Full text of other abbreviation	S
Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam.	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage
Skin Corr.	Skin corrosion
Skin Sens. ADR	Skin sensitisation European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT :	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
-	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative



Print Date 16.01.2025



Version 1.4 Revision Date: 10.01.2025 Print Date 16.01.2025 Date of last issue: 26.09.2024 Classification of the mixture: **Classification procedure:** Acute Tox. 4 H302 Calculation method Skin Corr. 1A H314 Calculation method Eye Dam. 1 H318 Calculation method Skin Sens. 1 H317 Calculation method Aquatic Acute 1 H400 Calculation method Aquatic Chronic 1 H410 Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN