# Sika<sup>®</sup> FerroGard<sup>®</sup>-500 Crete



Revision Date: 26.07.2024 Date of last issue: 25.07.2023 Version 1.1

Print Date 26.07.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

Trade name

: Sika<sup>®</sup> FerroGard<sup>®</sup>-500 Crete

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Repairing mortar

### 1.3 Details of the supplier of the safety data sheet

:	Sika Nederland B.V.
	Zonnebaan 56
	3542 EG Utrecht
	Nederland
:	+31-30-2410120
:	+31-30-2414482
:	EHS@nl.sika.com
	:

### 1.4 Emergency telephone number

+31-57-0854201

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Serious eye damage, Category 1	H318: Causes serious eye damage.				
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.				

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	L R	
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika<sup>®</sup> FerroGard<sup>®</sup>-500 Crete



Revision Date: 26.07.2024 Date of last issue: 25.07.2023	Ve	ersion 1.1	Print Date 26.07.2024
	H335 May	cause respiratory irritation.	
Precautionary statements :	Prevention:		
	P261	Avoid breathing dust/ fume/ gas pours/ spray.	s/ mist/ va-
	P264	Wash skin thoroughly after hand	dling.
	P280	Wear protective gloves/ eye proprotection.	otection/ face
	Response:		
	P304 + P340 + F	2312 IF INHALED: Remove pe air and keep comfortable for bre POISON CENTER/ doctor if you	eathing. Call a
	P305 + P351 + F		e cautiously Remove con- to do. Con-
	Storage:		
	P403 + P233	Store in a well-ventilated place. tainer tightly closed.	Keep con-

### Hazardous components which must be listed on the label:

calcium dihydroxide

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

#### Components

eempenente			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 40 - < 60
	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	

For explanation of abbreviations see section 16.



Version 1.1

Print Date 26.07.2024

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

4.1 Description of mist ald meas	ure	5
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	nd e	effects, both acute and delayed
Symptoms	:	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.



Version 1.1

Print Date 26.07.2024

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox-
		ide/sand/foam/alcohol resistant foam/chemical powder for
		extinction.

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

## 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.			
6.2 Environmental precautions				
Environmental precautions :	Try to prevent the material from entering drains or water courses.			
6.3 Methods and material for contai	nment and cleaning up			
Methods for cleaning up :	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.			
6.4 Reference to other sections				
For personal protection see section 8.				
SECTION 7: Handling and storage				

## 7.1 Precautions for safe handling

Advice on safe handling	: Do not breathe vapours/dust.
	Avoid exceeding the given occupational exposure limits (see
	section 8).
	Do not get in eyes, on skin, or on clothing.
	For personal protection see section 8.
	Smoking, eating and drinking should be prohibited in the ap-
	plication area.

Sika<sup>®</sup> FerroGard<sup>®</sup>-500 Crete



Revision Date: 26.07.2024 Date of last issue: 25.07.2023	Version 1.1	Print Date 26.07.2024
	Follow standard hygiene measures w products	hen handling chemical
Advice on protection against fire and explosion	: Normal measures for preventive fire p	protection.
Hygiene measures	: Handle in accordance with good indu- practice. When using do not eat or dr smoke. Wash hands before breaks a	ink. When using do not
7.2 Conditions for safe storage, ir	cluding any incompatibilities	
Requirements for storage areas and containers	: Store in original container. Keep in a Observe label precautions. Store in a regulations.	
Further information on stor- age stability	: No decomposition if stored and applie	ed as directed.

### 7.3 Specific end use(s)

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
calcium dihydroxide	1305-62-0	TWA (Respirable	1 mg/m3	2017/164/EU
		fraction)		
	Further inform	nation: Indicative		
		STEL (Respirable	4 mg/m3	2017/164/EU
		fraction)		
		TLV-8hr (Respira-	1 mg/m3	NL WG
		ble)		
		TLV-15 min (Res-	4 mg/m3	NL WG
		pirable)		

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.

# Sika<sup>®</sup> FerroGard<sup>®</sup>-500 Crete



Revision Date: 26.07.2024 Date of last issue: 25.07.2023	Version 1.1	Print Date 26.07.2024
	Recommended: Butyl rubber/nitrile rubbe Contaminated gloves should be removed	
Skin and body protection	Protective clothing (e.g. Safety shoes action long-sleeved working clothing, long trous and protective boots are additionaly record and stirring work.	sers). Rubber aprons
Respiratory protection	Respirator selection must be based on k exposure levels, the hazards of the produ- ing limits of the selected respirator. Ensure adequate ventilation. This can be exhaust extraction or by general ventilati ods for determining inhalation exposure) ticular to the mixing / stirring area. In cas to keep the concentrations under the occ limits then respiration protection measure	uct and the safe work- e achieved by local on. (EN 689 - Meth- . This applies in par- .e this is not sufficent cupational exposure
Environmental exposure cont	rols	
General advice	: Try to prevent the material from entering courses.	drains or water

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

information on basic physical	an	a chemical propert
Physical state	:	solid
Appearance	:	paste
Colour	:	white
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika<sup>®</sup> FerroGard<sup>®</sup>-500 Crete



Revision Date: 26.07.2024 Date of last issue: 25.07.2023		Version 1.1	Print Date 26.07.2024
Flash point	:	> 250 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	>7	
<b>Viscosity</b> Viscosity, kinematic	:	Not applicable	
Solubility(ies) Water solubility	:	partly soluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	1,5 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika<sup>®</sup> FerroGard<sup>®</sup>-500 Crete



evision Date: 26.07.2024 Pate of last issue: 25.07.2023	Version 1.1	Print Date 26.07.2024
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition p	roducts	
No decomposition if stored and	l applied as directed.	
SECTION 11: Toxicological inf	ormation	
1.1 Information on hazard classe	es as defined in Regulation (EC) No 127	2/2008
<b>Acute toxicity</b> Not classified based on availab	le information.	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye irrita Causes serious eye damage.	ation	
Respiratory or skin sensitisa	tion	
<b>Skin sensitisation</b> Not classified based on availab	le information	
Respiratory sensitisation Not classified based on availab		
Germ cell mutagenicity Not classified based on availab		
Carcinogenicity Not classified based on availab		
Reproductive toxicity Not classified based on availab		
STOT - single exposure May cause respiratory irritation		
STOT - repeated exposure Not classified based on availab		
Aspiration toxicity Not classified based on availab		
TNUL CIASSILIEU DASEU UN AVAIIAD	se mormation.	



Version 1.1

Print Date 26.07.2024

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

### Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

No data available

## 12.7 Other adverse effects

#### Product:

Additional ecological infor- : There is no data available for this product. mation

2

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Version 1.1

Print Date 26.07.2024

## **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legis	lation	specific for the substance or mixture
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable

**REACH** Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika® FerroGard®-500 Crete



Revision Date: 26.07.2024 Date of last issue: 25.07.2023	Version *	1.1	Print Date 26.07.2024
REACH - Restrictions on the mar the market and use of certain dar preparations and articles (Annex	ngerous substances,	:	Not applicable
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) on substances th layer	hat deplete the ozone	:	Not applicable
Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals		:	Not applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving da		nen	nt and of the Council on the control of ma-
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax f	for volatile organic compounds
			24 November 2010 on industrial lution prevention and control)

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

### **Full text of H-Statements**

H315 :	Causes skin irritation.
H318 :	Causes serious eye damage.
H335 :	May cause respiratory irritation.

## Sika® FerroGard®-500 Crete



Revision Date: 26.07.2024 Date of last issue: 25.07.2023 Version 1.1

Print Date 26.07.2024

Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a
		fourth list of indicative occupational exposure limit values
NL WG	:	Netherlands. Law on Labour conditions - Occupational Expo- sure Limits
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
NL WG / TLV-8hr	:	Time Weighted Average
NL WG / TLV-15 min	:	Short Term Exposure Limit
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical ir air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC		Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Classification of the	e mixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.



Version 1.1

Print Date 26.07.2024

Changes as compared to previous version !

NL / EN