

Revision Date: 20.11.2024 Date of last issue: 13.11.2024 Version 1.1

Print Date 22.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaEmaco[®] T 907

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person responsible for the SDS	:	EHS@nl.sika.com

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Serious eye damage, Category 1	H318: Causes serious eye damage.				
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		!
Signal word	:	Danger	
Hazard statements	:		ises skin irritation. ises serious eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco® T 907



Revision Date: 20.11.2024 Date of last issue: 13.11.2024	V	ersion 1.1	Print Date 22.11.2024
	H335 Ma	y cause respiratory irritation.	
Precautionary statements :	P101	If medical advice is needed, hav container or label at hand.	e product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-ve	entilated ar-
	P280	Wear protective gloves/ eye protection.	tection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SikaEmaco[®] T 907



Revision Date: 20.11.2024 Date of last issue: 13.11.2024 Version 1.1

Print Date 22.11.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oompononto				
Chemical name	CAS-No.	Classification	Concentration	
	EC-No.		(% w/w)	
	Registration number			
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40	
	266-043-4	Eye Dam. 1; H318		
		STOT SE 3; H335		
		(Respiratory system)		
calcium oxide	1305-78-8	Skin Irrit. 2; H315	>= 1 - < 2,5	
	215-138-9	Eye Dam. 1; H318		
	01-2119475325-36-	STOT SE 3; H335		
	XXXX			
Substances with a workplace exposure limit :				
Quartz (SiO2)	14808-60-7		>= 60 - < 80	
	238-878-4			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	•	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

SikaEmaco® T 907

Revision Date: 20.11.2024

Date of last issue: 13.11.2024



Print Date 22.11.2024

4.2 Most important symptoms and effects, both acute and delayed

4.2 Wost important sympto	and enects, both acute and delayed
Symptoms	 Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. irritant effects
4.3 Indication of any imme	diate medical attention and special treatment needed
Treatment	: Treat symptomatically.

Version 1.1

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media :	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from th	he	substance or mixture
		No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment : for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information :	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.				
6.2 Environmental precautions					
Environmental precautions	Try to prevent the material from entering drains or water courses.				

SikaEmaco[®] T 907



Revision Date: 20.11.2024Version 1.1Print Date 22.11.2024Date of last issue: 13.11.2024

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products Avoid dust formation. Provide appropriate exhaust ventilation Advice on protection against : fire and explosion at places where dust is formed. Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep container tightly closed in a dry and well-ventilated areas and containers place. Store in accordance with local regulations. Further information on stor-: Keep in a dry place. age stability No decomposition if stored and applied as directed. 7.3 Specific end use(s) Consult most current local Product Data Sheet prior to any Specific use(s) use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *	
------------	---------	------------------	-----------------	---------	--

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Jika®

SikaEmaco[®] T 907

Version 1.1

Print Date 22.11.2024

Revision Date: 20.11.2024 Date of last issue: 13.11.2024

		of exposure)	ters *		
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira-	0,075 mg/m3	NL WG	
		ble dust)	(Silica)		
	Further inform	nation: Carcinogenic	substances, base	ed on the	
	thresholdlimit				
calcium oxide	1305-78-8	TWA (Respirable	1 mg/m3	2017/164/EU	
		fraction)			
	Further inform	Further information: Indicative			
		STEL (Respirable	4 mg/m3	2017/164/EU	
		fraction)			
		TLV-8hr (Respira-	1 mg/m3	NL WG	
		ble)			
		TLV-15 min (Res-	4 mg/m3	NL WG	
		pirable)			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection :	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

SikaEmaco® T 907



Revision Date: 20.11.2024Version 1.1Print Date 22.11.2024Date of last issue: 13.11.2024

Environmental exposure controls				
General advice	: Try to prevent the material from entering drains or water			
	courses. No special environmental precautions required.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	solid
Appearance		powder
Colour	:	dark grey
Celodi	·	uaik grey
Odour		characteristic
Oddal	•	Characteristic
Malting paint/ range / Ereas		Na data availabla
Melting point/ range / Freez-	:	No data available
ing point		
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	exp	losive limits
Upper explosion limit / Up-	:	No data available
per flammability limit		
i ș		
Lower explosion limit /	:	No data available
Lower flammability limit	•	
Flash point	:	Not applicable
	·	
Auto-ignition temperature	:	No data available
Auto-ignition temperature	•	NU uala avaliable
Decomposition temperature	:	No data available
Decomposition temperature	•	NU uala avaliable
рН	•	> 11
		Concentration: 50 %
Viceocity		
Viscosity		
Viscosity, kinematic	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco® T 907



Revision Date: 20.11.2024 Date of last issue: 13.11.2024	Version 1.1	Print Date 22.11.2024
Solubility(ies) Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: No data available	
Bulk density	: ca. 2.100 kg/m3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous rea Hazardous reactions		No hazards to be specially mentioned.
10.4 Conditions to avoid Conditions to avoid	:	No data available
10.5 Incompatible materials		

:

: No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

Materials to avoid

SikaEmaco® T 907



Revision Date: 20.11.2024 Date of last issue: 13.11.2024 Version 1.1

Print Date 22.11.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SikaEmaco® T 907



Revision Date: 20.11.2024 Date of last issue: 13.11.2024 Version 1.1

Print Date 22.11.2024

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental

SikaEmaco® T 907

Revision Date: 20.11.2024 Date of last issue: 13.11.2024 Version 1.1

Print Date 22.11.2024

protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 International Chemical Weapons Convention (CWC) : Not applicable
 Schedules of Toxic Chemicals and Precursors



SikaEmaco[®] T 907



Revision Date: 20.11.2024 Date of last issue: 13.11.2024	Version 1	1.1		Print Date 22.11.2024
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	am suppliers, and/or ition, and/or	
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restrictior lowing entries should b Number on list 47: Cen um reduced)	e considered:
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the componen (=> 0.1 %).	ts are listed
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) on substances th layer	nat deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable	
Netherlands. Substances of very high concern (ZZS-list) : Quartz (SiO2)				
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compo	bunds
			4 November 2010 on inc ution prevention and con	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaEmaco® T 907



Revision Date: 20.11.2024 Date of last issue: 13.11.2024 Version 1.1

Print Date 22.11.2024

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements	
H315 :	Causes skin irritation.
H318 :	Causes serious eye damage.
H335 :	May cause respiratory irritation.
Full text of other abbreviations	
Eye Dam. :	Serious eye damage
Skin Irrit. :	Skin irritation
STOT SE :	Specific target organ toxicity - single exposure
2017/164/EU :	Europe. Commission Directive 2017/164/EU establishing a
	fourth list of indicative occupational exposure limit values
NLWG :	Netherlands. Law on Labour conditions - Occupational Expo-
	sure Limits
2017/164/EU / STEL :	Short term exposure limit
2017/164/EU / TWA :	Limit Value - eight hours
NL WG / TLV-8hr :	Time Weighted Average
NL WG / TLV-15 min :	Short Term Exposure Limit
ADR :	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS :	Chemical Abstracts Service
DNEL :	Derived no-effect level
EC50 :	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA :	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50 :	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of
	test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in
2000	air that kills 50% of the test animals during the observation
	period)
MARPOL :	International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL :	Occupational Exposure Limit
PBT :	Persistent, bioaccumulative and toxic
PNEC :	Predicted no effect concentration
REACH :	Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
SVHC :	Substances of Very High Concern
vPvB :	Very persistent and very bioaccumulative

Further information

SikaEmaco[®] T 907



 Revision Date: 20.11.2024
 Version 1.1
 Print Date 22.11.2024

 Date of last issue: 13.11.2024
 Classification procedure:

 Skin Irrit. 2
 H315
 Calculation method

 Eye Dam. 1
 H318
 Calculation method

 STOT SE 3
 H335
 Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN