

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025

Version 1.3

Print Date 14.02.2025

Date of last issue: 30.01.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : PCI® Epoxigrund Rapid Part A

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Epoxy coating, Primer, Product is not intended for consumer use, For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier : Sika Nederland B.V.  
Zonnebaan 56  
3542 EG Utrecht  
Nederland  
Telephone : +31-30-2410120  
Telefax : +31-30-2414482  
E-mail address of person responsible for the SDS : EHS@nl.sika.com

#### 1.4 Emergency telephone number

+31-57-0854201

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|  |  |
|--|--|
| Skin irritation, Category 2                    | H315: Causes skin irritation.                          |
| Eye irritation, Category 2                     | H319: Causes serious eye irritation.                   |
| Skin sensitisation, Category 1                 | H317: May cause an allergic skin reaction.             |
| Long-term (chronic) aquatic hazard, Category 2 | H411: Toxic to aquatic life with long lasting effects. |

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025  
Date of last issue: 30.01.2025

Version 1.3

Print Date 14.02.2025

|                          |   |                    |   |
|--------------------------|---|--------------------|---|
| Hazard statements        | : | H315               | Causes skin irritation.   |
|                          |   | H317               | May cause an allergic skin reaction.                              |
|                          |   | H319               | Causes serious eye irritation.                                    |
|                          |   | H411               | Toxic to aquatic life with long lasting effects.                  |
| Precautionary statements | : | <b>Prevention:</b> |   |
|                          |   | P261               | Avoid breathing mist or vapours.                                  |
|                          |   | P264               | Wash skin thoroughly after handling.                              |
|                          |   | P273               | Avoid release to the environment.                                 |
|                          |   | P280               | Wear protective gloves/ eye protection/ face protection.          |
|                          |   | <b>Response:</b>   |   |
|                          |   | P333 + P313        | If skin irritation or rash occurs: Get medical advice/ attention. |
|                          |   | P391               | Collect spillage.   |

### Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxy)phenyl]propane  
Reaction mass of isomers of epoxy resin BFDGE  
reaction products of 2,2-dimethylpropane- 1,3-diol with 1-chloro-2,3-epoxypropane  
Fatty acids, C16-18 and C18-unsatd., Me esters, epoxidized  
Fatty acids, C14-18 and C16-18-unsatd., maleated  
maleic anhydride

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025

Version 1.3

Print Date 14.02.2025

Date of last issue: 30.01.2025

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

| Chemical name   | CAS-No.<br>EC-No.<br>Registration number                      | Classification   | Concentration<br>(% w/w) |
|---|---|--|--------------------------|
| bis-[4-(2,3-epoxipropoxy)phenyl]propane   | 1675-54-3<br>216-823-5<br>01-2119456619-26-XXXX               | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Skin Sens. 1; H317<br>Aquatic Chronic 2;<br>H411<br><br>specific concentration<br>limit<br>Eye Irrit. 2; H319<br>>= 5 %<br><br>specific concentration<br>limit<br>Skin Irrit. 2; H315<br>>= 5 % | >= 40 - < 60             |
| Reaction mass of isomers of epoxy resin BFDGE                                     | Not Assigned<br>701-263-0<br>01-2119454392-40-XXXX            | Skin Irrit. 2; H315<br>Skin Sens. 1A; H317<br>Aquatic Chronic 2;<br>H411   | >= 25 - < 40             |
| reaction products of 2,2-dimethylpropane- 1,3-diol with 1-chloro-2,3-epoxypropane | Not Assigned<br>701-333-0<br>01-2120759332-55-XXXX            | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Skin Sens. 1; H317<br>Aquatic Chronic 3;<br>H412  | >= 10 - < 20             |
| Fatty acids, C16-18 and C18-unsatd., Me esters, epoxidized                        | 158318-67-3<br>Not Assigned                                   | Skin Sens. 1B; H317  | >= 5 - < 10              |
| Fatty acids, C14-18 and C16-18-unsatd., maleated                                  | 85711-46-2<br>701-043-4<br>288-306-2<br>01-2119976378-19-XXXX | Skin Irrit. 2; H315<br>Skin Sens. 1; H317  | >= 0,1 - < 0,5           |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025

Version 1.3

Print Date 14.02.2025

Date of last issue: 30.01.2025

|                  |  |   |                  |
|------------------|--|---|------------------|
| maleic anhydride | 108-31-6<br>203-571-6<br>01-2119472428-31-XXXX | Acute Tox. 4; H302<br>Skin Corr. 1B; H314<br>Eye Dam. 1; H318<br>Resp. Sens. 1; H334<br>Skin Sens. 1A; H317<br>STOT RE 1; H372<br>(Inhalation, Respiratory system)<br>EUH071<br><hr/> specific concentration limit<br>Skin Sens. 1A; H317<br>>= 0,001 % | >= 0,001 - < 0,1 |
|------------------|--|---|------------------|

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.  
Rinse mouth with water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Allergic reactions  
Excessive lachrymation  
Erythema  
Dermatitis  
See Section 11 for more detailed information on health effects and symptoms.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025  
Date of last issue: 30.01.2025

Version 1.3

Print Date 14.02.2025

Risks : Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.

irritant effects  
sensitising effects

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Deny access to unprotected persons.

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025  
Date of last issue: 30.01.2025

Version 1.3

Print Date 14.02.2025

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8).  
Do not get in eyes, on skin, or on clothing.  
For personal protection see section 8.  
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Smoking, eating and drinking should be prohibited in the application area.  
Follow standard hygiene measures when handling chemical products

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Consult most current local Product Data Sheet prior to any use.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025

Version 1.3

Print Date 14.02.2025

Date of last issue: 30.01.2025

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

| Components       | CAS-No.  | Value type (Form of exposure) | Control parameters *              | Basis *     |
|------------------|----------|-------------------------------|-----------------------------------|-------------|
| maleic anhydride | 108-31-6 | TWA                           | 0,1 ppm<br>0,41 mg/m <sup>3</sup> | DE TRGS 900 |

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

##### Engineering measures

Maintain air concentrations below occupational exposure standards.  
Ensure adequate ventilation, especially in confined areas.

##### Personal protective equipment

- Eye/face protection : Safety glasses with side-shields conforming to EN166  
Eye wash bottle with pure water
- Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.  
Suitable for short time use or protection against splashes:  
Butyl rubber/nitrile rubber gloves (> 0,1 mm)  
Contaminated gloves should be removed.  
Suitable for permanent exposure:  
Viton gloves (0.4 mm),  
breakthrough time >30 min.
- Skin and body protection : Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
- Respiratory protection : In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.  
organic vapor filter (Type A)  
A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm  
Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

##### Environmental exposure controls

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025

Version 1.3

Print Date 14.02.2025

Date of last issue: 30.01.2025

General advice : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state : liquid  
Colour : colourless

Odour : slight

Melting point/ range / Freezing point : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : No data available

#### Upper/lower flammability or explosive limits

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : > 101 °C  
Method: closed cup

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable  
substance/mixture is non-soluble (in water)

#### Viscosity

Viscosity, kinematic : No data available

#### Solubility(ies)

Water solubility : No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025

Version 1.3

Print Date 14.02.2025

Date of last issue: 30.01.2025

---

|  |   |                                   |
|--|---|-----------------------------------|
| Partition coefficient: n-octanol/water | : | No data available                 |
| Vapour pressure                        | : | 0,01 hPa                          |
| Density                                | : | ca. 1,1 g/cm <sup>3</sup> (20 °C) |
| Relative vapour density                | : | No data available                 |
| Particle characteristics               | : | No data available                 |

### 9.2 Other information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

:  
No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025  
Date of last issue: 30.01.2025

Version 1.3

Print Date 14.02.2025

### Components:

#### **bis-[4-(2,3-epoxipropoxy)phenyl]propane:**

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

#### **reaction products of 2,2-dimethylpropane- 1,3-diol with 1-chloro-2,3-epoxypropane:**

Acute oral toxicity : LD50 (Rat): 3.595 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402

#### **Fatty acids, C14-18 and C16-18-unsatd., maleated:**

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg

#### **maleic anhydride:**

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

#### **Skin corrosion/irritation**

Causes skin irritation.

#### **Serious eye damage/eye irritation**

Causes serious eye irritation.

#### **Respiratory or skin sensitisation**

##### **Skin sensitisation**

May cause an allergic skin reaction.

##### **Respiratory sensitisation**

Not classified due to lack of data.

##### **Germ cell mutagenicity**

Not classified due to lack of data.

##### **Carcinogenicity**

Not classified due to lack of data.

##### **Reproductive toxicity**

Not classified due to lack of data.

##### **STOT - single exposure**

Not classified due to lack of data.

##### **STOT - repeated exposure**

Not classified due to lack of data.

##### **Aspiration toxicity**

Not classified due to lack of data.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025

Version 1.3

Print Date 14.02.2025

Date of last issue: 30.01.2025

### 11.2 Information on other hazards

#### Endocrine disrupting properties

##### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **bis-[4-(2,3-epoxipropoxy)phenyl]propane:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,8 mg/l  
aquatic invertebrates Exposure time: 48 h

##### **Reaction mass of isomers of epoxy resin BFDGE:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 2,54 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)): 2,55 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (algae): 1,8 mg/l  
plants Exposure time: 72 h

##### **Fatty acids, C14-18 and C16-18-unsatd., maleated:**

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100  
plants mg/l  
Exposure time: 72 h

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025

Version 1.3

Print Date 14.02.2025

Date of last issue: 30.01.2025

---

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The generation of waste should be avoided or minimized wherever possible.  
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.  
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.  
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.  
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

---

Country NL 100000060651

12 / 17

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025

Version 1.3

Print Date 14.02.2025

Date of last issue: 30.01.2025

**ADR** : UN 3082  
**IMDG** : UN 3082  
**IATA** : UN 3082

### 14.2 UN proper shipping name

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(epoxy resin)  
**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(epoxy resin)  
**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(epoxy resin)

### 14.3 Transport hazard class(es)

|             | Class | Subsidiary risks |
|-------------|-------|------------------|
| <b>ADR</b>  | : 9   |                  |
| <b>IMDG</b> | : 9   |                  |
| <b>IATA</b> | : 9   |                  |

### 14.4 Packing group

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025

Version 1.3

Print Date 14.02.2025

Date of last issue: 30.01.2025

### ADR

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable  
Schedules of Toxic Chemicals and Precursors

REACH Information: All substances contained in our Products are  
- registered by our upstream suppliers, and/or  
- registered by us, and/or  
- excluded from the regulation, and/or  
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 3

Number on list 75

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : None of the components are listed (=> 0.1 %).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025

Version 1.3

Print Date 14.02.2025

Date of last issue: 30.01.2025

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Netherlands. Substances of very high concern (ZZS-list) : Hydrocarbons, C13-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2 ENVIRONMENTAL HAZARDS

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV)  
Volatile organic compounds (VOC) content: 0,72% w/w  
no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)

Volatile organic compounds (VOC) content: 0,89% w/w

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Contains a substance which is subject to the SZW-list of reproductive toxic substances (Ministry of Social Affairs and Employment). reaction mass of ethylbenzene and xylene

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

---

## SECTION 16: Other information

### Full text of H-Statements

H302 : Harmful if swallowed.  
H314 : Causes severe skin burns and eye damage.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025

Version 1.3

Print Date 14.02.2025

Date of last issue: 30.01.2025

|      |   |  |
|------|---|--|
| H318 | : | Causes serious eye damage.   |
| H319 | : | Causes serious eye irritation.   |
| H334 | : | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H372 | : | Causes damage to organs through prolonged or repeated exposure.            |
| H411 | : | Toxic to aquatic life with long lasting effects.                           |
| H412 | : | Harmful to aquatic life with long lasting effects.                         |

### Full text of other abbreviations

|                   |   |  |
|-------------------|---|--|
| Acute Tox.        | : | Acute toxicity   |
| Aquatic Chronic   | : | Long-term (chronic) aquatic hazard   |
| Eye Dam.          | : | Serious eye damage   |
| Eye Irrit.        | : | Eye irritation   |
| Resp. Sens.       | : | Respiratory sensitisation  |
| Skin Corr.        | : | Skin corrosion   |
| Skin Irrit.       | : | Skin irritation  |
| Skin Sens.        | : | Skin sensitisation   |
| STOT RE           | : | Specific target organ toxicity - repeated exposure   |
| DE TRGS 900       | : | Germany. TRGS 900 - Occupational exposure limit values.  |
| DE TRGS 900 / TWA | : | Time Weighted Average  |
| ADR               | : | European Agreement concerning the International Carriage of Dangerous Goods by Road  |
| CAS               | : | Chemical Abstracts Service   |
| DNEL              | : | Derived no-effect level  |
| EC50              | : | Half maximal effective concentration   |
| GHS               | : | Globally Harmonized System   |
| IATA              | : | International Air Transport Association  |
| IMDG              | : | International Maritime Code for Dangerous Goods  |
| LD50              | : | Median lethal dose (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)  |
| LC50              | : | Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)   |
| MARPOL            | : | International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978  |
| OEL               | : | Occupational Exposure Limit  |
| PBT               | : | Persistent, bioaccumulative and toxic  |
| PNEC              | : | Predicted no effect concentration  |
| REACH             | : | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency |
| SVHC              | : | Substances of Very High Concern  |
| vPvB              | : | Very persistent and very bioaccumulative   |

### Further information

Classification of the mixture:

Classification procedure:



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## PCI® Epoxigrund Rapid Part A



Revision Date: 12.02.2025

Version 1.3

Print Date 14.02.2025

Date of last issue: 30.01.2025

---

|                   |      |                    |
|-------------------|------|--------------------|
| Skin Irrit. 2     | H315 | Calculation method |
| Eye Irrit. 2      | H319 | Calculation method |
| Skin Sens. 1      | H317 | Calculation method |
| Aquatic Chronic 2 | H411 | Calculation method |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

|| Changes as compared to previous version !

NL / EN