Revision Date: 15.03.2024 Date of last issue: 09.03.2023 Version 5.6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product	identifier
-------------	------------

Trade name

: Pulastic[®] Eco Clean

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : For professional users only., Post treatment agent

1.3 Details of the supplier of the safety data sheet

Company name of supplier		Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Eye irritation, Category 2	H319: Causes serious eye irritation.			

2.2 Label elements

Labelling (REGULATION (I Hazard pictograms	E C) :	No 1272/200	8)
Signal word	:	Warning	
Hazard statements	:	H319	Causes serious eye irritation.
Precautionary statements	:	Prevention P264 P280 Response:	Wash skin thoroughly after handling. Wear eye protection/ face protection.

Revision Date: 15.03.2024 Version 5.6 Date of last issue: 09.03.2023



P305 + P351 + P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
lenses, if present and easy to do. Continue
rinsing.P337 + P313If eye irritation persists: Get medical advice/
attention.

Additional Labelling

The data sheet for medical personnel is available at the here provided emergency address.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)		
Benzenesulfonic acid, mono-C10- 13-alkyl derivs., compds. with ethanolamine	85480-55-3 287-335-8 01-2119905842-39- XXXX	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Acute toxicity esti- mate Acute oral toxicity:	>= 5 - < 10		
Isotridecanol,-ethoxylated (>5-20 EO)	69011-36-5 500-241-6	1.080 mg/kg Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 1 - < 2,5		
alkylalcohol alkoxylate	Not Assigned Not Assigned	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 2,5		
Substances with a workplace exposure limit :					
(2-methoxymethylethoxy)propanol	34590-94-8 252-104-2 01-2119450011-60- XXXX		>= 5 - < 10		

For explanation of abbreviations see section 16.

Regulation (EC) No. 648/2004, as amended

: 5 % or over but less than 15 %: Non-ionic surfactants

Revision Date: 15.03.2024 Date of last issue: 09.03.2023



Version 5.6

SECTION 4: First aid measures

4.1 Description of first aid measures			
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.	
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.	
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.	
4.2 Most important symptoms an	d e	effects, both acute and delayed	
Symptoms	:	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.	
Risks	:	irritant effects	
		Causes serious eye irritation.	
4.3 Indication of any immediate n	nec	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	

SECTION 5: Firefighting measures

SECTION 5: Firefighting measures				
5.1 Extinguishing media Suitable extinguishing media :	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.			
5.2 Special hazards arising from the Hazardous combustion prod- : ucts	e substance or mixture No hazardous combustion products are known			

Jika ®
Print Date 03.04.2024

Revision Date: 15.03.2024 Date of last issue: 09.03.2023 Version 5.6

5.3 Advice for firefighters Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.
SECTION 6: Accidental release	se i	measures
6.1 Personal precautions, protect	ctiv	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions		
Environmental precautions	:	If the product contaminates rivers and lakes or drains inform respective authorities. No special environmental precautions required.
6.3 Methods and material for co	ntai	nment and cleaning up
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Pulastic® Eco Clean



Revision Date: 15.03.2024Version 5.6Date of last issue: 09.03.2023Version 5.6

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
(2-methoxymethylethoxy)propanol	34590-94-8	TWA	50 ppm 308 mg/m3	2000/39/EC		
		Further information: Identifies the possibility of significant uptake through the skin, Indicative				
		TLV-8hr	48,7 ppm 300 mg/m3	NL WG		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Pulastic[®] Eco Clean

Revision Date: 15.03.2024 Date of last issue: 09.03.2023



Version 5.6

ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice	:	If the product contaminates rivers and lakes or drains inform
		respective authorities.
		No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid colourless
Odour	:	characteristic
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	-	
Upper explosion limit / Up-	-	
Upper explosion limit / Upper flammability limit	-	No data available
Upper explosion limit / Up- per flammability limit Lower explosion limit / Lower flammability limit	:	No data available No data available Not applicable

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Pulastic[®] Eco Clean



Revision Date: 15.03.2024 Date of last issue: 09.03.2023	Version 5.6	Print Date 03.04.2024
pH	: 10	
Viscosity Viscosity, kinematic	: > 7 mm2/s (40 °C)	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,52 hPa	
Density	: 1,09 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

Revision Date: 15.03.2024 Date of last issue: 09.03.2023 Version 5.6



SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:				
Acute oral toxicity	: LD50 Oral (Rat): 1.080 mg/kg			

Acute oral toxicity	: LD5	0 Oral (Rat): 1.
---------------------	-------	------------------

Acute toxicity estimate: 1.080 mg/kg Method: Calculation method

(2-methoxymethylethoxy)propanol:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

: LD50 Dermal (Rabbit): > 5.000 mg/kg Acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result Eye irritation :

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Revision Date: 15.03.2024 Date of last issue: 09.03.2023 Version 5.6



Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

5

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

 The generation of waste should be avoided or minimized wherever possible.
 Empty containers or liners may retain some product residues.
 This material and its container must be disposed of in a safe way.
 Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Jika ®
Print Date 03.04.2024

Revision Date: 15.03.2024
Date of last issue: 09.03.2023

	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	: 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		
Not regulated as a dangerous	go	od
14.6 Special precautions for use	r	

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

Pulastic[®] Eco Clean

Revision Date: 15.03.2024 Date of last issue: 09.03.2023

REACH Information:

Version 5.6

All substances contained in our Products are - registered by our upstream suppliers, and/or

Not applicable

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- registered by us, and/or



Print Date 03.04.2024

Revision Date: 15.03.2024 Date of last issue: 09.03.2023 Version 5.6

MAL-Code-Number : 3-3

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H318	÷	Causes serious eye damage.
H319	÷	Causes serious eye irritation.
H412	÷	Harmful to aquatic life with long lasting effects.
Full text of other abbreviati	ons	
Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first
		list of indicative occupational exposure limit values
NL WG	:	Netherlands. Law on Labour conditions - Occupational Expo-
		sure Limits
2000/39/EC / TWA	:	Limit Value - eight hours
NL WG / TLV-8hr	:	Time Weighted Average
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
	-	Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT		Persistent, bioaccumulative and toxic
. = .	•	

Pulastic® Eco Clean



Revision Date: 15.03.2024 Date of last issue: 09.03.2023	Version 5.6	Print Date 03.04.202
PNEC REACH SVHC	and of the Council of 18 E istration, Evaluation, Auth	/2006 of the European Parliament December 2006 concerning the Reg- norisation and Restriction of Chemi- ng a European Chemicals Agency
vPvB	: Very persistent and very l	bioaccumulative
Further information		
Classification of the mixtu	re:	Classification procedure:
Eye Irrit. 2	H319 E	Based on product data or assessment

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN