

Revision Date: 24.12.2024 Date of last issue: 29.10.2024 Version 7.0

Print Date 10.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaForce[®]-110 CT55

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SikaForce[®]-110 CT55

Revision Date: 24.12.2024 Date of last issue: 29.10.2024 Version 7.0

Print Date 10.01.2025

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H315 H317 H319 H334 H335 H351	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breath- ing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer.
Precautionary statements	:	Prevention P201 P261 P264 P280	Contain special instructions before use. Avoid breathing mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response: P304 + P34	40 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
		P342 + P31	

Hazardous components which must be listed on the label:

Reaction products of phosphoryl trichloride and 2-methyloxirane Diphenylmethanediisocyanate, isomeres and homologues

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SikaForce[®]-110 CT55



Revision Date: 24.12.2024 Date of last issue: 29.10.2024 Version 7.0

Print Date 10.01.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

44733-77-4 7-935-0 -2119486772-26- XX	Acute Tox. 4; H302 Carc. 2; H351 Aquatic Chronic 3; H412	>= 5 - < 10
	Acute toxicity esti- mate	
16-87-9 t Assigned	Acute oral toxicity: 630 mg/kg Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 	>= 5 - < 10
t	Assigned	6-87-9 AssignedAcute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373Specific concentration limit Eye Irrit. 2; H319 >= 5 %specific concentration limit Resp. Sens. 1; H334 >= 0,1 %specific concentration limit Skin Irrit. 2; H315 >= 5 %specific concentration limit Skin Irrit. 2; H315 >= 5 %

For explanation of abbreviations see section 16.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaForce®-110 CT55



Revision Date: 24.12.2024 Date of last issue: 29.10.2024

Version 7.0

Print Date 10.01.2025

SECTION 4: First aid measures

4.1 D	escription of first aid measu	res	
(General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
ľ	f inhaled	:	Move to fresh air. Consult a physician after significant exposure.
I	n case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
I	n case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
ľ	f swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 M	ost important symptoms and	d e	ffects, both acute and delayed
S	Symptoms	:	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
F	Risks	:	irritant effects sensitising effects
			Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer.

SikaForce[®]-110 CT55



Revision Date: 24.12.2024 Date of last issue: 29.10.2024		Version 7.0	Print Date 10.01.202
4.3 Indication of any immediate r	neo	dical attention and special treatment needed	d
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are know	'n
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breat	hing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	e r	neasures	
	tive	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary set If the product contaminates rivers and lakes or respective authorities.	-
6.3 Methods and material for con	tai	nment and cleaning up	
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sa acid binder, universal binder, sawdust). Keep in suitable, closed containers for dispos	-
6.4 Reference to other sections			
For personal protection see se	ectio	on 8.	

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaForce[®]-110 CT55



Revision Date: 24.12.2024 Version 7.0 Print Date 10.01.2025 Date of last issue: 29.10.2024 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products Advice on protection against 1 Normal measures for preventive fire protection. fire and explosion Hygiene measures Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep container tightly closed in a dry and well-ventilated areas and containers place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations. No decomposition if stored and applied as directed. Further information on stor-: age stability 7.3 Specific end use(s) Specific use(s) Cleaning with aprotic polar solvents must be avoided. 5 Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection


8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Diphenylmethanediisocyanate, isomeres	9016-87-9	AGW (Inhalable	0,05 mg/m3	DE TRGS 900
and homologues		fraction)	(MDI)	
	Further informa	ation: Senate comm	nission for the revi	ew of com-
	pounds at the	work place dangero	ous for the health h	nas also estab-
	lished a BEI-value for the same OEL value in the 'MAK- and BAT-			
	value list'			

*The above mentioned values are in accordance with the legislation in effect at the date of the re-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Revision Date: 24.12.2024 Date of last issue: 29.10.2024 Version 7.0

Print Date 10.01.2025

lease of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipmen	t
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	 Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.



Revision Date: 24.12.2024 Date of last issue: 29.10.2024 Version 7.0

Print Date 10.01.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physical	an	a chemical properties
Physical state Appearance Colour	::	liquid viscous liquid various
Odour	:	slight
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	avn	losivo limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaForce®-110 CT55

_



Revision Date: 24.12.2024 Date of last issue: 29.10.2024		Version 7.0	Print Date 10.01.2025
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,4 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	
9.2 Other information			
No data available			
SECTION 10: Stability and r	eact	ivity	
10.1 Reactivity			
No dangerous reaction know	vn ur	nder conditions of normal use.	
10.2 Chemical stability			
The product is chemically st	able		
10.3 Possibility of hazardous r	eact	ions	
Hazardous reactions	:	No hazards to be specially mentioned.	
10.4 Conditions to avoid			

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

÷

Acute toxicity

Not classified due to lack of data.

Components:

Reaction products of phosphoryl trichloride and 2-methyloxirane:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaForce[®]-110 CT55



vision Date: 24.12.2024 e of last issue: 29.10.2024		Version 7.0	Print Date 10.01.20
Acute oral toxicity	:	LD50 Oral (Rat): > 630 mg/kg	
Diphenylmethanediisocya	nate,	isomeres and homologues:	
Acute oral toxicity		LD50 Oral (Rat): > 10.000 mg/kg	
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is m short term inhalation.	noderately toxic after
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg	
Skin corrosion/irritation Causes skin irritation.			
Serious eye damage/eye in Causes serious eye irritation		on	
Respiratory or skin sensiti	satio	n	
Skin sensitisation May cause an allergic skin re Respiratory sensitisation May cause allergy or asthmatic		n. ptoms or breathing difficulties if inhaled.	
Germ cell mutagenicity Not classified due to lack of	data.		
Carcinogenicity Suspected of causing cance	r.		
Reproductive toxicity Not classified due to lack of	data.		
STOT - single exposure May cause respiratory irritati	on.		
STOT - repeated exposure Not classified due to lack of			
Aspiration toxicity Not classified due to lack of	data.		
2 Information on other haza	rds		
Endocrine disrupting prop	ertie	S	
Product:			
Assessment	:	The substance/mixture does not contain of ered to have endocrine disrupting propert	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaForce®-110 CT55



Revision Date: 24.12.2024 Date of last issue: 29.10.2024 Version 7.0

Print Date 10.01.2025

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Reaction products of phospho	ryl trichloride and 2-methyloxirane:
Toxicity to algae/aquatic : plants	EC50 (Pseudokirchneriella subcapitata (green algae)): 82 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 13 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other : aquatic invertebrates (Chron- ic toxicity)	NOEC: 32 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202
Diphenylmethanediisocyanate	, isomeres and homologues:
Toxicity to fish :	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic : plants	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..



Revision Date: 24.12.2024 Date of last issue: 29.10.2024

Version 7.0

Print Date 10.01.2025

12.6 Endocrine disrupting properties

Product:

Assessment

ent :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
-------	---

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
0 I INI		

14.2 UN proper shipping name

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaForce[®]-110 CT55



Revision Date: 24.12.2024 Date of last issue: 29.10.2024		Version 7.0	Print Date 10.01.2025
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a danger	ous go	od	
14.6 Special precautions for	user		

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

: Not applicable

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 56: Diphenylmethanediisocyanate, isomeres and homologues

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaForce®-110 CT55



Revision Date: 24.12.2024 Date of last issue: 29.10.2024	Version 7	7.0	Print Date 10.01.2025	
			Number on list 74: Diphenylme- thanediisocyanate, isomeres and homologues	
			Number on list 75:	
REACH - Candidate List of Substa Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).	
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) on substances th layer	at deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and impo of dangerous chemicals			Not applicable	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds :	 Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 0,03% w/w no VOC duties 			
Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,79% w/w				
Contains a substance which is subject to the SZW-list of dibutyltin dilaurate reproductive toxic substances (Ministry of Social Affairs and Employment).				

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SikaForce[®]-110 CT55

Jika®

Revision Date: 24.12.2024 Date of last issue: 29.10.2024

Version 7.0

Print Date 10.01.2025

SECTION 16: Other information

Full text of H-Statements		
H302	Harmful if swallowed.	
H302 H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H334	May cause allergy or asthma symptoms or breathing difficul-	
	ties if inhaled.	
H335	May cause respiratory irritation.	
H351	Suspected of causing cancer.	
H373	May cause damage to organs through prolonged or repeated	
	exposure if inhaled.	
H412	Harmful to aquatic life with long lasting effects.	
Full text of other abbreviation	6	
Acute Tox.	Acute toxicity	
Aquatic Chronic	Long-term (chronic) aquatic hazard	
Carc.	Carcinogenicity	
Eye Irrit.	Eye irritation	
Resp. Sens.	Respiratory sensitisation	
Skin Irrit.	Skin irritation	
Skin Sens.	Skin sensitisation	
STOT RE	Specific target organ toxicity - repeated exposure	
STOT SE	Specific target organ toxicity - single exposure	
DE TRGS 900	Germany. TRGS 900 - Occupational exposure limit values.	
DE TRGS 900 / AGW	Time Weighted Average	
ADR	European Agreement concerning the International Carriage of	
	Dangerous Goods by Road	
CAS	Chemical Abstracts Service	
DNEL	Derived no-effect level	
EC50	Half maximal effective concentration	
GHS	Globally Harmonized System	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Code for Dangerous Goods	
LD50	Median lethal dosis (the amount of a material, given all at	
	once, which causes the death of 50% (one half) of a group of	
	test animals)	
LC50	Median lethal concentration (concentrations of the chemical in	
	air that kills 50% of the test animals during the observation	
	period)	
MARPOL	International Convention for the Prevention of Pollution from	
	Ships, 1973 as modified by the Protocol of 1978	
OEL	Occupational Exposure Limit	
PBT	Persistent, bioaccumulative and toxic	
PNEC	Predicted no effect concentration	
REACH	Regulation (EC) No 1907/2006 of the European Parliament	
READE	and of the Council of 18 December 2006 concerning the Reg-	
	istration, Evaluation, Authorisation and Restriction of Chemi-	
	cals (REACH), establishing a European Chemicals Agency	
	and the horid, establishing a European chemicals Agency	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaForce®-110 CT55



Revision Date: 24.12.2024 Date of last issue: 29.10.2024

Version 7.0

Print Date 10.01.2025

SVHC	:	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

Classification of	the mixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
Eye Irrit. 2 Resp. Sens. 1 Skin Sens. 1 Carc. 2	H319 H334 H317 H351	Calculation method Calculation method Calculation method Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN