

Revision Date: 06.09.2024 Date of last issue: 06.09.2024 Version 16.0

Print Date 23.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Pulastic[®] GM 601 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Flooring system, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.

tion (EU) 2020/878

Pulastic[®] GM 601 Part B

Revision Date: 06.09.2024 Date of last issue: 06.09.2024 Version 16.0

2.2 Label elements

Labelling (REGULATION	(EC)	No 1272/200	8)
Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H315 H317 H319 H332 H334 H335 H351 H373	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breath- ing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.
Precautionary statements	:	Prevention P201 P260 P264 P280	: Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response: P304 + P34 P342 + P31	 0 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. 1 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues

- 4,4'-methylenediphenyl diisocyanate
- o-(p-isocyanatobenzyl)phenyl isocyanate

2,2'-methylenediphenyl diisocyanate

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Pulastic[®] GM 601 Part B



Revision Date: 06.09.2024 Date of last issue: 06.09.2024 Version 16.0

Print Date 23.01.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 \longrightarrow specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit StoT SE 3; H335 >= 5 %	>= 60 - < 80

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Pulastic[®] GM 601 Part B


Revision Date: 06.09.2024 Date of last issue: 06.09.2024 Version 16.0

Print Date 23.01.2025

10 01 1001 10000: 00:00:202 1			
4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit STOT SE 3; H335 >= 5 %	>= 10 - < 20
		specific concentration limit specific concentration limit Resp. Sens. 1; H334 >= 0,1 %	
		Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Pulastic[®] GM 601 Part B



Version 16.0



Print Date 23.01.2025

o-(p-isocyanatobenzyl)phenyl	5873-54-1	Acute Tox. 4; H332	>= 10 - < 20
isocyanate	227-534-9	Eye Irrit. 2; H319	
	01-2119480143-45-	STOT SE 3; H335	
	XXXX	Skin Irrit. 2; H315 Resp. Sens. 1; H334	
		Skin Sens. 1; H317	
		Carc. 2; H351	
		STOT RE 2; H373	
		specific concentration	
		limit	
		Eye Irrit. 2; H319	
		>= 5 %	
		specific concentration	
		STOT SE 3; H335	
		>= 5 %	
		specific concentration	
		limit	
		Skin Irrit. 2; H315	
		>= 5 %	
		specific concentration	
		limit	
		Resp. Sens. 1; H334	
		>= 0,1 %	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Pulastic[®] GM 601 Part B

Revision Date: 06.09.2024 Date of last issue: 06.09.2024 Version 16.0

Print Date 23.01.2025

2,2'-methylenediphenyl diisocya- nate	2536-05-2 219-799-4 01-2119927323-43- XXXX	Acute Tox. 4; H332 Eye Irrit. 2; H319 STOT SE 3; H335 Skin Irrit. 2; H315 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit STOT SE 3; H335 >= 5 % specific concentration limit Skin Irrit. 2; H315 >= 5 %	< 0,1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Cons	e out of dangerous area. ult a physician. / this safety data sheet to the doctor in attendance.
If inhaled		e to fresh air. ult a physician after significant exposure.
In case of skin contact	Wash	off contaminated clothing and shoes immediately. n off with soap and plenty of water. nptoms persist, call a physician.
In case of eye contact	: Imme	ediately flush eye(s) with plenty of water.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Pulastic[®] GM 601 Part B



Revision Date: 06.09.2024 Date of last issue: 06.09.2024	Version 16.0	Print Date 23.01.2025
	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed :	Do not induce vomiting without medical advice Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscio	
4.2 Most important symptoms and	effects, both acute and delayed	
Symptoms :	Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information of and symptoms.	on health effects
Risks :	irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breaties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolong exposure if inhaled.	
4.3 Indication of any immediate me Treatment :	dical attention and special treatment needed Treat symptomatically.	Ι
SECTION 5: Firefighting measu	res	
5.1 Extinguishing media		
Suitable extinguishing media :	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		



Revision Date: 06.09.2024 Date of last issue: 06.09.2024	Version 16.0	Print Date 23.01.2025
5.3 Advice for firefighters		
Special protective equipment : for firefighters	In the event of fire, wear self-contained breathing	g apparatus.
Further information :	Standard procedure for chemical fires.	
SECTION 6: Accidental release	measures	
6.1 Personal precautions, protectiv	e equipment and emergency procedures	
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions :	Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or d respective authorities.	
6.3 Methods and material for contain	inment and cleaning up	
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	, silica gel,
6.4 Reference to other sections		

6.4 Reference to other sections

Pulastic[®] GM 601 Part B

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	-
Advice on safe handling	 Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products

Advice on protection against	:	Normal measures for preventive fire protection.
------------------------------	---	---



Revision Date: 06.09.2024 Date of last issue: 06.09.2024	Version 16.0	Print Date 23.01.2025
fire and explosion		
Hygiene measures :	Handle in accordance with good industrial hygie practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the er	using do not
7.2 Conditions for safe storage, inc	luding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-vert place. Containers which are opened must be car sealed and kept upright to prevent leakage. Stor ance with local regulations.	refully re-
Further information on stor- : age stability	No decomposition if stored and applied as direct	ed.
7.3 Specific end use(s)		
Specific use(s) :	Cleaning with aprotic polar solvents must be avo Consult most current local Product Data Sheet p use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	AGW (Inhalable fraction)	0,05 mg/m3 (MDI)	DE TRGS 900		
	Further information: Senate commission for the review of com-					
	pounds at the work place dangerous for the health has also estab- lished a BEI-value for the same OEL value in the 'MAK- and BAT- value list'					
o-(p-isocyanatobenzyl)phenyl isocyanate	5873-54-1	TWA (Vapour or aerosols)	0,05 mg/m3	DE TRGS 900		
	Further information: Commission for dangerous substances					
2,2'-methylenediphenyl diisocyanate	2536-05-2	TWA (Vapour or aerosols)	0,05 mg/m3	DE TRGS 900		
		ation: Commission	v			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166

Pulastic[®] GM 601 Part B



evision Date: 06.09.2024 ate of last issue: 06.09.2024		Version 16.0	Print Date 23.01.2025
	E	ye wash bottle with pure water	
Hand protection :	р с	Chemical-resistant, impervious gloves comp roved standard must be worn at all times w hemical products. Reference number EN 37 acturer specifications.	hen handling
	B C S V	Suitable for short time use or protection agai Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), reakthrough time >30 min.	
Skin and body protection	lo a	Protective clothing (e.g. Safety shoes acc. to ong-sleeved working clothing, long trousers) nd protective boots are additionaly recomm nd stirring work.	. Rubber aprons
Respiratory protection	R e ir U r o A E e o ti t t t	n case of inadequate ventilation wear respire Respirator selection must be based on know xposure levels, the hazards of the product a ng limits of the selected respirator. Use a properly fitted NIOSH approved air-put espirator complying with an approved stand essment indicates this is necessary. rganic vapor filter (Type A) 1: < 1000 ppm; A2: < 5000 ppm; A3: < 100 insure adequate ventilation. This can be act xhaust extraction or by general ventilation. ds for determining inhalation exposure). The cular to the mixing / stirring area. In case the p keep the concentrations under the occupar mits then respiration protection measures m insure adequate ventilation, especially in co	n or anticipated and the safe work- rifying or air-fed ard if a risk as- 00 ppm hieved by local (EN 689 - Meth- is applies in par- is is not sufficent tional exposure hust be used.
Environmental exposure co	ontrols	i	

General advice : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: brown
Odour	: characteristic

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Pulastic[®] GM 601 Part B



Revision Date: 06.09.2024 Date of last issue: 06.09.2024		Version 16.0	Print Date 23.01.2025
Melting point/ range / Freez- ing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exr	olosive limits	
Upper explosion limit / Upper flammability limit	-		
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	ca. 220 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture reacts with water	
Viscosity Viscosity, kinematic	:	> 7 mm2/s (40 °C)	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,24 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	



Revision Date: 06.09.2024 Date of last issue: 06.09.2024	Version 16.0	Print Date 23.01.2025
9.2 Other information		
No data available		
SECTION 10: Stability and react	ivity	
10.1 Reactivity		
No dangerous reaction known un	der conditions of normal use.	
10.2 Chemical stability		
The product is chemically stable.		
10.3 Possibility of hazardous reaction	ons	
Hazardous reactions :	No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid :	No data available	
10.5 Incompatible materials		
Materials to avoid :	No data available	
10.6 Hazardous decomposition proc	ducts	
:	No hazardous decomposition products are know	vn.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity	:	LD50 Oral (Rat): > 10.000 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg

4,4'-methylenediphenyl diisocyanate:

Pulastic[®] GM 601 Part B



Revision Date: 06.09.2024 Date of last issue: 06.09.2024	Version 16.0	Print Date 23.01.2025
Acute oral toxicity	: LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401	
Acute inhalation toxicity	: LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement	
	Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye irri Causes serious eye irritation.	ation	
Respiratory or skin sensitis	ation	
Skin sensitisation May cause an allergic skin rea Respiratory sensitisation	ction.	
	symptoms or breathing difficulties if inhaled	
Germ cell mutagenicity Not classified due to lack of da	ta.	
Carcinogenicity Suspected of causing cancer.		
Reproductive toxicity Not classified due to lack of da	ta.	
STOT - single exposure May cause respiratory irritation	۱.	
STOT - repeated exposure May cause damage to organs	through prolonged or repeated exposure if	inhaled.
Aspiration toxicity Not classified due to lack of da	ta.	
11.2 Information on other hazard	s	
Endocrine disrupting proper	ties	
Product:		
Assessment	: The substance/mixture does not contain ered to have endocrine disrupting prop REACH Article 57(f) or Commission Det (EU) 2017/2100 or Commission Regulat levels of 0.1% or higher.	perties according to elegated regulation

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Pulastic[®] GM 601 Part B



Revision Date: 06.09.2024 Date of last issue: 06.09.2024 Version 16.0

Print Date 23.01.2025

SECTION 12: Ecological information

12.1 Toxicity

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		



Revision Date: 06.09.2024 Date of last issue: 06.09.2024 Version 16.0

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product reside This material and its container must be disposed of in a sa way. Dispose of surplus and non-recyclable products via a licer waste disposal contractor. Disposal of this product, solutions and any by-products sh at all times comply with the requirements of environmenta protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact of soil, waterways, drains and sewers.	afe nsed nould I
European Waste Catalogue	08 05 01* waste isocyanates	
Contaminated packaging	15 01 10* packaging containing residues of or contaminat by dangerous substances	ed

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
Country NI 000000214429		

Pulastic[®] GM 601 Part B



Revision Date: 06.09.2024 Date of last issue: 06.09.2024	Version 1	6.0	Print Date 23.01.2025
IATA (Passenger)	Not regulated as a dar	ngerous good	
14.5 Environmental hazards			
Not regulated as a dangerous go	bod		
14.6 Special precautions for user			
Not applicable			
14.7 Maritime transport in bulk acc	ording to IMO instrume	ents	
Not applicable for product as sup	oplied.		
SECTION 15: Degulatory inform	otion		
SECTION 15: Regulatory inform	ation		
15.1 Safety, health and environmer	ntal regulations/legislat	ion specific for the	substance or mixture
International Chemical Weapons Schedules of Toxic Chemicals a	Convention (CWC)	: Not applicable	
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	stream suppliers, and //or gulation, and/or	
REACH - Restrictions on the ma the market and use of certain da mixtures and articles (Annex XV	ngerous substances,		estriction for the fol- should be considered: 3
		thanediisocyana homologues, 4, diisocyanate, o	56: Diphenylme- ate, isomeres and 4'-methylenediphenyl -(p- zyl)phenyl isocyanate
		thanediisocyan	74: Diphenylme- ate, isomeres and 4'-methylenediphenyl -(p-

diisocyanate, o-(pisocyanatobenzyl)phenyl isocyanate, 2,2'-methylenediphenyl diisocyanate

Number on list 75: Banned and/or restricted

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: None of the components are listed (=> 0.1 %).

Pulastic[®] GM 601 Part B



Revision Date: 06.09.2024 Date of last issue: 06.09.2024	Version 16.0		Print Date 23.01.2025	
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable		
Regulation (EC) on substances the layer	nat deplete the ozone :	Not applicable		
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu- :	Not applicable		
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		Not applicable		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds :	Law on the incentive tax f (VOCV) no VOC duties	or volatile organic comp	oounds	
	Directive 2010/75/EU of 2 emissions (integrated poll Not applicable			

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315 H317 H319 H332 H334	: : :	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul-
H335 H351 H373	:	ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated
H373	:	exposure. May cause damage to organs through prolonged or repeated exposure if inhaled.

Full text of other abbreviations

Pulastic[®] GM 601 Part B



Revision Date: 06.09.2024 Date of last issue: 06.09.2024 Version 16.0

Print Date 23.01.2025

Acute Tox. Carc. Eye Irrit. Resp. Sens. Skin Irrit. Skin Sens. STOT RE STOT SE DE TRGS 900 DE TRGS 900 / TWA DE TRGS 900 / AGW ADR CAS DNEL EC50 GHS IATA IMDG LD50		Acute toxicity Carcinogenicity Eye irritation Respiratory sensitisation Skin irritation Skin sensitisation Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure Germany. TRGS 900 - Occupational exposure limit values. Time weighted average Time Weighted Average European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of
LC50	:	test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation
MARPOL	:	period) International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL PBT	:	Occupational Exposure Limit Persistent, bioaccumulative and toxic
PNEC	•	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative

Further information

Classification of	the mixture:	Classification procedure:
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Pulastic[®] GM 601 Part B



Revision Date: 06.09.2024 Date of last issue: 06.09.2024 Version 16.0

Print Date 23.01.2025

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN