

Version 1.4

Print Date 12.07.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

Trade name

: SikaScreed<sup>®</sup> HardTop-70

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

### **1.4 Emergency telephone number**

+31-57-0854201

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1

H318: Causes serious eye damage.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word	:	Danger	
Hazard statements	:	H318	Causes serious eye damage.
Precautionary statements	:	P101 P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaScreed<sup>®</sup> HardTop-70



Revision Date: 12.07.2024 Date of last issue: 11.07.2023 Version 1.4

Print Date 12.07.2024

### **Prevention:**

Wear eye protection/ face protection.

**Response:** 

P280

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

### Hazardous components which must be listed on the label:

Cement (chromium reduced)

### 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Components

EC-No. Registration number         (% w/w           Cement (chromium reduced)         65997-15-1 266-043-4         Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335         >= 3 - <	oomponenta			
Registration number         Kin Irrit. 2; H315         >= 3 - <           Cement (chromium reduced)         65997-15-1         Skin Irrit. 2; H315         >= 3 - <	Chemical name		Classification	Concentration
Cement (chromium reduced)         65997-15-1         Skin Irrit. 2; H315         >= 3 - <           266-043-4         Eye Dam. 1; H318         STOT SE 3; H335		EC-No.		(% w/w)
266-043-4 Eye Dam. 1; H318 STOT SE 3; H335		Registration number		
STOT SE 3; H335	Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 3 - < 5
		266-043-4	Eye Dam. 1; H318	
(Boopirotory oveter)			STOT SE 3; H335	
			(Respiratory system)	
Substances with a workplace exposure limit :	Substances with a workplace expos	sure limit :		
Quartz (SiO2) 14808-60-7 >= 60 - <	Quartz (SiO2)	14808-60-7		>= 60 - < 80
238-878-4		238-878-4		

For explanation of abbreviations see section 16.



Version 1.4

Print Date 12.07.2024

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	nd e	effects, both acute and delayed
Symptoms	:	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects
		Causes serious eye damage.
<b>4.3 Indication of any immediate</b> Treatment	meo :	dical attention and special treatment needed Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.





Revision Date: 12.07.2024 Date of last issue: 11.07.2023	Version 1.4	Print Date 12.07.2024
5.2 Special hazards arising from	he substance or mixture	
Hazardous combustion prod- ucts	No hazardous combustion products ar	e known
5.3 Advice for firefighters		
Special protective equipment for firefighters	In the event of fire, wear self-contained	d breathing apparatus.
Further information	Standard procedure for chemical fires.	•
SECTION 6: Accidental release	measures	
SECTION 6: Accidental release		
SECTION 6: Accidental releas	<ul> <li>measures</li> <li>ve equipment and emergency procedu</li> <li>Use personal protective equipment. Avoid breathing dust.</li> </ul>	

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Pick up and arrange disposal without creating dust.
		Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

SikaScreed<sup>®</sup> HardTop-70



Revision Date: 12.07.2024 Date of last issue: 11.07.2023	Version 1.4	Print Date 12.07.2024
Hygiene measures :	Handle in accordance with good industrial h practice. When using do not eat or drink. W smoke. Wash hands before breaks and at th	hen using do not
7.2 Conditions for safe storage, inc	cluding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and w place. Store in accordance with local regula	
Further information on stor- : age stability	Keep in a dry place. No decomposition if stored and applied as o	lirected.
7.3 Specific end use(s)		
Specific use(s) :	Consult most current local Product Data Sh use.	eet prior to any

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira-	0,075 mg/m3	NL WG
		ble dust)	(Silica)	
	Further information: Carcinogenic substances, based on the thresholdlimit effect			

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### 8.2 Exposure controls

### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,

# SikaScreed<sup>®</sup> HardTop-70



Revision Date: 12.07.2024 Date of last issue: 11.07.2023	Version 1.4	Print Date 12.07.2024
	long-sleeved working clothing, long trousers). R and protective boots are additionaly recommen- and stirring work.	•
Respiratory protection :	In case of inadequate ventilation wear respirator Respirator selection must be based on known of exposure levels, the hazards of the product and ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substance Ensure adequate ventilation. This can be achief exhaust extraction or by general ventilation. (EN ods for determining inhalation exposure). This a ticular to the mixing / stirring area. In case this is to keep the concentrations under the occupation limits then respiration protection measures must	or anticipated d the safe work- es ved by local N 689 - Meth- applies in par- s not sufficent nal exposure
Environmental exposure contr	ols	
General advice :	Try to prevent the material from entering drains courses. No special environmental precautions required.	

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder grey			
Odour	:	odourless			
Melting point/ range / Freez- ing point	:	No data available			
Boiling point/boiling range	:	No data available			
Flammability (solid, gas)	:	No data available			
Upper/lower flammability or explosive limits					
Upper explosion limit / Up- per flammability limit	:	No data available			
Lower explosion limit / Lower flammability limit	:	No data available			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaScreed<sup>®</sup> HardTop-70



Revision Date: 12.07.2024 Date of last issue: 11.07.2023		Version 1.4	Print Date 12.07.2024
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	> 11 (20 °C) Concentration: 50 %	
Viscosity Viscosity, kinematic	:	Not applicable	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	No data available	
Bulk density	:	ca. 1.450 kg/m3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

The product is chemically stable.

SikaScreed<sup>®</sup> HardTop-70



Revision Date: 12.07.2024 Date of last issue: 11.07.2023	Version 1.4	Print Date 12.07.2024
10.3 Possibility of hazardous	actions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
11.1 Information on hazard cla	sses as defined in Regulation (EC) No 1272/2	2008
A outo toxiaitu		
Acute toxicity		
Not classified based on ava	able information.	
Not classified based on ava		
Not classified based on ava		
Not classified based on ava Skin corrosion/irritation Not classified based on ava Serious eye damage/eye i	lable information.	
Not classified based on ava Skin corrosion/irritation Not classified based on ava Serious eye damage/eye i Causes serious eye damag	able information. ritation	
Not classified based on ava Skin corrosion/irritation Not classified based on ava Serious eye damage/eye i	able information. ritation	

Not classified based on available information.

### **Respiratory sensitisation**

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.



Version 1.4

Print Date 12.07.2024

### 11.2 Information on other hazards

### Endocrine disrupting properties

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

### Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### **12.6 Endocrine disrupting properties**

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

### Product:

Additional ecological infor- : There is no data available for this product. mation



Version 1.4

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe way.</li> </ul>		
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.		
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.		
European Waste Catalogue	: 17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03		

### **SECTION 14: Transport information**

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		





Revision Date: 12.07.2024 Date of last issue: 11.07.2023 Version 1.4

Print Date 12.07.2024

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	tream suppliers, and/or //or gulation, and/or		
REACH - Restrictions on the ma the market and use of certain da mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75:	
REACH - Candidate List of Subs Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).	
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) on substances t layer	hat deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on potants (recast)	ersistent organic pollu-	:	Not applicable	
Netherlands. Substances of very	high concern (ZZS-list)	:	Quartz (SiO2)	
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals		:	Not applicable	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# SikaScreed<sup>®</sup> HardTop-70



Revision Date: 12.07.2024 Date of last issue: 11.07.2023 Version 1.4

Print Date 12.07.2024

Seveso III: Directive 2012/18/E jor-accident hazards involving of		of the European Parliament and of the Council on the control of ma- ngerous substances. Not applicable
Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

Full text of H-Statements		
	Causes skin irritation.	
H318	Causes serious eye damage.	
H335	May cause respiratory irritation.	
Full text of other abbreviation	i	
Eye Dam.	Serious eye damage	
Skin Irrit.	Skin irritation	
STOT SE	Specific target organ toxicity - single exposure	
NL WG	Netherlands. Law on Labour conditions - Occupational Expo-	
	sure Limits	
NL WG / TLV-8hr	Time Weighted Average	
ADR	European Agreement concerning the International Carriage of	f
	Dangerous Goods by Road	
CAS	Chemical Abstracts Service	
DNEL	Derived no-effect level	
EC50	Half maximal effective concentration	
GHS	Globally Harmonized System	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Code for Dangerous Goods	
LD50	Median lethal dosis (the amount of a material, given all at	
	once, which causes the death of 50% (one half) of a group of test animals)	
LC50	Median lethal concentration (concentrations of the chemical in	<b>`</b>
LC30	air that kills 50% of the test animals during the observation	I
	period)	
MARPOL	International Convention for the Prevention of Pollution from	
	Ships, 1973 as modified by the Protocol of 1978	
OEL	Occupational Exposure Limit	
PBT	Persistent, bioaccumulative and toxic	
	-	

\_

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaScreed<sup>®</sup> HardTop-70



Revision Date: 12.07.2024 Date of last issue: 11.07.2023	Version 1.4	1	Print Date 12.07.2024	
PNEC REACH SVHC	: Regulation (EC) No 190 and of the Council of 18 istration, Evaluation, Aut cals (REACH), establish	Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency Substances of Very High Concern		
vPvB		Very persistent and very bioaccumulative		
Further information				
Classification of the mixtu	re:	Classification procedu	ire:	
Eye Dam. 1	H318	Calculation method		

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN