

Version 17.0

Print Date 23.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: SikaCor[®]-510 Blade Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : For professional users only., Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210 Safety data sheet available on request.

- EUH208 Contains 1,2-benzisothiazol-3(2H)-one (BIT), mixture of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)). May produce an allergic reaction.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.



Version 17.0

Print Date 23.07.2024

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: mixture of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)), 55965-84-9. Please use treated articles responsibly.



Version 17.0

Print Date 23.07.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	>= 0,0025 - < 0,025

Revision Date: 23.07.2024

Date of last issue: 22.07.2024

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCor®-510 Blade Part A



Print Date 23.07.2024

01 1031 13300. 22.01.2024			
mixture of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239- 6] (3:1) (C(M)IT/MIT (3:1))	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 % Specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 % Specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	>= 0,0002 - < 0,0015
Substances with a workplace expos		1	AZ
Titanium dioxide (> 10 μm)	13463-67-7 236-675-5 01-2119489379-17- XXXX		>= 25 - < 40

Version 17.0

For explanation of abbreviations see section 16.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaCor®-510 Blade Part A



Revision Date: 23.07.2024 Date of last issue: 22.07.2024 Version 17.0

Print Date 23.07.2024

SECTION 4: First aid measures

1 Description of first aid measured General advice		
General advice	•	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
2 Most important symptoms ar	nd e	effects, both acute and delayed
Symptoms	:	See Section 11 for more detailed information on health effect and symptoms.
•	: mee	No known significant effects or hazards.
3 Indication of any immediate Treatment	mee :	dical attention and special treatment needed Treat symptomatically.
3 Indication of any immediate	mee :	dical attention and special treatment needed Treat symptomatically.
3 Indication of any immediate Treatment ECTION 5: Firefighting meas 1 Extinguishing media	meo : sur	dical attention and special treatment needed Treat symptomatically.
3 Indication of any immediate Treatment ECTION 5: Firefighting meas	meo : sur	dical attention and special treatment needed Treat symptomatically.
3 Indication of any immediate Treatment ECTION 5: Firefighting meas 1 Extinguishing media	med : sur	dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
 3 Indication of any immediate in Treatment ECTION 5: Firefighting measing from 2 Special hazards arising from 	med sur	dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
 3 Indication of any immediate in Treatment ECTION 5: Firefighting mease 1 Extinguishing media Suitable extinguishing media 2 Special hazards arising from Hazardous combustion prod- 	med sur	dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction. e substance or mixture
 3 Indication of any immediate in Treatment ECTION 5: Firefighting mease 1 Extinguishing media Suitable extinguishing media 2 Special hazards arising from Hazardous combustion products 	sur	dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction. e substance or mixture
 3 Indication of any immediate in Treatment ECTION 5: Firefighting meases 1 Extinguishing media Suitable extinguishing media 2 Special hazards arising from Hazardous combustion products 3 Advice for firefighters Special protective equipment 	sur	dical attention and special treatment needed Treat symptomatically. es In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction. e substance or mixture No hazardous combustion products are known



Version 17.0

Print Date 23.07.2024

SECTION 6: Assidental release	maaauraa				
SECTION 6: Accidental release measures					
6.1 Personal precautions, protective equipment and emergency procedures					
	For personal protection see section 8.				
6.2 Environmental precautions					
Environmental precautions :	No special environmental precautions required.				
6.3 Methods and material for conta	ainment and cleaning up				
Methods for cleaning up :	Wipe up with absorbent material (e.g. cloth, fleece).				
	Keep in suitable, closed containers for disposal.				
6.4 Reference to other sections					
	tion 0				
For personal protection see sec	iion 8.				
CECTION 7. Use dline and store					
SECTION 7: Handling and stora	ige				
7.1 Precautions for safe handling					
•	For personal protection and position 0				
Advice on safe handling :	For personal protection see section 8. No special handling advice required.				
	Follow standard hygiene measures when handling chemical				
	products				
Advice on protection against :	Normal measures for preventive fire protection.				
fire and explosion					
Hygiene measures :	When using do not eat or drink. When using do not smoke.				
Tiglene measures .	when using to not eat of unitk. When using to not smoke.				
7.2 Conditions for safe storage, in	cluding any incompatibilities				
• ·	Keep container tightly closed in a dry and well-ventilated				
areas and containers	place. Store in accordance with local regulations.				
Adviss on common storage	No appealed restrictions on storage with other products				
Advice on common storage	No special restrictions on storage with other products.				
Further information on stor- :	No decomposition if stored and applied as directed.				
age stability					
7.3 Specific end use(s)					
Specific use(s)	Consult most current local Product Data Sheet prior to any				
	USE.				



Version 17.0

Print Date 23.07.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Titanium dioxide (> 10 μm)	13463-67-7	TWA	10 mg/m3	DE TRGS 900

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses
Hand protection		Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Butyl rubber/nitrile rubber gloves (> 0,1 mm) Recommended: Butyl rubber/nitrile rubber gloves.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice

: No special environmental precautions required.



Version 17.0

Print Date 23.07.2024

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information on basic physical	an	d chemical properties
Physical state Colour	:	liquid various
Odour	:	slight
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	avn	losive limits
Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 8,5 (20 °C)
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	partly soluble
Partition coefficient: n- octanol/water	:	No data available

: 23 hPa

Vapour pressure

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCor[®]-510 Blade Part A



Revision Date: 23.07.2024 Date of last issue: 22.07.2024	Version 17.0	Print Date 23.07.2024
Density	: ca. 1,35 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		
SECTION 10: Stability and re	eactivity	

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Acute oral toxicity

: Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCor[®]-510 Blade Part A



Revision Date: 23.07.2024 Date of last issue: 22.07.2024	Version 17.0	Print Date 23.07.2024
	No. 1272/2008	
	LD50 Oral (Rat): 450 mg/kg	
Acute inhalation toxicity :	Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate accord No. 1272/2008	ling to Regulation (EC)
	LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403	
Acute dermal toxicity :	LD50 Dermal (Rabbit): > 2.000 mg/kg	
mixture of: 5-chloro-2-methyl-4-is one [EC no. 220-239-6] (3:1) (C(N	othiazolin-3-one [EC no. 247-500-7] and /)IT/MIT (3:1)) :	I 2-methyl-2H-isothiazol-3-
Acute inhalation toxicity :	Assessment: Corrosive to the respirato	pry tract.
Skin corrosion/irritation Not classified due to lack of data.		
Serious eye damage/eye irritati Not classified due to lack of data.	on	
Respiratory or skin sensitisatio	n	
Skin sensitisation Not classified due to lack of data.		
Respiratory sensitisation Not classified due to lack of data.		
Components:		
1,2-benzisothiazol-3(2H)-one (B Assessment :	IT): May cause sensitisation by skin contac	xt.
Germ cell mutagenicity Not classified due to lack of data.		
Carcinogenicity Not classified due to lack of data.		
Reproductive toxicity Not classified due to lack of data.		
STOT - single exposure Not classified due to lack of data.		

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCor®-510 Blade Part A



Revision Date: 23.07.2024 Date of last issue: 22.07.2024 Version 17.0

Print Date 23.07.2024

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h
	M-Factor (Acute aquatic tox- icity)	:	1
	M-Factor (Chronic aquatic toxicity)	:	1
	mixture of: 5-chloro-2-methyl- one [EC no. 220-239-6] (3:1) (othiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- //)IT/MIT (3:1)):
	M-Factor (Acute aquatic tox- icity)	:	100
	M-Factor (Chronic aquatic toxicity)	:	100
12.2	2 Persistence and degradabil	ity	

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

SikaCor[®]-510 Blade Part A



Revision Date: 23.07.2024 Date of last issue: 22.07.2024 Version 17.0

Print Date 23.07.2024

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with
European Waste Catalogue	:	soil, waterways, drains and sewers. 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

SECTION 14: Transport information

14.1 UN number or ID number

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCor[®]-510 Blade Part A



Revision Date: 23.07.2024 Date of last issue: 22.07.2024	Version 17.0	Print Date 23.07.2024
	N	
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.2 UN proper shipping nam	}	
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.3 Transport hazard class(s)	
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards		
Not regulated as a danger	us good	
14.6 Special precautions for Not applicable	ser	
14.7 Maritime transport in bu Not applicable for product	k according to IMO instruments as supplied.	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- n: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or
 - exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75:

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCor®-510 Blade Part A



Revision Date: 23.07.2024 Date of last issue: 22.07.2024	Version 17.0)	Print Date 23.07.2024	
REACH - Candidate List of Subst Concern for Authorisation (Article		None of the compone (=> 0.1 %).	ents are listed	
REACH - List of substances subject to authorisation (Annex XIV)		Not applicable		
Regulation (EC) on substances the layer	nat deplete the ozone :	Not applicable		
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu- :	Not applicable		
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		Not applicable		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds :	Law on the incentive tax (VOCV) Volatile organic compour no VOC duties			
	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 1,78% w/w		ontrol)	

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H301

: Toxic if swallowed.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaCor®-510 Blade Part A



Revision Date: 23.07.2024 Date of last issue: 22.07.2024	Version 17.0	Print Date 23.07.2024
H202		
H302	: Harmful if swallowed.	
H310	: Fatal in contact with skin.	
H314	: Causes severe skin burns and eye dam	age.
H315	Causes skin irritation.	
H317	: May cause an allergic skin reaction.	
H318	: Causes serious eye damage.	
H330	: Fatal if inhaled.	
H400	: Very toxic to aquatic life.	
H410	: Very toxic to aquatic life with long lasting	g effects.
Full text of other abbreviation	IS	
Acute Tox.	: Acute toxicity	
Aquatic Acute	: Short-term (acute) aquatic hazard	
Aquatic Chronic	: Long-term (chronic) aquatic hazard	
Eye Dam.	: Serious eye damage	
Skin Corr.	: Skin corrosion	
Skin Irrit.	: Skin irritation	
Skin Sens.	: Skin sensitisation	
DE TRGS 900	: Germany. TRGS 900 - Occupational exp	posure limit values.
DE TRGS 900 / TWA	: Time Weighted Average	
ADR	: European Agreement concerning the Int	ternational Carriage of
	Dangerous Goods by Road	ternational carnage of
CAS	: Chemical Abstracts Service	
DNEL	: Derived no-effect level	
EC50	: Half maximal effective concentration	
GHS	: Globally Harmonized System	
IATA	: International Air Transport Association	
IMDG	: International Maritime Code for Dangero	ous Goods
LD50	: Median lethal dosis (the amount of a ma	
ED30	once, which causes the death of 50% (c	
	test animals)	me mail) of a group of
LC50	,	iona of the chemical in
LC50	: Median lethal concentration (concentrati air that kills 50% of the test animals duri	
		ing the observation
	period)	tion of Dollution from
MARPOL	: International Convention for the Prevent	
	Ships, 1973 as modified by the Protocol	01 1978
OEL	: Occupational Exposure Limit	
PBT	Persistent, bioaccumulative and toxic	
PNEC	Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of the Eu	
	and of the Council of 18 December 2000	
	istration, Evaluation, Authorisation and F	
	cals (REACH), establishing a European	Chemicals Agency
SVHC	: Substances of Very High Concern	
vPvB	: Very persistent and very bioaccumulativ	ve

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.



Version 17.0

Print Date 23.07.2024

Changes as compared to previous version !

NL / EN