

Revision Date: 23.01.2025 Date of last issue: 23.08.2024 Version 9.1

Print Date 24.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®]-150 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Epoxy coating, Product is not intended for consumer use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Sikafloor®-150 Part B



Revision Date: 23.01.2025 Date of last issue: 23.08.2024			Version 9.1	Print Date 24.01.2025
Signal word	:	Danger		
Hazard statements	:	H302 H314 H317 H412	Harmful if swallowed. Causes severe skin burns and eye d May cause an allergic skin reaction. Harmful to aquatic life with long lastir	-
Precautionary statements	:	Prevention P261 P273 P280	Avoid breathing mist or vapours Avoid release to the environmen Wear protective gloves/ protecti eye protection/ face protection.	nt.
		P304 + P34	 51 + P353 IF ON SKIN (or hair): Tak ately all contaminated clothing. with water. 60 + P310 IF INHALED: Remove pe air and keep comfortable for bre mediately call a POISON CENT 51 + P338 + P310 IF IN EYES: Rins with water for several minutes. I tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor. 	Rinse skin rson to fresh eathing. Im- ER/ doctor. e cautiously Remove con- to do. Con-

Hazardous components which must be listed on the label:

benzyl alcohol 3-aminomethyl-3,5,5-trimethylcyclohexylamine Amines, polyethylenepoly-, tetraethylenepentamine fraction

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

CAS-No.

Registration number

EC-No.

SECTION 3: Composition/information on ingredients

Sikafloor®-150 Part B

Revision Date: 23.01.2025 Date of last issue: 23.08.2024

3.2 Mixtures

Components Chemical name Version 9.1

Classification

Print Date 24.01.2025

Concentration

(% w/w)

100-51-6 Acute Tox. 4; H302 >= 40 - < 60 benzyl alcohol 202-859-9 Acute Tox. 4; H332 01-2119492630-38-Eye Irrit. 2; H319 XXXX Skin Sens. 1B; H317 Acute toxicity estimate Acute oral toxicity: 1.200 mg/kg 3-aminomethyl-3,5,5-Acute Tox. 4; H302 >= 25 - < 40 2855-13-2 trimethylcyclohexylamine 220-666-8 Skin Corr. 1B; H314 01-2119514687-32-Eye Dam. 1; H318 Skin Sens. 1A; H317 XXXX specific concentration limit Skin Sens. 1A; H317 >= 0,001 % Acute toxicity estimate Acute oral toxicity: 1.030 mg/kg Acute Tox. 4; H302 >= 10 - < 20 Amines, polyethylenepoly-, tetra-90640-66-7 ethylenepentamine fraction 292-587-7 Acute Tox. 4: H312 Skin Corr. 1B; H314 01-2119487290-37-XXXX Eye Dam. 1; H318 Skin Sens. 1B; H317 Aquatic Chronic 2; H411 Acute toxicity estimate Acute oral toxicity: 1.716 mg/kg Acute dermal toxicity: 1.465 mg/kg



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sikafloor®-150 Part B

vision Date: 23.01.2025 te of last issue: 23.08.2024	Version 9	Print Date 24.01.2025	
2,4,6- tris(dimethylaminomethyl)phenol Contains: bis[(dimethylamino)methyl]phenol <= 15 %	90-72-2 202-013-9 01-2119560597-27- XXXX	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Acute toxicity esti- mate Acute oral toxicity: 1.999 mg/kg	>= 5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1 Description of first ald meas	ules
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	nd effects, both acute and delayed
Symptoms	: Gastrointestinal discomfort Allergic reactions Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	: Health injuries may be delayed. corrosive effects



Revision Date: 23.01.2025 Date of last issue: 23.08.2024	Version 9.1	Print Date 24.01.2025
	sensitising effects	
	Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns.	
4.3 Indication of any immediate me	dical attention and special treatment needed	
Treatment	Treat symptomatically.	
SECTION 5: Firefighting measur	res	
5.1 Extinguishing media		
Suitable extinguishing media :	In case of fire, use water/water spray/water jet/ca ide/sand/foam/alcohol resistant foam/chemical p extinction.	
5.2 Special hazards arising from the	e substance or mixture	
Hazardous combustion prod- : ucts	No hazardous combustion products are known	
5.3 Advice for firefighters		
Special protective equipment : for firefighters	In the event of fire, wear self-contained breathing	g apparatus.
Further information :	Standard procedure for chemical fires.	
SECTION 6: Accidental release	measures	
6.1 Personal precautions, protectiv	e equipment and emergency procedures	
	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions :	Do not flush into surface water or sanitary sewer If the product contaminates rivers and lakes or d respective authorities.	

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.



Revision Date: 23.01.2025 Date of last issue: 23.08.2024 Version 9.1

Print Date 24.01.2025

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	



Sikafloor[®]-150 Part B

Version 9.1

Print Date 24.01.2025

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Revision Date: 23.01.2025

Date of last issue: 23.08.2024

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment	:			
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.			
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.			
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.			
Respiratory protection :	No special measures required.			
Environmental exposure controls				
General advice :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid light yellow
Odour	:	amine-like
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Version 9.1

Sikafloor®-150 Part B

Revision Date: 23.01.2025

Date of last issue: 23.08.2024



Print Date 24.01.2025

01 1031 13306. 23.00.2024		
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
н	:	ca. 11 (20 °C) Concentration: 50 %
Viscosity		
Viscosity, dynamic	:	ca. 40 mPa.s (20 °C)
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,07 hPa
Density	:	ca. 0,99 g/cm3 (20 °C)
Relative vapour density	:	No data available

: No data available

Particle characteristics

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.	
Components:	
benzyl alcohol:	
Acute oral toxicity :	Acute toxicity estimate: 1.200 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
	LD50 Oral (Rat): 1.200 mg/kg
3-aminomethyl-3,5,5-trimethy	lcyclohexylamine:
Acute oral toxicity :	Acute toxicity estimate: 1.030 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008



Print Date 24.01.2025

Sikafloor®-150 Part B



sion Date: 23.01.2025 of last issue: 23.08.2024	Version 9.1 Print Date 24		
	LD50 Oral (Rat): 1.030 mg/kg		
Acute inhalation toxicity	: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist		
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 2.000 mg/kg		
	LD50 (Rabbit): > 2.000 - 5.000 mg/kg		
Amines, polvethylenepoly	-, tetraethylenepentamine fraction:		
Acute oral toxicity	: LD50 Oral (Rat): 1.716 mg/kg		
	Acute toxicity estimate: 1.716 mg/kg Method: Calculation method		
Acute dermal toxicity	: LD50 Dermal (Rat): 1.465 mg/kg		
	Acute toxicity estimate: 1.465 mg/kg Method: Calculation method		
2,4,6-tris(dimethylaminon	ethyl)phenol:		
Acute oral toxicity	: LD50 (Rat): > 1.999 mg/kg Remarks: Harmful if swallowed. Annex VI - Harmonised REGULATION (EC) No 1272/2008		
Skin corrosion/irritation Causes severe burns.			
Components:			
2,4,6-tris(dimethylaminon	ethyl)phenol:		
Species Assessment Method	: Rabbit : Corrosive : OECD Test Guideline 404		
Assessment Remarks	: irritating : Annex VI - Harmonised REGULATION (EC) No 1272/2008		
Serious eye damage/eye i Causes serious eye damag			
Components:			
2,4,6-tris(dimethylaminon	ethyl)phenol:		
Species	: Rabbit		
Assessment	: Causes serious eye damage.		



Revision Date: 23.01.2025 Date of last issue: 23.08.2024 Version 9.1

Print Date 24.01.2025

Assessment Remarks

irritating
 Annex VI - Harmonised
 REGULATION (EC) No 1272/2008

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

benzyl alcohol:

Toxicity to fish

: LC50 (Fish): > 100 mg/l Exposure time: 96 h

Sikafloor®-150 Part B



Revision Date: 23.01.2025 Date of last issue: 23.08.2024	Version 9.1	Print Date 24.01.202
aquatic invertebrates	Exposure time: 48 h	
3-aminomethyl-3,5,5-trimethy	cyclohexylamine:	
Toxicity to algae/aquatic plants	ErC50 (Desmodesmus subspicatus (green mg/l Exposure time: 72 h	algae)): > 10 - 100
	NOEC (Desmodesmus subspicatus (green Exposure time: 72 h	algae)): 1,5 mg/l
12.2 Persistence and degradability No data available	,	
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB ass	essment	
Product:		
Assessment	This substance/mixture contains no comporto be either persistent, bioaccumulative and very persistent and very bioaccumulative (NO.1% or higher	d toxic (PBT), or
12.6 Endocrine disrupting propert	es	
Product:		
Assessment	The substance/mixture does not contain co ered to have endocrine disrupting propertie REACH Article 57(f) or Commission Delega (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher.	es according to according to according to
12.7 Other adverse effects		
Product:		
Additional ecological infor- mation	An environmental hazard cannot be exclud unprofessional handling or disposal. Harmful to aquatic life with long lasting effe	

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.



Revision Date: 23.01.2025 Date of last issue: 23.08.2024	Version 9.1	Print Date 24.01.2025
	This material and its container must be dia way.	sposed of in a safe
	Dispose of surplus and non-recyclable pro waste disposal contractor.	oducts via a licensed
	Disposal of this product, solutions and any at all times comply with the requirements protection and waste disposal legislation a local authority requirements.	of environmental

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

European Waste Catalogue	08 01 11* waste paint and varr ents or other dangerous subst	00
Contaminated packaging	5 01 10* packaging containing y dangerous substances	residues of or contaminated

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	UN 2735		
	IMDG	:	UN 2735		
	ΙΑΤΑ	:	UN 2735		
14.2	2 UN proper shipping name				
	ADR	:		DRROSIVE, N.O.S. -trimethylcyclohexylamine, Amines, pol- thylenepentamine fraction)	
	IMDG	:	AMINES, LIQUID, CORROSIVE, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine, Amines, pol- yethylenepoly-, tetraethylenepentamine fraction)		
	ΙΑΤΑ	:	Amines, liquid, corrosive, n.o.s. (3-aminomethyl-3,5,5-trimethylcyclohexylamine, Amines, pol- yethylenepoly-, tetraethylenepentamine fraction)		
14.3	B Transport hazard class(es)				
			Class	Subsidiary risks	
	ADR	:	8		
	IMDG	:	8		
	ΙΑΤΑ	:	8		
14.4	Packing group				
	ADR Packing group	:	Ш		

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-150 Part B



Revision Date: 23.01.2025 Date of last issue: 23.08.2024 Version 9.1

Print Date 24.01.2025

Classification Code Hazard Identification Number Labels Tunnel restriction code	::	C7 80 8 (E)
IMDG Packing group Labels EmS Code	-	III 8 F-A, S-B
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group	:	852 Y841 III

14.5 Environmental hazards

Labels

ADR Environmentally hazardous	:	no
IMDG Marine pollutant	:	no
IATA (Passenger) Environmentally hazardous	:	no
IATA (Cargo) Environmentally hazardous	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

: Not applicable

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

REACH Information:	All substances contained in our Products are
	 registered by our upstream suppliers, and/or

Corrosive

2



Revision Date: 23.01.2025 Date of last issue: 23.08.2024	Version S	9.1		Print Date 24.01.2025		
 registered by us, and/or excluded from the regulation, and/or exempted from the registration. 						
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	ngerous substances,	:	Conditions of restriction lowing entries should Number on list 3			
			Number on list 75:			
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the compone (=> 0.1 %).	ents are listed		
REACH - List of substances subject to authorisation (Annex XIV)			Not applicable			
Regulation (EC) on substances th layer	Not applicable					
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable			
Regulation (EU) No 649/2012 of the European Parlia- : Not ap ment and the Council concerning the export and import of dangerous chemicals			Not applicable			
Seveso III: Directive 2012/18/EU jor-accident hazards involving dat		nen	t and of the Council on	the control of ma-		
Volatile organic compounds :	(VOCV)		or volatile organic comp ds (VOC) content: 48%			
	Directive 2010/75/EU of 24 November 2010 on industria emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 48% w/w					

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Sikafloor[®]-150 Part B



Revision Date: 23.01.2025 Date of last issue: 23.08.2024 Version 9.1

Print Date 24.01.2025

SECTION 16: Other information

Full text of H-Statements H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. : H315 Causes skin irritation. : May cause an allergic skin reaction. H317 : Causes serious eve damage. H318 Causes serious eye irritation. H319 Harmful if inhaled. H332 Toxic to aquatic life with long lasting effects. H411 Full text of other abbreviations Acute Tox. Acute toxicity Long-term (chronic) aquatic hazard Aquatic Chronic : Eye Dam. Serious eye damage : Eye Irrit. Eve irritation : Skin Corr. Skin corrosion Skin Irrit. Skin irritation Skin Sens. Skin sensitisation : European Agreement concerning the International Carriage of ADR : Dangerous Goods by Road CAS Chemical Abstracts Service DNEL Derived no-effect level EC50 Half maximal effective concentration GHS : **Globally Harmonized System** IATA International Air Transport Association IMDG International Maritime Code for Dangerous Goods LD50 Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) LC50 Median lethal concentration (concentrations of the chemical in : air that kills 50% of the test animals during the observation period) MARPOL International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 **Occupational Exposure Limit** OEL : PBT Persistent, bioaccumulative and toxic Predicted no effect concentration PNEC Regulation (EC) No 1907/2006 of the European Parliament REACH and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency SVHC Substances of Very High Concern vPvB Very persistent and very bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-150 Part B



Revision Date: 23.01.2025 Date of last issue: 23.08.2024		Version 9.1	Print Date 24.01.2025
Acute Tox. 4	H302	Calculation method	
Skin Corr. 1B	H314	Calculation method	
Eye Dam. 1	H318	Calculation method	
Skin Sens. 1	H317	Calculation method	
Aquatic Chronic 3	H412	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN