

Revision Date: 31.10.2024 Date of last issue: -

Version 1.1

Print Date 31.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: PCI Nanocret[®] R4 Rapid

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Repairing mortar

1.3 Details of the supplier of the safety data sheet

:	Sika Nederland B.V.
	Zonnebaan 56
	3542 EG Utrecht
	Nederland
:	+31-30-2410120
:	+31-30-2414482
:	EHS@nl.sika.com
	:

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)		
Skin irritation, Category 2	H315: Causes skin irritation.	
Serious eye damage, Category 1	H318: Causes serious eye damage.	
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.	

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms			
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Nanocret[®] R4 Rapid



Revision Date: 31.10.2024 Date of last issue: -	\	/ersion 1.1	Print Date 31.10.2024
	H335 Ma	ay cause respiratory irritation.	
Precautionary statements :	P101	If medical advice is needed, ha container or label at hand.	ve product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-vea.	ventilated ar-
	P280	Wear protective gloves/ eye proprotection.	otection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container i with local regulation.	n accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
PCI Nanocret [®] R4 Rapid



Revision Date: 31.10.2024 Date of last issue: - Version 1.1

Print Date 31.10.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Cement (chromium reduced)	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 20 - < 25
trizinc dicitrate	546-46-3 208-901-2 01-2119461715-35- XXXX	Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0,1 - < 0,25
		M-Factor (Acute aquatic toxicity): 1	
Substances with a workplace exposure limit :			
Quartz (SiO2)	14808-60-7 238-878-4		>= 40 - < 60

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Nanocret[®] R4 Rapid



Revision Date: 31.10.2024 Date of last issue: -		Version 1.1	Print Date 31.10.202
		Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an uncons	scious person.
4.2 Most important symptoms a	nd e	effects, both acute and delayed	
Symptoms	:	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information and symptoms.	on on health effects
Risks	:	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
		· · · · · · · · · · · · · · · · · · ·	
		irritant effects	
4.3 Indication of any immediate	me	irritant effects	led
4.3 Indication of any immediate Treatment	me :		ded
Treatment	:	irritant effects dical attention and special treatment need Treat symptomatically.	ded
Treatment SECTION 5: Firefighting meas	:	irritant effects dical attention and special treatment need Treat symptomatically.	ded
Treatment SECTION 5: Firefighting meas	: sur	irritant effects dical attention and special treatment need Treat symptomatically.	r jet/carbon diox-
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	: sur	irritant effects dical attention and special treatment need Treat symptomatically. res In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/cheme extinction.	r jet/carbon diox-
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	: sur :	irritant effects dical attention and special treatment need Treat symptomatically. res In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/cheme extinction.	r jet/carbon diox- nical powder for
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod-	: sur :	irritant effects dical attention and special treatment need Treat symptomatically. res In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction. e substance or mixture	r jet/carbon diox- nical powder for
Treatment SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts	: sur : : :	irritant effects dical attention and special treatment need Treat symptomatically. res In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction. e substance or mixture	r jet/carbon diox- nical powder for own

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency	procedures
--	------------

Personal precautions	: Use personal protective equipment. Avoid breathing dust.
	Deny access to unprotected persons.



Revision Date: 31.10.2024	Version 1.1	Print Date 31.10.2024
Date of last issue: -		

6.2 Environmental precautions

Environmental precautions	: Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

:

Methods for cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8).Do not get in eyes, on skin, or on clothing.For personal protection see section 8.Smoking, eating and drinking should be prohibited in the application area.Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Revision Date: 31.10.2024 Date of last issue: - Version 1.1

Print Date 31.10.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira- ble dust)	0,075 mg/m3 (Silica)	NL WG
	Further information: Carcinogenic substances, based on the thresholdlimit effect			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.



 Revision Date: 31.10.2024
 Version 1.1
 Print Date 31.10.2024

 Date of last issue:

Environmental exposure controls

General advice

 Try to prevent the material from entering drains or water courses.
 No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physical	an	a chemical properties
Physical state Appearance Colour	:	solid powder grey
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %
Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Nanocret[®] R4 Rapid



Revision Date: 31.10.2024 Date of last issue: -		Version 1.1	Print Date 31.10.2024	
Solubility(ies) Water solubility	:	No data available		
Partition coefficient: n- octanol/water	:	No data available		
Vapour pressure	:	No data available		
Density	:	ca. 1,2 g/cm3 (20 °C)		
Relative vapour density	:	No data available		
Particle characteristics	:	No data available		

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid : No data availa

10.5 Incompatible materials

Materials to avoid :		No data available
----------------------	--	-------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

Revision Date: 31.10.2024 Date of last issue: - Version 1.1

Print Date 31.10.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





Revision Date: 31.10.2024 Date of last issue: - Version 1.1

Print Date 31.10.2024

SECTION 12: Ecological information

12.1 Toxicity

Components:

trizinc dicitrate:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0,4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,2 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 0,015 mg/l Exposure time: 72 h
M-Factor (Acute aquatic tox- icity)	:	1

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid-
	ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

12.7 Other adverse effects

Product:

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Nanocret[®] R4 Rapid



Revision Date: 31.10.2024 Date of last issue: - Version 1.1

mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name			
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)			
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group			
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good
	IATA (Passenger)	:	Not regulated as a dangerous good

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PCI Nanocret[®] R4 Rapid

Revision Date: 31.10.2024 Date of last issue: - Version 1.1

Print Date 31.10.2024

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	tream suppliers, and/or /or gulation, and/or		
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75:	
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).	
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) on substances th layer	nat deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable	
Netherlands. Substances of very	high concern (ZZS-list)	:	Quartz (SiO2)	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Nanocret[®] R4 Rapid



Revision Date: 31.10.2024 Date of last issue: -

Version 1.1

Print Date 31.10.2024

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma jor-accident hazards involving dangerous substances. Not applicable			
Volatile organic compounds :		Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties	
		Directive 2010/75/EU of 24 November 2010 on industrial	

emissions (integrated pollution prevention and control) Not applicable

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full	text	of	H-Statements	

H315 H318 H319 H335 H400 H411	:	Causes skin irritation. Causes serious eye damage. Causes serious eye irritation. May cause respiratory irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Full text of other abbreviatio	ons	
Aquatic Acute Aquatic Chronic Eye Dam. Eye Irrit. Skin Irrit. STOT SE NL WG	:	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Eye irritation Skin irritation Specific target organ toxicity - single exposure Netherlands. Law on Labour conditions - Occupational Expo-
NL WG / TLV-8hr ADR	:	sure Limits Time Weighted Average European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS DNEL EC50 GHS IATA IMDG	:	Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Nanocret[®] R4 Rapid



Revision Date: 31.10.2024 Version 1.1 Print Date 31.10.2024 Date of last issue: period) MARPOL International Convention for the Prevention of Pollution from : Ships, 1973 as modified by the Protocol of 1978 OEL **Occupational Exposure Limit** Persistent, bioaccumulative and toxic PBT 1 : Predicted no effect concentration PNEC REACH Regulation (EC) No 1907/2006 of the European Parliament : and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency SVHC Substances of Very High Concern : vPvB Very persistent and very bioaccumulative : **Further information** Classification procedure: Classification of the mixture.

Classification of the r	Classification procedu	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN