

Version 4.0

Print Date 17.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikalastic[®]-827 HT

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Adhesive, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 3 H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements	:	Prevention: P273	Avoid release to the environment.
		Disposal:	
		P501	Dispose of contents/container in accordance with local regulation.

Additional Labelling

EUH208 Contains 4,4'-oxydi(benzenesulphonohydrazide). May produce an allergic reaction.



Version 4.0

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components		Oleasification	O an a subset's s
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
4,4'-	80-51-3	Self-react. D; H242	>= 0,25 - < 0,5
oxydi(benzenesulphonohydrazide)		Acute Tox. 4; H302	
	01-2119982968-10-	Skin Irrit. 2; H315	
	XXXX	Eye Irrit. 2; H319	
		Skin Sens. 1; H317	
		Muta. 2; H341	
		STOT RE 2; H373	
		(Kidney)	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	
		aquatic toxicity): 1	
		M-Factor (Chronic	
		aquatic toxicity): 11	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		1.000 mg/kg	

For explanation of abbreviations see section 16.



Version 4.0

Print Date 17.02.2025

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	and e	ffects, both acute and delayed
Symptoms	:	See Section 11 for more detailed information on health effects and symptoms.

Risks	:	No known significant effects or hazards.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from Hazardous combustion prod- ucts		e substance or mixture No hazardous combustion products are known
5.3 Advice for firefighters Special protective equipment for firefighters Further information	:	In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.



Sikalastic[®]-827 HT

Revision Date: 17.02.2025Version 4.0Print Date 17.02.2025Date of last issue: 31.01.2025

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : For personal protection see section 8.

6.2 Environmental precautions

- Environmental precautions :
- Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Sweep up or vacuum up spillage and collect in suitable con-
		tainer for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

1.1	Precautions for safe handling		
	Advice on safe handling	:	For personal protection see section 8. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	cl	uding any incompatibilities
7.2		icl :	
7.2	Requirements for storage		Keep container tightly closed in a dry and well-ventilated
	Requirements for storage areas and containers Further information on stor-		Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.



Version 4.0

Print Date 17.02.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
		-		

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	No special measures required.
Environmental exposure cor	ntro	bls

Environmental exposure controls

General advice	: Do not flush into surface water or sanitary sewer system.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	: solid : pellets : white
Odour	: odourless
	N 1 1 1 1 1 1

Melting point/ range / Freez- : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic[®]-827 HT



ision Date: 17.02.2025 e of last issue: 31.01.2025		Version 4.0	Print Date 17.02.2
ing point			
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	exp	olosive limits	
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	> 200 °C Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	
Viscosity			
Viscosity, dynamic	:	Not applicable	
Viscosity, kinematic	:	Not applicable	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	1,45 g/cm3 (20 °C)	

Sikalastic[®]-827 HT



Revision Date: 17.02.2025 Date of last issue: 31.01.2025	Version 4.0	Print Date 17.02.2025
Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and re	activity	
10.1 Reactivity		
No dangerous reaction know	under conditions of normal use.	
10.2 Chemical stability		
The product is chemically st	ble.	
10.3 Possibility of hazardous re	actions	
Hazardous reactions	: No hazards to be specially mentioned	I.
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	products	
	: No hazardous decomposition product	s are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

4,4'-oxydi(benzenesulphonohydrazide):

Acute oral toxicity : LD50 Oral (Rat): > 1.000 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Sikalastic[®]-827 HT

Revision Date: 17.02.2025 Date of last issue: 31.01.2025 Version 4.0

Print Date 17.02.2025

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified due to lack of data.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

4,4'-oxydi(benzenesulphonohydrazide):

Toxicity to fish	:	LC50 (Oryzias latipes (Orange-red killifish)): 74 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus capricornutum (fresh water algae)): 6,7 mg/l Exposure time: 72 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic®-827 HT



Revision Date: 17.02.2025 Date of last issue: 31.01.2025		Version 4.0	Print Date 17.02.2025
M-Factor (Acute aquatic tox- icity)	:	1	
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	EC50: 15 Exposure time: 48 h Species: Daphnia magna (Water flea)	
M-Factor (Chronic aquatic toxicity)	:	1	
		1	
12.2 Persistence and degradabili No data available	ty		
12.3 Bioaccumulative potential No data available			
12.4 Mobility in soil No data available			
12.5 Results of PBT and vPvB as	se	ssment	
Product: Assessment	:	This substance/mixture contains no compone to be either persistent, bioaccumulative and to very persistent and very bioaccumulative (vPv 0.1% or higher.	oxic (PBT), or
12.6 Endocrine disrupting proper	rtie	S	
Product:			
Assessment	:	The substance/mixture does not contain comp ered to have endocrine disrupting properties a REACH Article 57(f) or Commission Delegate (EU) 2017/2100 or Commission Regulation (E levels of 0.1% or higher.	according to d regulation
12.7 Other adverse effects			
Product:			
Additional ecological infor-	:	An environmental hazard cannot be excluded unprofessional handling or disposal.	in the event of

13.1 Waste treatment methods

Product

: The generation of waste should be avoided or minimized

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikalastic[®]-827 HT

Jika®

Revision Date: 17.02.2025 Date of last issue: 31.01.2025 Version 4.0

Print Date 17.02.2025

wherever possible.

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.2 UN proper shipping name						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.3 Transport hazard class(es)						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.4 Packing group						
ADR	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
IATA (Cargo)	:	Not regulated as a dangerous good				
IATA (Passenger)	:	Not regulated as a dangerous good				
14.5 Environmental hazards	14.5 Environmental hazards					
Not regulated as a dangerous good						

14.6 Special precautions for user Not applicable

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikalastic[®]-827 HT



Revision Date: 17.02.2025 Date of last issue: 31.01.2025 Version 4.0

SECTION 15: Regulatory information

15.1 Safety, health and environm International Chemical Weapo Schedules of Toxic Chemicals	ons Convention (CWC)	tion :	specific for the substance or mixture Not applicable		
REACH Information:		gulation, and/or			
REACH - Restrictions on the r the market and use of certain mixtures and articles (Annex)	dangerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75		
REACH - Candidate List of Su Concern for Authorisation (Art		:	None of the components are listed (=> 0.1 %).		
REACH - List of substances s (Annex XIV)	ubject to authorisation	:	Not applicable		
Regulation (EU) No 2024/590 plete the ozone layer	on substances that de-	:	Not applicable		
Regulation (EU) 2019/1021 or tants (recast)	n persistent organic pollu-	:	Not applicable		
Regulation (EU) No 649/2012 ment and the Council concern of dangerous chemicals		:	Not applicable		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable					
Volatile organic compounds	(VOCV)		or volatile organic compounds ds (VOC) content: <= 3% w/w		

Sikalastic[®]-827 HT



Revision Date: 17.02.2025 Date of last issue: 31.01.2025 Version 4.0

Print Date 17.02.2025

Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H242 H302 H315 H317 H319 H341 H373 H400 H410		Heating may cause a fire. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing genetic defects. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Full text of other abbrevia	ations	
Acute Tox. Aquatic Acute Aquatic Chronic	:	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard
Eye Irrit. Muta.	:	Eye irritation Germ cell mutagenicity
Self-react. Skin Irrit. Skin Sens.	:	Self-reactive substances and mixtures Skin irritation Skin sensitisation
STOT RE ADR	:	Specific target organ toxicity - repeated exposure European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS DNEL	:	Chemical Abstracts Service Derived no-effect level
EC50 GHS IATA	:	Half maximal effective concentration Globally Harmonized System International Air Transport Association
IMDG LD50	:	International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL PBT	:	Occupational Exposure Limit Persistent, bioaccumulative and toxic

Sikalastic[®]-827 HT

_



Revision Date: 17.02.2025 Date of last issue: 31.01.2025		Version 4.0	Print Date 17.02.2025
PNEC REACH	:	Predicted no effect concentration Regulation (EC) No 1907/2006 of the Europea and of the Council of 18 December 2006 conc istration, Evaluation, Authorisation and Restric cals (REACH), establishing a European Chem	erning the Reg- ction of Chemi-
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative	

Further information

Classification of the mixtur	Classification procedure:	
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN