

Revision Date: 20.09.2024	Version 6.3	Print Date 20.09.2024
Date of last issue: 13.02.2024		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Adhesive

:

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person responsible for the SDS	:	EHS@nl.sika.com

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12 Acute toxicity, Category 4	72/2008) H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.



Version 6.3 Print Date 20	0.09.2024
3)	
Causes skin irritation.	
May cause an allergic skin reaction.	
Causes serious eye irritation. Harmful if inhaled.	
May cause allergy or asthma symptoms or breath-	
ing difficulties if inhaled.	
May cause respiratory irritation.	
Suspected of causing cancer.	
May cause damage to organs through prolonged or repeated exposure if inhaled.	
Obtain special instructions before use.	
Do not breathe mist or vapours.	
Wash skin thoroughly after handling.	
Wear protective gloves/ protective clothing/ eye protection/ face protection.	
) + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel upwell	
1	air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a

Diphenylmethanediisocyanate, isomeres and homologues

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 20.09.2024Version 6.3Print Date 20.09.2024Date of last issue: 13.02.2024Version 6.3Print Date 20.09.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit Skin Irrit. 2; H315 >= 5 %	>=80

For explanation of abbreviations see section 16.



Revision Date: 20.09.2024	Version 6.3	Print Date 20.09.2024
Date of last issue: 13.02.2024		

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1 Description of mist aid me	
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	 Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.



Revision Date: 20.09.2024 Date of last issue: 13.02.2024	Version 6.3	Print Date 20.09.2024
4.3 Indication of any immediate me	dical attention and special treatment needed	
Treatment :	Treat symptomatically.	
SECTION 5: Firefighting measur	es	
5.1 Extinguishing media		
Suitable extinguishing media :	In case of fire, use water/water spray/water jet/o ide/sand/foam/alcohol resistant foam/chemical extinction.	
5.2 Special hazards arising from the	e substance or mixture	
	No hazardous combustion products are known	
5.3 Advice for firefighters		
-	In the event of fire, wear self-contained breathir	ng apparatus.
Further information :	Standard procedure for chemical fires.	
SECTION 6: Accidental release	measures	
6.1 Personal precautions, protectiv	e equipment and emergency procedures	
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions :	Do not flush into surface water or sanitary sewe If the product contaminates rivers and lakes or respective authorities.	•
6.3 Methods and material for contai	inment and cleaning up	
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal	
6.4 Reference to other sections		
For personal protection see secti	on 8.	
SECTION 7: Handling and stora	20	

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 20.09.2024 Date of last issue: 13.02.2024		Version 6.3	Print Date 20.09.2024
		Avoid exceeding the given occupational expe section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation p ma, allergies, chronic or recurrent respiratory not be employed in any process in which this used. Smoking, eating and drinking should be proh plication area. Provide sufficient air exchange and/or exhau Follow standard hygiene measures when ha products	roblems or asth- y disease should s mixture is being nibited in the ap- ust in work rooms.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection	on.
Hygiene measures	:	Handle in accordance with good industrial hy practice. When using do not eat or drink. Wh smoke. Wash hands before breaks and at th	nen using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and we place. Containers which are opened must be sealed and kept upright to prevent leakage. ance with local regulations.	e carefully re-
Further information on stor- age stability	:	No decomposition if stored and applied as di	irected.
7.3 Specific end use(s)			
Specific use(s)	:	Cleaning with aprotic polar solvents must be Consult most current local Product Data She use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres	9016-87-9	AGW (Inhalable	0,05 mg/m3	DE TRGS 900
and homologues		fraction)	(MDI)	
	Further information: Senate commission for the review of com- pounds at the work place dangerous for the health has also estab- lished a BEI-value for the same OEL value in the 'MAK- and BAT- value list'			



Revision Date: 20.09.2024	Version 6.3	Print Date 20.09.2024
Date of last issue: 13.02.2024		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipmen	t i i i i i i i i i i i i i i i i i i i
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.
Environmental exposure cont	ols



Revision Date: 20.09.2024	Version 6.3	Print Date 20.09.2024
Date of last issue: 13.02.2024		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid (20 °C) brown
Odour	:	characteristic
Melting point/freezing point	:	ca. 10 °C
Boiling point/boiling range	:	> 260 °C
Flammability (solid, gas)	:	No data available

Upper/lower flammability or explosive limits

Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 200 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,01 hPa



Revision Date: 20.09.2024 Date of last issue: 13.02.2024	Version 6.3	Print Date 20.09.2024
Density	: ca. 1,13 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity : LD50 Oral (Rat): > 10.000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 20.09.2024 Date of last issue: 13.02.2024	Version 6.3	Print Date 20.09.2024
Acute inhalation toxicity	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is m short term inhalation.	noderately toxic after
Acute dermal toxicity	LD50 Dermal (Rabbit): > 9.400 mg/kg	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye irritation.	tion	
Respiratory or skin sensitisat	ion	
Skin sensitisation May cause an allergic skin reac	tion.	
Respiratory sensitisation May cause allergy or asthma sy	mptoms or breathing difficulties if inhaled.	
Germ cell mutagenicity Not classified due to lack of dat	а.	
Carcinogenicity Suspected of causing cancer.		
Reproductive toxicity Not classified due to lack of dat	а.	
STOT - single exposure May cause respiratory irritation.		
STOT - repeated exposure May cause damage to organs the second s	nrough prolonged or repeated exposure if inh	naled.
Aspiration toxicity Not classified due to lack of dat	a.	
11.2 Information on other hazards		
Endocrine disrupting propert	es	
Product:		
Assessment	 The substance/mixture does not contain of ered to have endocrine disrupting propert REACH Article 57(f) or Commission Deleg (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher. 	ies according to gated regulation



Print Date 20.09.2024

ECTION 12: Ecological information			
1 Toxicity			
Components:			
Diphenylmethanediisocya	nate, isomeres and homologues:		
Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h		
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h		

Version 6.3

12.3 Bioaccumulative potential

No data available

Revision Date: 20.09.2024

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Revision Date: 20.09.2024 Date of last issue: 13.02.2024	Version 6.3	Print Date 20.09.2024
Product	 The generation of waste should be avoid wherever possible. Empty containers or liners may retain so This material and its container must be way. Dispose of surplus and non-recyclable p waste disposal contractor. Disposal of this product, solutions and a at all times comply with the requirement protection and waste disposal legislation local authority requirements. Avoid dispersal of spilled material and re soil, waterways, drains and sewers. 	ome product residues. disposed of in a safe products via a licensed any by-products should s of environmental n and any regional

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		
Not regulated as a dangerous	go	od
14.6 Special precautions for use	r	

Not applicable



Revision Date: 20.09.2024 Date of last issue: 13.02.2024	Version	6.3		Print Date 20.09.20
14.7 Maritime transport in bulk a Not applicable for product as s	-	ents		
SECTION 15: Regulatory infor	mation			
15.1 Safety, health and environm International Chemical Weapo Schedules of Toxic Chemicals	ns Convention (CWC)	tion :	specific for the subs Not applicable	stance or mixture
REACH Information:	All substances contain - registered by our up - registered by us, and - excluded from the re - exempted from the r	strea d/or egula	im suppliers, and/or tion, and/or	
REACH - Restrictions on the n the market and use of certain of mixtures and articles (Annex X	dangerous substances,	:	Conditions of restrict lowing entries should Number on list 3	
			Banned and/or restrie	cted
REACH - Candidate List of Su Concern for Authorisation (Arti		:	None of the compone (=> 0.1 %).	ents are listed
REACH - List of substances so (Annex XIV)	ubject to authorisation	:	Not applicable	
Regulation (EC) on substance layer	s that deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on tants (recast)	persistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 ment and the Council concern of dangerous chemicals		:	Not applicable	
Seveso III: Directive 2012/18/E jor-accident hazards involving		ment	and of the Council on	the control of ma-
Volatile organic compounds	: Law on the incentive	tax fo	or volatile organic com	pounds



Revision Date: 20.09.2024 Date of last issue: 13.02.2024 Version 6.3

Print Date 20.09.2024

(VOCV) no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H319 :	Causes serious eye irritation.
H332 :	Harmful if inhaled.
H334 :	May cause allergy or asthma symptoms or breathing difficul-
	ties if inhaled.
H335 :	May cause respiratory irritation.
H351 :	Suspected of causing cancer.
H373 :	May cause damage to organs through prolonged or repeated
	exposure if inhaled.
Full text of other abbreviations	
Acute Tox. :	Acute toxicity
Carc. :	Carcinogenicity
Eye Irrit. :	Eye irritation
Resp. Sens.	Respiratory sensitisation
Skin Irrit. :	Skin irritation
Skin Sens. :	Skin sensitisation
STOT RE :	Specific target organ toxicity - repeated exposure
STOT SE :	Specific target organ toxicity - single exposure
DE TRGS 900 :	Germany. TRGS 900 - Occupational exposure limit values.
DE TRGS 900 / AGW :	Time Weighted Average
ADR :	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS :	Chemical Abstracts Service
DNEL :	Derived no-effect level
EC50 :	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA :	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50 :	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL :	International Convention for the Prevention of Pollution from

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 20.09.2024 Date of last issue: 13.02.2024	Version 6.3	Print Date 20.09.2024
OEL PBT PNEC REACH	 Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- 	
SVHC vPvB	 istration, Evaluation, Authorisation and cals (REACH), establishing a Europea Substances of Very High Concern Very persistent and very bioaccumula 	an Chemicals Agency

Further information

Classification of the mixture:		Classification procedure:
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN