

Revision Date: 25.09.2024	Version 2.0	Print Date 27.09.2024
Date of last issue: -		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

1.2 Relevant identified uses of the substance or mixture and uses advised against

2

Product use

: Primer, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) H226: Flammable liquid and vapour. Flammable liquids, Category 3 Skin irritation, Category 2 H315: Causes skin irritation. Eye irritation, Category 2 H319: Causes serious eye irritation. Respiratory sensitisation, Category 1 H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin sensitisation, Category 1 H317: May cause an allergic skin reaction. Carcinogenicity, Category 2 H351: Suspected of causing cancer. Specific target organ toxicity - single ex-H336: May cause drowsiness or dizziness. posure, Category 3, Central nervous system Specific target organ toxicity - single ex-H335: May cause respiratory irritation. posure, Category 3, Respiratory system

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



vision Date: 25.09.2024 te of last issue: -		Version 2.0	Print Date 27.09.2024
2 Label elements			
Labelling (REGULATION (EC) No 127	2/2008)	
Hazard pictograms	:		
Signal word	: Dange	er	
Hazard statements	: H226	Flammable liquid and vap	our.
	H315	Causes skin irritation.	
	H317	May cause an allergic ski	n reaction.
	H319	Causes serious eye irritat	
	H334	May cause allergy or asth	ma symptoms or breath-
	11005	ing difficulties if inhaled.	
	H335 H336	May cause respiratory irrit May cause drowsiness or	
	H351	Suspected of causing can	
	: Preve	ntion:	
Precautionary statements	•		
	P210		t, hot surfaces, sparks, er ignition sources. No
	P261	Avoid breathing mist	or vapours.
	P280		es/ protective clothing/
	Respo	onse:	
	P304	air and keep comfort	Remove person to fresh able for breathing. Call a
	P342		doctor if you feel unwell. ratory symptoms: Call a doctor.
	P370		ry sand, dry chemical or

2-methoxy-1-methylethyl acetate

4,4'-methylenediphenyl diisocyanate

o-(p-isocyanatobenzyl)phenyl isocyanate

Diphenylmethanediisocyanate, isomeres and homologues

2,2'-methylenediphenyl diisocyanate

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Revision Date: 25.09.2024 Date of last issue: - Version 2.0

Print Date 27.09.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

CAS-No.	Classification	Concentration
EC-No.		(% w/w)
Registration number		
108-65-6	Flam. Liq. 3; H226	>= 25 - < 40
203-603-9	STOT SE 3; H336	
01-2119475791-29-		
XXXX		
	EC-No. Registration number 108-65-6 203-603-9 01-2119475791-29-	EC-No. Flam. Liq. 3; H226 108-65-6 Flam. Liq. 3; H226 203-603-9 STOT SE 3; H336 01-2119475791-29-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 25.09.2024 Date of last issue: -	Version 2.0	0	Print Date 27.09.2024
4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 \longrightarrow specific concentration limit Eye Irrit. 2; H319 >= 5 %	>= 5 - < 10
		limit STOT SE 3; H335 >= 5 %	
		specific concentration limit Skin Irrit. 2; H315 >= 5 %	
		specific concentration limit Resp. Sens. 1; H334 >= 0,1 %	
		Acute toxicity estimate	
		Acute inhalation tox- icity (dust/mist): 1,5 mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 25.09.2024 Date of last issue: -	Version 2.	Version 2.0	
o-(p-isocyanatobenzyl)phenyl isocyanate	5873-54-1 227-534-9 01-2119480143-45- XXXX	Acute Tox. 4; H332 Eye Irrit. 2; H319 STOT SE 3; H335 Skin Irrit. 2; H315 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit STOT SE 3; H335 >= 5 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 %	>= 5 - < 10
propyl acetate	109-60-4 203-686-1 01-2119484620-39- XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066	>= 5 - < 10

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 25.09.2024 Date of last issue: -	Version 2.	0	Print Date 27.09.2024
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit Stot SE 3; H335 >= 5 %	>= 1 - < 2,5

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 25.09.2024 Version 2.0 Date of last issue: -		0	Print Date 27.09.2024
2,2'-methylenediphenyl diisocya- nate	2536-05-2 219-799-4 01-2119927323-43- XXXX	Acute Tox. 4; H332 Eye Irrit. 2; H319 STOT SE 3; H335 Skin Irrit. 2; H315 Resp. Sens. 1; H317 Carc. 2; H351 STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit STOT SE 3; H335 >= 5 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit Skin Irrit. 2; H315 >= 5 %	>= 0,5 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	: Immediately flush eye(s) with plenty of water.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 2.0	Print Date 27.09.2024
Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a special	list.
: Do not induce vomiting without medical a Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unco	
and effects, both acute and delayed	
 Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis Loss of balance Vertigo See Section 11 for more detailed informa and symptoms. 	ation on health effects
 irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms ties if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of causing cancer. 	or breathing difficul-
	 Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specia Do not induce vomiting without medical Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unc and effects, both acute and delayed Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis Loss of balance Vertigo See Section 11 for more detailed inform and symptoms. irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms ties if inhaled. May cause drowsiness or dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.	
-----------	--------------------------	--

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	Water High volume water jet



Revision Date: 25.09.2024 Date of last issue: -	Version 2.0		Print Date 27.09.2024
5.2 Special hazards arising from	the	e substance or mixture	
Specific hazards during fire- fighting	:	Do not use a solid water stream as it may scatte fire.	r and spread
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing	g apparatus.
Further information	:	Use water spray to cool unopened containers.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Use personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
6.2 Environmental precautions	
Environmental precautions	 Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for co	ntainment and cleaning up
Methods for cleaning up	: Contain spillage, and then collect with non-combustible ab-

ethods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid formation of aerosol.	
	Avoid exceeding the given occupational exposure limits (see	
	section 8).	
	Do not get in eyes, on skin, or on clothing.	
	For personal protection see section 8.	
	Persons with a history of skin sensitisation problems or asth-	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 25.09.2024 Date of last issue: -	Version 2.0	Print Date 27.09.2024
	ma, allergies, chronic or recurrent respiratory d not be employed in any process in which this m used. Smoking, eating and drinking should be prohibi- plication area. Take precautionary measures against static dis Open drum carefully as content may be under Take necessary action to avoid static electricity (which might cause ignition of organic vapours) Follow standard hygiene measures when hand products	nixture is being ited in the ap- scharge. pressure. discharge
Advice on protection against : fire and explosion	Use explosion-proof equipment. Keep away fro open flames/ hot surfaces. No smoking. Take p measures against electrostatic discharges.	
Hygiene measures :	Handle in accordance with good industrial hygi practice. When using do not eat or drink. Wher smoke. Wash hands before breaks and at the e	n using do not
7.2 Conditions for safe storage, in	cluding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and well- place. Containers which are opened must be ca sealed and kept upright to prevent leakage. Sto ance with local regulations.	arefully re-
Further information on stor- : age stability	No decomposition if stored and applied as dire	cted.
7.3 Specific end use(s)		
Specific use(s)	Cleaning with aprotic polar solvents must be av Consult most current local Product Data Sheet use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
2-methoxy-1-methylethyl acetate	108-65-6	STEL	100 ppm 550 mg/m3	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		TWA	50 ppm 275 mg/m3	2000/39/EC
		TLV-8hr	100 ppm 550 mg/m3	NL WG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 25.09.2024 Date of last issue: -	Version 2.0		Print Date 27.09.2024	
o-(p-isocyanatobenzyl)phenyl isocyanate	5873-54-1	TWA (Vapour or aerosols)	0,05 mg/m3	DE TRGS 900
	Further inform	ation: Commission	for dangerous sub	stances
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	AGW (Inhalable fraction)	0,05 mg/m3 (MDI)	DE TRGS 900
	Further information: Senate commission for the review of c pounds at the work place dangerous for the health has als lished a BEI-value for the same OEL value in the 'MAK- ar value list'			nas also estab-
2,2'-methylenediphenyl diisocyanate	2536-05-2	TWA (Vapour or aerosols)	0,05 mg/m3	DE TRGS 900
	Further inform	ation: Commission	for dangerous sub	stances

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment	•
	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 25.09.2024 Date of last issue: -	Version 2.0	Print Date 27.09.2024
	ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.	
Environmental exposure cont	rols	
General advice	: Prevent product from entering drains. If the product contaminates rivers and lakes or respective authorities.	r drains inform

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid
Colour	:	light yellow
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e	exp	losive limits
Upper explosion limit / Up- per flammability limit		
Lower explosion limit / Lower flammability limit	:	1,5 %(V)
Flash point	:	40 °C Method: closed cup
Auto-ignition temperature	:	333 °C
Decomposition temperature	:	No data available
рН	:	Not applicable

Viscosity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 25.09.2024 Date of last issue: -	Version 2.0	Print Date 27.09.2024
Viscosity, kinematic	: > 7 mm2/s (40 °C)	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 33 hPa	
Density	: ca. 1,1 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reaction known und	der conditions of normal use
10.2 Chemical stability	
The product is chemically stable. 10.3 Possibility of hazardous reaction	ons
Hazardous reactions :	Stable under recommended storage conditions.
	Vapours may form explosive mixture with air.
10.4 Conditions to avoid	
Conditions to avoid :	Heat, flames and sparks.
10.5 Incompatible materials	
Materials to avoid :	No data available
10.6 Hazardous decomposition proc	lucts
	No hazardous decomposition products are known.



Print Date 27.09.2024

Revision Date: 25.09.2024	Version 2.0
Date of last issue: -	

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

2-methoxy-1-methylethyl acetate:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg

Acute dermal toxicity	:	LD50 Dermal	(Rabbit): >	5.000 mg/kg
-----------------------	---	-------------	-------------	-------------

4,4'-methylenediphenyl diisocyanate:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement
		Acute toxicity estimate: 1,5 mg/l

Test atmosphere: dust/mist Method: Calculation method

Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity	:	LD50 Oral (Rat): > 10.000 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 25.09.2024 Date of last issue: - Version 2.0

Print Date 27.09.2024

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h



Revision Date: 25.09.2024 Date of last issue: -		Version 2.0	Print Date 27.09.2024
12.2 Persistence and degradab No data available	ility		
12.3 Bioaccumulative potential No data available			
12.4 Mobility in soil No data available			
12.5 Results of PBT and vPvB a	assess	sment	
Product:			
Assessment	t N	This substance/mixture contains no compor o be either persistent, bioaccumulative and /ery persistent and very bioaccumulative (v 0.1% or higher	toxic (PBT), or
12.6 Endocrine disrupting prop	erties		
Product:			
		The substance/mixture does not contain co	
Assessment	 (ered to have endocrine disrupting properties REACH Article 57(f) or Commission Delega EU) 2017/2100 or Commission Regulation evels of 0.1% or higher.	ted regulation
	 (REACH Article 57(f) or Commission Delega EU) 2017/2100 or Commission Regulation	ted regulation
Assessment 12.7 Other adverse effects <u>Product:</u>	 (REACH Article 57(f) or Commission Delega EU) 2017/2100 or Commission Regulation	ted regulation

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	: 08 01 11* waste paint and varnish containing organic sol-



Revision Date: 25.09.2024 Date of last issue: -		Version 2.0	Print Date 27.09.2024
		vents or other dangerous substances	
Contaminated packaging	:	15 01 10* packaging containing residues on by dangerous substances	of or contaminated

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	UN 1263		
IMDG	:	UN 1263		
ΙΑΤΑ	:	UN 1263		
14.2 UN proper shipping name				
ADR	:	PAINT RELATED MA	TERIAL	
IMDG	:	PAINT RELATED MA	TERIAL	
ΙΑΤΑ	:	Paint related material		
14.3 Transport hazard class(es)				
		Class	Subsidiary risks	
ADR	:	3		
IMDG	:	3		
ΙΑΤΑ	:	3		
14.4 Packing group				
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code Remarks		III F1 30 3 (D/E) Transport according t	o chapter 3.4 (LQ) possible	
IMDG Packing group Labels EmS Code IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	: : : : : : : : : : : : : : : : : : : :	III 3 F-E, <u>S-E</u> 366 Y344 III Flammable Liquids		
IATA (Passenger)				

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 25.09.2024 Date of last issue: -	Version 2.0	Print Date 27.09.2024
Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	: 355 : Y344 : III : Flammable Liquids	
14.5 Environmental hazards		
ADR Environmentally hazardous	: no	
IMDG Marine pollutant	: no	
IATA (Passenger) Environmentally hazardous	: no	
IATA (Cargo) Environmentally hazardous	: no	
14.6 Special precautions for use	r	

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are
 - registered by our upstream suppliers, and/or
 - registered by us, and/or
 - excluded from the regulation, and/or
 - exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 56: 4,4'methylenediphenyl diisocyanate, o-(p-isocyanatobenzyl)phenyl isocyanate, Diphenylmethanediisocyanate, isomeres and homologues, 2,2'methylenediphenyl diisocyanate



Revision Date: 25.09.2024 Date of last issue: -	Version 2.0	0	Print Date 27.09.2024
			Number on list 74: 4,4'- methylenediphenyl diisocyanate, o- (p-isocyanatobenzyl)phenyl isocya- nate, Diphenylmethanediisocyanate, isomeres and homologues, 2,2'- methylenediphenyl diisocyanate
			Number on list 75:
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) on substances th layer	nat deplete the ozone	:	Not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable
jor-accident hazards involving dar		ent	and of the Council on the control of ma-
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: 33,86% w/w
	emissions (integrated po	ollu	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 33,86% w/w

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 25.09.2024 Date of last issue: -

Version 2.0

Print Date 27.09.2024

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements	
	. Lighty flower able liquid and you are
H225	: Highly flammable liquid and vapour.
H226	: Flammable liquid and vapour.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H334	: May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
H335	: May cause respiratory irritation.
H336	: May cause drowsiness or dizziness.
H351	: Suspected of causing cancer.
H373	: May cause damage to organs through prolonged or repeated exposure.
H373	: May cause damage to organs through prolonged or repeated exposure if inhaled.
Full text of other abbreviation	IS
Acute Tox.	: Acute toxicity
Carc.	: Carcinogenicity
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Resp. Sens.	: Respiratory sensitisation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
2000/39/EC	Europe. Commission Directive 2000/39/EC establishing a first
2000/00/20	list of indicative occupational exposure limit values
DE TRGS 900	: Germany. TRGS 900 - Occupational exposure limit values.
NL WG	Netherlands. Law on Labour conditions - Occupational Expo-
	sure Limits
2000/39/EC / TWA	: Limit Value - eight hours
2000/39/EC / STEL	: Short term exposure limit
DE TRGS 900 / TWA	: Time weighted average
DE TRGS 900 / AGW	: Time Weighted Average
NL WG / TLV-8hr	: Time Weighted Average
ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL	: Derived no-effect level
EC50	: Half maximal effective concentration
GHS	: Globally Harmonized System
IATA	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
	. International maname code for Dangerous Coods

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date: 25.09.2024 Date of last issue: -		Version 2.0	Print Date 27.09.2024
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)	
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)	
MARPOL	:	International Convention for the Prevention Ships, 1973 as modified by the Protocol of	
OEL	:	Occupational Exposure Limit	
PBT		Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Euro and of the Council of 18 December 2006 c istration, Evaluation, Authorisation and Res cals (REACH), establishing a European Ch	oncerning the Reg- striction of Chemi-
SVHC	:	Substances of Very High Concern	5,
vPvB	:	Very persistent and very bioaccumulative	

Further information

Classification of the mixture:		Classification procedure:	
Flam. Liq. 3	H226	Based on product data or assessment	
Skin Irrit. 2	H315	Calculation method	
Eye Irrit. 2	H319	Calculation method	
Resp. Sens. 1	H334	Calculation method	
Skin Sens. 1	H317	Calculation method	
Carc. 2	H351	Calculation method	
STOT SE 3	H336	Calculation method	
STOT SE 3	H335	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN