Sika AnchorFix[®]-3001 Part A



Revision Date: 23.08.2024 Date of last issue: 28.06.2024 Version 3.1

Print Date 30.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika AnchorFix[®]-3001 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

: Adhesive

Product use

1.3 Details of the supplier of the safety data sheet

| Company name of supplier | : | Sika Nederland B.V. |
|--------------------------|---|---------------------|
| | | Zonnebaan 56 |
| | | 3542 EG Utrecht |
| | | Nederland |
| Telephone | : | +31-30-2410120 |
| Telefax | : | +31-30-2414482 |
| E-mail address of person | : | EHS@nl.sika.com |
| responsible for the SDS | | |

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

| Classification (REGULATION (EC) No 1272/2008) | | | | | | |
|-----------------------------------------------------|--------------------------------------------------------|--|--|--|--|--|
| Skin irritation, Category 2 | H315: Causes skin irritation. | | | | | |
| Eye irritation, Category 2 | H319: Causes serious eye irritation. | | | | | |
| Skin sensitisation, Category 1 | H317: May cause an allergic skin reaction. | | | | | |
| Long-term (chronic) aquatic hazard, Cat- egory 2 | H411: Toxic to aquatic life with long lasting effects. | | | | | |

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Warning

Sika AnchorFix®-3001 Part A



| Revision Date: 23.08.2024 Date of last issue: 28.06.2024 | | | Version 3.1 | Print Date 30.08.2024 |
|-------------------------------------------------------------|---|----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| Hazard statements | : | H317 M H319 Ca | auses skin irritation. ay cause an allergic skin reaction. auses serious eye irritation. oxic to aquatic life with long lasting | |
| Precautionary statements | : | Prevention: P261 P264 P273 P280 | Avoid breathing mist or vapour Wash skin thoroughly after han Avoid release to the environme Wear protective gloves/ eye pro protection. | ndling. ent. |
| | | Response: | | |
| | | P333 + P313 P391 | If skin irritation or rash occurs: advice/ attention. Collect spillage. | Get medical |
| | | | | |

Hazardous components which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane Reaction mass of isomers of epoxy resin BFDGE Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika AnchorFix®-3001 Part A



Revision Date: 23.08.2024 Date of last issue: 28.06.2024 Version 3.1

Print Date 30.08.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Registration number | Classification | Concentration (% w/w) |
|--------------------------------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| bis-[4-(2,3- epoxipropoxi)phenyl]propane | 1675-54-3 216-823-5 01-2119456619-26- XXXX | Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Skin Irrit. 2; H315 >= 5 % | >= 60 - < 80 |
| Reaction mass of isomers of epoxy resin BFDGE | Not Assigned 701-263-0 01-2119454392-40- XXXX | Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411 | >= 20 - < 25 |
| Reaction products of hexane-1,6- diol with 2-(chloromethyl)oxirane (1:2) | 933999-84-9 618-939-5 01-2119463471-41- XXXX | Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 3; H412 | >= 10 - < 20 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| General advice | | Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. |
|-------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------|
| If inhaled | - | Move to fresh air. Consult a physician after significant exposure. |
| In case of skin contact | | Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. |

Sika AnchorFix®-3001 Part A



| Revision Date: 23.08.2024 Date of last issue: 28.06.2024 | | Version 3.1 | Print Date 30.08.2024 |
|-------------------------------------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| In case of eye contact | : | Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. | |
| If swallowed | : | Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou | |
| 4.2 Most important symptoms an | nd e | effects, both acute and delayed | |
| Symptoms | : | Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information o and symptoms. | n health effects |
| Risks | : | irritant effects sensitising effects | |
| | | Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. | |
| 4.3 Indication of any immediate r | nee | dical attention and special treatment needed | |
| Treatment | : | Treat symptomatically. | |
| SECTION 5: Firefighting meas | sur | es | |
| 5.1 Extinguishing media | | | |
| Suitable extinguishing media | : | In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction. | |
| 5.2 Special hazards arising from | the | e substance or mixture | |
| | | Do not allow run-off from fire fighting to enter d | rains or water |

| Specific hazards during fire- fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
|-------------------------------------------|---|---------------------------------------------------------------------------|
| Hazardous combustion prod- ucts | : | No hazardous combustion products are known |

5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters

Sika AnchorFix®-3001 Part A



| Revision Date: 23.08.2024 Date of last issue: 28.06.2024 | | Version 3.1 | Print Date 30.08.2024 |
|-------------------------------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| Further information | : | Collect contaminated fire extinguishing must not be discharged into drains. Fire residues and contaminated fire ex be disposed of in accordance with loca | tinguishing water must |
| SECTION 6: Accidental relea | | neasures e equipment and emergency procedu | res |
| Personal precautions | : | Use personal protective equipment. Deny access to unprotected persons. | |
| | | | |
| 6.2 Environmental precautions | | | |

6.3 Methods and material for containment and cleaning up

| Methods for cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, |
|-------------------------|---|---------------------------------------------------------------|
| | | acid binder, universal binder, sawdust). |
| | | Keep in suitable, closed containers for disposal. |

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on safe handling | : | Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products |
|-------------------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. |
| Hygiene measures | : | Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not |

Sika AnchorFix®-3001 Part A



| Revision Date: 23.08.2024 Date of last issue: 28.06.2024 | | Version 3.1 | Print Date 30.08.2024 |
|-------------------------------------------------------------|------|--------------------------------------------------------------------------------------|------------------------|
| | | smoke. Wash hands before breaks and a | at the end of workday. |
| 7.2 Conditions for safe storage, | incl | uding any incompatibilities | |
| Requirements for storage areas and containers | : | Keep container tightly closed in a dry and place. Store in accordance with local reg | |
| Further information on stor- age stability | : | No decomposition if stored and applied a | as directed. |
| 7.3 Specific end use(s) | | | |
| Specific use(s) | : | Consult most current local Product Data use. | Sheet prior to any |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters * | Basis * | | | |
|-----------------------------------------------------------------|---------|----------------------------------|---------------------------|---------|--|--|--|
| Contains no substances with occupational exposure limit values. | | | | | | | |

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

| Eye/face protection | : | Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water |
|--------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. |
| | | Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min. |
| Skin and body protection | : | Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. |
| Respiratory protection | : | No special measures required. |
| ountry NL 10000004056 | | 6/ |



| Revision Date: 23.08.2024 |
|--------------------------------|
| Date of last issue: 28.06.2024 |

Version 3.1

Print Date 30.08.2024

| Environmental exposure con | Environmental exposure controls | | | |
|-------------------------------------------------------|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| General advice | : | Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. | | |
| SECTION 9: Physical and cher | mic | cal properties | | |
| 9.1 Information on basic physical | l an | d chemical properties | | |
| Physical state | : | liquid | | |
| Appearance | : | paste | | |
| Colour | : | off-white, white | | |
| Odour | : | slight | | |
| Melting point/ range / Freez- ing point | : | No data available | | |
| Boiling point/boiling range | : | > 35 °C | | |
| Flammability (solid, gas) | : | No data available | | |
| Upper/lower flammability or | exp | plosive limits | | |
| Upper explosion limit / Up- per flammability limit | : | No data available | | |
| Lower explosion limit / Lower flammability limit | : | No data available | | |

substance/mixture is non-soluble (in water)

| Flash point | : > 61 °C Method: closed cup |
|---------------------------|---------------------------------|
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| рН | : Not applicable |

Viscosity

: > 20,5 mm2/s (40 °C) Viscosity, kinematic

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika AnchorFix®-3001 Part A



| Revision Date: 23.08.2024 Date of last issue: 28.06.2024 | | Version 3.1 | Print Date 30.08.2024 |
|-------------------------------------------------------------|---|------------------------|-----------------------|
| Solubility(ies) Water solubility | : | insoluble | |
| Partition coefficient: n- octanol/water | : | No data available | |
| Vapour pressure | : | 0,01 hPa | |
| Density | : | ca. 1,25 g/cm3 (20 °C) | |
| Relative vapour density | : | No data available | |

9.2 Other information

No data available

Particle characteristics

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

: No data available

10.4 Conditions to avoid

| Conditions to avoid | : | No data available |
|---------------------|---|-------------------|
|---------------------|---|-------------------|

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



Revision Date: 23.08.2024 Date of last issue: 28.06.2024 Version 3.1

Print Date 30.08.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified due to lack of data. Components: bis-[4-(2,3-epoxipropoxi)phenyl]propane: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye irritation Causes serious eye irritation. Respiratory or skin sensitisation Skin sensitisation May cause an allergic skin reaction. **Respiratory sensitisation** Not classified due to lack of data. Germ cell mutagenicity Not classified due to lack of data. Carcinogenicity Not classified due to lack of data. **Reproductive toxicity** Not classified due to lack of data. STOT - single exposure Not classified due to lack of data. STOT - repeated exposure Not classified due to lack of data. Aspiration toxicity Not classified due to lack of data. 11.2 Information on other hazards Endocrine disrupting properties Product: Assessment The substance/mixture does not contain components consid-2

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika AnchorFix®-3001 Part A



Revision Date: 23.08.2024 Date of last issue: 28.06.2024 Version 3.1

Print Date 30.08.2024

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

bis-[4-(2,3-epoxipropoxi)phenyl]propane:

| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l Exposure time: 96 h |
|-----------------------------------------------------|---|---------------------------------------------------------------------------|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h |

Reaction mass of isomers of epoxy resin BFDGE:

| Toxicity to fish | : | LC50 (Leuciscus idus (Golden orfe)): 2,54 mg/l Exposure time: 96 h |
|-----------------------------------------------------|---|-----------------------------------------------------------------------|
| Toxicity to daphnia and other aquatic invertebrates | : | LC50 (Daphnia magna (Water flea)): 2,55 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EC50 (algae): 1,8 mg/l Exposure time: 72 h |

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation





| Revision Date: 23.08.2024 Date of last issue: 28.06.2024 | Version 3.1 | Print Date 30.08.2024 |
|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| | (EU) 2017/2100 or Commission Regulation (EU) levels of 0.1% or higher. | 2018/605 at |
| 12.7 Other adverse effects | | |
| Product: | | |
| Additional ecological infor- : mation | An environmental hazard cannot be excluded in t unprofessional handling or disposal. Toxic to aquatic life with long lasting effects. | he event of |
| SECTION 13: Disposal consider | ations | |
| 13.1 Waste treatment methods | | |
| Product : | The generation of waste should be avoided or mi wherever possible. Empty containers or liners may retain some prod This material and its container must be disposed way. Dispose of surplus and non-recyclable products waste disposal contractor. | uct residues. of in a safe |

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

| 14.1 | UN | number | or | ID | number |
|------|----|--------|----|----|--------|
|------|----|--------|----|----|--------|

| AD | R : | UN 3082 |
|----------|--------------------------|-------------------------------------------------------------------------|
| IMI | DG : | UN 3082 |
| IAT | ΓΑ : | UN 3082 |
| 14.2 UN | I proper shipping name | |
| AD | PR : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin) |
| IMI | DG : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin) |
| IAI | ΓΑ : | Environmentally hazardous substance, liquid, n.o.s. (epoxy resin) |
| 14.3 Tra | ansport hazard class(es) | |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika AnchorFix®-3001 Part A



| Revision Date: 23.08.2024 Date of last issue: 28.06.2024 | Version 3.1 | | | Print Date 30.08.2024 |
|--------------------------------------------------------------------------------------------------------------------------|-------------|-------------------------------------|------------------|-----------------------|
| | | Class | Subsidiary risks | |
| ADR | : | 9 | | |
| IMDG | : | 9 | | |
| ΙΑΤΑ | : | 9 | | |
| 14.4 Packing group | | | | |
| ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code | : : : | III M6 90 9 (-) | | |
| IMDG Packing group Labels EmS Code | : | III 9 F-A, S-F | | |
| IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels | : | 964 Y964 III Miscellaneous | | |
| IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels | : | 964 Y964 III Miscellaneous | | |

14.5 Environmental hazards

ADR Environmentally hazardous : yes IMDG Marine pollutant : yes IATA (Passenger) Environmentally hazardous : yes IATA (Cargo) Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Revision Date: 23.08.2024 Date of last issue: 28.06.2024 Version 3.1

Print Date 30.08.2024

SECTION 15: Regulatory information

| 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors | | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|---|----------------------------------------------------------------------------------------------------|--|--|--|
| REACH Inforr | REACH Information:All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. | | | | | | |
| the market an | REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | | | Conditions of restriction for the fol- lowing entries should be considered: Number on list 3 | | | |
| | | | | Number on list 75: | | | |
| | didate List of Subs uthorisation (Article | tances of Very High 9 59). | : | None of the components are listed (=> 0.1 %). | | | |
| REACH - List (Annex XIV) | of substances subj | ect to authorisation | : | Not applicable | | | |
| Regulation (E layer | C) on substances tl | hat deplete the ozone | : | Not applicable | | | |
| Regulation (E tants (recast) | Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast) | | | Not applicable | | | |
| Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals | | | | | | | |
| Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS | | | | | | | |
| Volatile organ | Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties | | | | | | |



Revision Date: 23.08.2024 Date of last issue: 28.06.2024 Version 3.1

Print Date 30.08.2024

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

| Full text of H-Statements | | | | | | |
|----------------------------------|----------------------------------------------------------------|--|--|--|--|--|
| H315 | Causes skin irritation. | | | | | |
| H317 | May cause an allergic skin reaction. | | | | | |
| H319 | Causes serious eye irritation. | | | | | |
| H411 | Toxic to aquatic life with long lasting effects. | | | | | |
| H412 | Harmful to aquatic life with long lasting effects. | | | | | |
| Full text of other abbreviations | | | | | | |
| Aquatic Chronic | Long-term (chronic) aquatic hazard | | | | | |
| Eye Irrit. | Eye irritation | | | | | |
| Skin Irrit. | Skin irritation | | | | | |
| Skin Sens. | Skin sensitisation | | | | | |
| ADR | European Agreement concerning the International Carriage of | | | | | |
| | Dangerous Goods by Road | | | | | |
| CAS | Chemical Abstracts Service | | | | | |
| DNEL | Derived no-effect level | | | | | |
| EC50 | Half maximal effective concentration | | | | | |
| GHS | Globally Harmonized System | | | | | |
| IATA | International Air Transport Association | | | | | |
| IMDG | International Maritime Code for Dangerous Goods | | | | | |
| LD50 | Median lethal dosis (the amount of a material, given all at | | | | | |
| | once, which causes the death of 50% (one half) of a group of | | | | | |
| | test animals) | | | | | |
| LC50 | Median lethal concentration (concentrations of the chemical in | | | | | |
| | air that kills 50% of the test animals during the observation | | | | | |
| | period) | | | | | |
| MARPOL | International Convention for the Prevention of Pollution from | | | | | |
| | Ships, 1973 as modified by the Protocol of 1978 | | | | | |
| OEL | Occupational Exposure Limit | | | | | |
| PBT | Persistent, bioaccumulative and toxic | | | | | |
| PNEC | Predicted no effect concentration | | | | | |
| REACH | Regulation (EC) No 1907/2006 of the European Parliament | | | | | |
| | and of the Council of 18 December 2006 concerning the Reg- | | | | | |
| | istration, Evaluation, Authorisation and Restriction of Chemi- | | | | | |
| 8)/110 | cals (REACH), establishing a European Chemicals Agency | | | | | |
| SVHC | Substances of Very High Concern | | | | | |
| vPvB | Very persistent and very bioaccumulative | | | | | |

Further information



Sika AnchorFix®-3001 Part A

| Revision Date: 23.08.2024 Date of last issue: 28.06.2024 | | Version 3.1 | Print Date 30.08.2024 | |
|-------------------------------------------------------------|----------|--------------------|-----------------------|--|
| Classification of the | mixture: | Classificatio | on procedure: | |
| Skin Irrit. 2 | H315 | Calculation n | nethod | |
| Eye Irrit. 2 | H319 | Calculation n | nethod | |
| Skin Sens. 1 | H317 | Calculation n | Calculation method | |
| Aquatic Chronic 2 | H411 | Calculation method | | |
| | | | | |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN