

Revision Date: 12.03.2024 Date of last issue: - Version 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

Trade name

: Sika<sup>®</sup> FastFix-133 TP

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht Nederland
Telephone		+31-30-2410120
Telefax	÷	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

+31-57-0854201

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.			
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.			

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	L B	
Signal word	:	Danger	
Hazard statements	:	H315	Causes skin irritation.

### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# Sika<sup>®</sup> FastFix-133 TP



Revision Date: 12.03.2024 Date of last issue: -		Version 1.0	Print Date 03.04.2024
	H317 H318 H335	May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.	
Precautionary statements :	P101 P102	If medical advice is needed, hav container or label at hand. Keep out of reach of children.	ve product
	Prevention	:	
	P271	Use only outdoors or in a well-v ea.	entilated ar-
	P280	Wear protective gloves/ eye pro protection.	tection/ face
	Response:		
	P305 + P35	1 + P338 + P310 IF IN EYES: Rins with water for several minutes. I tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container ir with local regulation.	n accordance

### Hazardous components which must be listed on the label:

Cement, portland, chemicals

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 12.03.2024 Date of last issue: - Version 1.0

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		Skin Sens. 1; H317	
		STOT SE 3; H335	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 60 - < 80
	238-878-4		

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

	General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled :	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms and	effects, both acute and delayed
	Symptoms :	Cough Respiratory disorder

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# Sika<sup>®</sup> FastFix-133 TP



Revision Date: 12.03.2024 Date of last issue: -	Version 1.0	Print Date 03.04.20
	Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed informati and symptoms.	on on health effects
Risks	: irritant effects sensitising effects	
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.	
4.3 Indication of any immediate	nedical attention and special treatment nee : Treat symptomatically.	ded
Treatment SECTION 5: Firefighting mea		
	ures	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	ures : In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chenry extinction.	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	ures : In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chenry extinction.	nical powder for
<ul> <li>SECTION 5: Firefighting meas</li> <li>5.1 Extinguishing media Suitable extinguishing media</li> <li>5.2 Special hazards arising from Hazardous combustion prod-</li> </ul>	ures In case of fire, use water/water spray/wate ide/sand/foam/alcohol resistant foam/chen extinction. the substance or mixture	nical powder for
<ul> <li>SECTION 5: Firefighting measurements</li> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing media</li> <li>5.2 Special hazards arising from Hazardous combustion products</li> </ul>	<ul> <li>ures</li> <li>In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chenter extinction.</li> <li>the substance or mixture</li> <li>No hazardous combustion products are kr</li> </ul>	nical powder for

Personal precautions	:	Use personal protective equipment. Avoid breathing dust.
		Deny access to unprotected persons.

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Pick up and arrange disposal without creating dust.
-------------------------	---	---

Print Date 03.04.2024

Revision Date: 12.03.2024 Date of last issue: - Version 1.0

Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

	Advice on safe handling :	s F F r u S F	Avoid exceeding the given occupational exposure limits (see Section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- na, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against : fire and explosion		Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures :	p	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, inc	clud	ding any incompatibilities
	Requirements for storage : areas and containers		Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- : age stability		Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s) :		Consult most current local Product Data Sheet prior to any use.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

	Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
[	Quartz (SiO2)	14808-60-7	TLV-8hr (Respira-	0,075 mg/m3	NL WG



Revision Date: 12.03.2024 Date of last issue: - Version 1.0

Further information: Carcinogenic substances, based on the		ble dust) (Silica)
		Further information: Carcinogenic substances, based on the thresholdlimit effect

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

### 8.2 Exposure controls

### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

### **Environmental exposure controls**

General advice : Do not flush into surface water or sanitary sewer system.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state : solid

<b>Sika</b> ®
Print Date 03.04.2024

Revision Date: 12.03.2024 Date of last issue: -		Version 1.0	Print Date 03.04.2024
Appearance Colour	:	powder grey	
Odour	:	odourless	
Melting point/range / Freezing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flommobility or	0 V F	Naciva limita	
Upper/lower flammability or Upper explosion limit / Up- per flammability limit	-		
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	> 11 (20 °C) Concentration: 500 g/l substance/mixture is non-soluble (in water)	
Viscosity			
Viscosity, kinematic	:	Not applicable	
Solubility(ies)			
Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	ca. 1,9 g/cm3 (20 °C)	

### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# Sika<sup>®</sup> FastFix-133 TP



Revision Date: 12.03.2024 Date of last issue: -	Version 1.0	Print Date 03.04.20
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and re	activity	
10.1 Reactivity		
No dangerous reaction know	n under conditions of normal use.	
10.2 Chemical stability		
The product is chemically sta	ble.	
10.3 Possibility of hazardous re	actions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	products	
	: No hazardous decomposition products a	re known.

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Not classified due to lack of data.

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye damage.

Revision Date: 12.03.2024 Date of last issue: -

Version 1.0



### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified due to lack of data.

### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

### **Reproductive toxicity**

Not classified due to lack of data.

### STOT - single exposure

May cause respiratory irritation.

### **STOT - repeated exposure** Not classified due to lack of data.

### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

### Product:



Revision Date: 12.03.2024 Date of last issue: -	Version 1.0	Print Date 03.04.20
Assessment	: This substance/mixture contains no co to be either persistent, bioaccumulative very persistent and very bioaccumulation 0.1% or higher	e and toxic (PBT), or
12.6 Endocrine disrupting prop	perties	
Product:		
Assessment	<ul> <li>The substance/mixture does not conta ered to have endocrine disrupting prop REACH Article 57(f) or Commission D (EU) 2017/2100 or Commission Regul levels of 0.1% or higher.</li> </ul>	perties according to pelegated regulation
12.7 Other adverse effects		
Product:		
Additional ecological infor- mation	: There is no data available for this proc	duct.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product :		The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	17 01 01 concrete

## **SECTION 14: Transport information**

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		



Revision Date: 12.03.2024 Date of last issue: -

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environm	nental regulations/legisla	ition	specific for the substance or mixture
International Chemical Weapon Schedules of Toxic Chemicals	. ,	:	Not applicable
REACH Information:	All substances contai - registered by our up - registered by us, an - excluded from the re - exempted from the r	ostrea d/or egula	am suppliers, and/or ation, and/or
REACH - Restrictions on the the market and use of certain mixtures and articles (Annex 2	dangerous substances,	:	Not applicable
REACH - Candidate List of Su Concern for Authorisation (Art		:	None of the components are listed (=> 0.1 %).
REACH - List of substances s	ubject to authorisation	:	Not applicable



Revision Date: 12.03.2024Version 1.0Date of last issue: --

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Netherlands. Substances of very high concern (ZZS-list)	:	Quartz (SiO2) Quartz (SiO2) <5µm
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parliam jor-accident hazards involving dangerous substances. Not applicable	nen	t and of the Council on the control of ma-

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### **SECTION 16: Other information**

Full text of H-Statements		
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	ons	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
NL WG	:	Netherlands. Law on Labour conditions - Occupational Expo- sure Limits
NL WG / TLV-8hr	:	Time Weighted Average
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road



Revision Date: 12.03.2024 Date of last issue: -

CAS DNEL EC50 GHS IATA IMDG LD50	<ul> <li>Chemical Abstracts Service</li> <li>Derived no-effect level</li> <li>Half maximal effective concentration</li> <li>Globally Harmonized System</li> <li>International Air Transport Association</li> <li>International Maritime Code for Dangerous Goods</li> <li>Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)</li> </ul>
LC50	: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

### **Further information**

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

### NL / EN