

Revision Date: 20.11.2024 Date of last issue: -

Version 1.1

Print Date 22.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

PCI[®] Projectflex

1.2 Relevant identified uses of the substance or mixture and uses advised against

: Tile adhesive Product use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person responsible for the SDS	:	EHS@nl.sika.com

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	LE R	
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI® Projectflex



Revision Date: 20.11.2024 Date of last issue: -	\	/ersion 1.1	Print Date 22.11.2024
	H335 Ma	ay cause respiratory irritation.	
Precautionary statements :	P101	If medical advice is needed, ha container or label at hand.	ve product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-vea.	ventilated ar-
	P280	Wear protective gloves/ eye pro protection.	otection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container i with local regulation.	n accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



PCI[®] Projectflex

Revision Date: 20.11.2024 Date of last issue: - Version 1.1

Print Date 22.11.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 40 - < 60
	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms an	d e	ffects, both acute and delayed
	Symptoms	:	Cough Respiratory disorder

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI[®] Projectflex



evision Date: 20.11.2024 Pate of last issue: -		Version 1.1	Print Date 22.11.2024
		Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information and symptoms.	on health effects
Risks	:	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
		irritant effects	
4.3 Indication of any immediate	mec	dical attention and special treatment needed	I
Treatment		Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
SECTION 5: Firefighting mean			
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from	: the	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	al powder for
 SECTION 5: Firefighting measurements 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion products 	: the	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	al powder for
 SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters 	: the	In case of fire, use water/water spray/water je ide/sand/foam/alcohol resistant foam/chemica extinction.	al powder for n

	1	
:	Use personal protective equipment. Avoid breathing dust.	
	Deny access to unprotected persons.	
		Ŭ

6.2 Environmental precautions

:	Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.
	:

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI® Projectflex



Revision Date: 20.11.2024Version 1.1Print Date 22.11.2024Date of last issue: -

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling :	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against : fire and explosion	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, inc	luding any incompatibilities
	Requirements for storage : areas and containers	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- : age stability	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)	
	Specific use(s) :	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira- ble dust)	0,075 mg/m3 (Silica)	NL WG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI® Projectflex



Revision Date: 20.11.2024 Date of last issue: - Version 1.1

Print Date 22.11.2024

	Further information: Carcinogenic substances, based on the thresholdlimit effect
e above mentioned values are in acc	cordance with the legislation in effect at the date of the re-

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal	protective	equipment
----------	------------	-----------

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure co	ntr	ols
General advice	:	Try to prevent the material from entering drains or water courses.

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI® Projectflex



Revision Date: 20.11.2024 Date of last issue: -		Version 1.1	Print Date 22.11.2024
Physical state Appearance Colour	:	solid powder grey	
Odour	:	odourless	
Melting point/ range	:	> 2.000 °C	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or	0 Y F	Nosivo limito	
Upper explosion limit / Up- per flammability limit	-		
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	> 11 Concentration: 50 %	
Viscosity			
Viscosity, dynamic	:	Not applicable	
Viscosity, kinematic	:	Not applicable	
Solubility(ies)			
Water solubility	:	dispersible	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI® Projectflex



Revision Date: 20.11.2024 Date of last issue: -	Version 1.1	Print Date 22.11.2024
Density	: ca. 1,4 g/cm3	
Bulk density	: ca. 1.800 - 2.400 kg/m3	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information Explosives	: Not explosive	

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

o data available
(

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI® Projectflex

Jika®

Revision Date: 20.11.2024 Date of last issue: -

Version 1.1

Print Date 22.11.2024

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available Country NL 000000720126

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI® Projectflex



Revision Date: 20.11.2024 Version 1.1 Print Date 22.11.2024 Date of last issue: -12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment Product: Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher... 12.6 Endocrine disrupting properties Product: The substance/mixture does not contain components consid-Assessment 1 ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects Product: Additional ecological infor-: There is no data available for this product. mation **SECTION 13: Disposal considerations** 13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI® Projectflex



Revision Date: 20.11.2024 Date of last issue: -		Version 1.1	Print Date 22.11.2024
ADR		Not regulated as a dangerous good	
IMDG		Not regulated as a dangerous good	
ΙΑΤΑ		Not regulated as a dangerous good	
14.2 UN proper shipping na	ne		
ADR		Not regulated as a dangerous good	
IMDG		Not regulated as a dangerous good	
ΙΑΤΑ		Not regulated as a dangerous good	
14.3 Transport hazard class	es)		
ADR		Not regulated as a dangerous good	
IMDG		Not regulated as a dangerous good	
ΙΑΤΑ		Not regulated as a dangerous good	
14.4 Packing group			
ADR		Not regulated as a dangerous good	
IMDG		Not regulated as a dangerous good	
IATA (Cargo)		Not regulated as a dangerous good	
IATA (Passenger)		Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a dange	rous g	ood	
14.6 Special precautions for Not applicable	user		
14.7 Maritime transport in be Not applicable for produc		-	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- All substances contained in our Products are - registered by our upstream suppliers, and/or

 - registered by us, and/or
 - excluded from the regulation, and/or
 - exempted from the registration.

REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI[®] Projectflex

_



Revision Date: 20.11.2024 Date of last issue: -	Version 1	.1	Print Date	e 22.11.2024
REACH - Candidate List of Substa Concern for Authorisation (Article		:	None of the components are liste (=> 0.1 %).	эd
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) on substances th layer	at deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable	
Netherlands. Substances of very	high concern (ZZS-list)	:	Quartz (SiO2)	
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar		ent	and of the Council on the control	of ma-
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	x fc	or volatile organic compounds	
			4 November 2010 on industrial ution prevention and control)	
15.2 Chemical safety assessment				

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315 H318 H335	:	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.

Full text of other abbreviations

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI® Projectflex



Revision Date: 20.11.2024 Version 1.1 Print Date 22.11.2024 Date of last issue: -Eye Dam. Serious eye damage : Skin Irrit. Skin irritation STOT SE Specific target organ toxicity - single exposure NL WG Netherlands. Law on Labour conditions - Occupational Exposure Limits NL WG / TLV-8hr : Time Weighted Average European Agreement concerning the International Carriage of ADR Dangerous Goods by Road CAS **Chemical Abstracts Service** Derived no-effect level DNEL **EC50** Half maximal effective concentration **Globally Harmonized System** GHS : IATA International Air Transport Association : IMDG International Maritime Code for Dangerous Goods LD50 Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) LC50 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) International Convention for the Prevention of Pollution from MARPOL : Ships, 1973 as modified by the Protocol of 1978 OEL **Occupational Exposure Limit** : PBT Persistent, bioaccumulative and toxic PNEC Predicted no effect concentration REACH Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency SVHC Substances of Very High Concern vPvB Very persistent and very bioaccumulative

Further information

e:

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI® Projectflex

Revision Date: 20.11.2024 Date of last issue: - Version 1.1

Print Date 22.11.2024

