

Version 4.0

Print Date 01.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

SikaFast[®]-555 L03 Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

: Adhesive

Product use

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person responsible for the SDS	:	EHS@nl.sika.com

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Eye irritation, Category 2	H319: Causes serious eye irritation.				
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.				
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

5

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaFast®-555 L03 Part A



Revision Date: 01.11.2024

Revision Date: 01.11.2024 Date of last issue: 10.06.2024		Version 4.0	Print Date 01.11.2024
Hazard statements :	H317 H319	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation.	
Precautionary statements :	P101 P102	If medical advice is needed, ha container or label at hand. Keep out of reach of children.	ve product
	Prevention:		
	P261 P271	Avoid breathing mist or vapours Use only outdoors or in a well-v ea.	
	P280	Wear protective gloves/ eye pro protection.	otection/ face
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	n accordance

Hazardous components which must be listed on the label:

benzyl methacrylate zinc methacrylate aromatic amine ethoxylated

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
SikaFast [®] -555 L03 Part A



Version 4.0

Print Date 01.11.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
benzyl methacrylate	2495-37-6 219-674-4 01-2119960155-39- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 STOT SE 3; H335 (Respiratory system) specific concentration limit STOT SE 3; H335 >= 10 %	>= 40 - < 60
zinc methacrylate	13189-00-9 236-144-8 01-2119976363-30- XXXX	Acute Tox. 4; H302 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400	>= 2,5 - < 3
		Acute toxicity esti- mate Acute oral toxicity: 500 mg/kg	
aromatic amine ethoxylated	Not Assigned 911-490-9 01-2119979579-10- XXXX	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 0,5 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	: Take off contaminated clothing and shoes immediately.

SikaFast®-555 L03 Part A



Revision Date: 01.11.2024 Date of last issue: 10.06.2024	Version 4.0	Print Date 01.11.2024
	Wash off with soap and plenty of water. If symptoms persist, call a physician.	
In case of eye contact	 Immediately flush eye(s) with plenty of water Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 	r.
If swallowed	 Do not induce vomiting without medical advid Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsc 	
4.2 Most important symptoms and	d effects, both acute and delayed	
Symptoms	: Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information and symptoms.	ו on health effects
Risks	: irritant effects sensitising effects	
	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation.	
4.3 Indication of any immediate m	nedical attention and special treatment neede	24
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting meas	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water spray/water j ide/sand/foam/alcohol resistant foam/chemic extinction.	
5.2 Special hazards arising from t	he substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion products are know	wn

5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SikaFast[®]-555 L03 Part A



Revision Date: 01.11.2024 Date of last issue: 10.06.2024		Version 4.0	Print Date 01.11.2024
for firefighters			
Further information	: Sta	indard procedure for chemical fires.	
SECTION 6: Accidental release	e mea	sures	
6.1 Personal precautions, protect	ive eq	uipment and emergency procedures	
Personal precautions		e personal protective equipment. ny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	lf th	not flush into surface water or sanitary se ne product contaminates rivers and lakes pective authorities.	
6.3 Methods and material for cont	ainme	ent and cleaning up	
Methods for cleaning up	aci	ak up with inert absorbent material (e.g. s d binder, universal binder, sawdust). ep in suitable, closed containers for dispo	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SikaFast®-555 L03 Part A



01.11.2024

Revision Date: 01.11.2024	Version 4.0	Print Date 07
Date of last issue: 10.06.2024		

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
Contains no substances with occupational exposure limit values.						

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal	protective	equipment	
i oroonar	p101001110	oquipinoni	

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	No special measures required.



Version 4.0

Print Date 01.11.2024

Environmental exposure controls

General advice

: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

-	Physical state Appearance Colour	:	liquid paste white
	Odour	:	acrylic-like
	Melting point/ range / Freez- ing point	:	No data available
	Boiling point/boiling range	:	No data available
	Flammability (solid, gas)	:	No data available
	Upper/lower flammability or e	axe	losive limits
	Upper explosion limit / Up- per flammability limit	-	
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	90 °C Method: closed cup
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	рН	:	Not applicable substance/mixture is non-soluble (in water)
	Viscosity		
	Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)

SikaFast[®]-555 L03 Part A



Revision Date: 01.11.2024 Date of last issue: 10.06.2024	Version 4.0	Print Date 01.11.2024
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n-	: No data available	
octanol/water		
Vapour pressure	: 0,0453295 hPa	
Density	: ca. 1,14 g/cm3 (20 °C)	
Relative vapour density	: No data available	

: No data available

9.2 Other information

No data available

Particle characteristics

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid	:	No data available
---------------------	---	-------------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



Version 4.0

Print Date 01.11.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

zinc methacrylate:

Acute oral toxicity

: LD50 Oral (Rat): 500 mg/kg

Acute toxicity estimate: 500 mg/kg Method: Calculation method

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

1

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 SikaFast®-555 L03 Part A



Revision Date: 01.11.2024 Date of last issue: 10.06.2024 Version 4.0

Print Date 01.11.2024

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

zinc methacrylate:

Toxicity to microorganisms

: IC50 (Natural microorganism): 0,56 mg/l Exposure time: 96 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation



Version 4.0

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with
	soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
44 C Curdenaum autol baranda		

14.5 Environmental hazards

Not regulated as a dangerous good



Revision Date: 01.11.2024 Date of last issue: 10.06.2024	Version	4.0	Print D	ate 01.11.2024
 14.6 Special precautions for user Not applicable 14.7 Maritime transport in bulk acc Not applicable for product as supplicable for product	-	ents		
SECTION 15: Regulatory inform	ation			
15.1 Safety, health and environmer International Chemical Weapons Schedules of Toxic Chemicals and	Convention (CWC)	t ion :	specific for the substance or Not applicable	mixture
REACH Information:	All substances contair - registered by our ups - registered by us, and - excluded from the re - exempted from the re	strea I/or gula	m suppliers, and/or tion, and/or	
REACH - Restrictions on the ma the market and use of certain da mixtures and articles (Annex XV	ngerous substances,	:	Conditions of restriction for the lowing entries should be consi Number on list 3	
			Number on list 75:	
REACH - Candidate List of Subs Concern for Authorisation (Article		:	None of the components are li (=> 0.1 %).	isted
REACH - List of substances sub (Annex XIV)	ject to authorisation	:	Not applicable	
Regulation (EC) on substances t layer	hat deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on p tants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals		:	Not applicable	

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.



Revision Date: 01.11.2024 Date of last issue: 10.06.2024		Version 4.0	Print Date 01.11.2024
		Not applicable	
Volatile organic compounds	:	Law on the incentive tax for volatile organic o (VOCV) Volatile organic compounds (VOC) content: no VOC duties	·
		Directive 2010/75/EU of 24 November 2010 emissions (integrated pollution prevention ar Volatile organic compounds (VOC) content:	nd control)

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements	
H302 :	Harmful if swallowed.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H319 :	Causes serious eye irritation.
H335 :	May cause respiratory irritation.
H400 :	Very toxic to aquatic life.
H412 :	Harmful to aquatic life with long lasting effects.
Full text of other abbreviation	6
Acute Tox. :	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Eye Dam. :	Serious eye damage
Eye Irrit. :	Eye irritation
Skin Irrit. :	Skin irritation
Skin Sens. :	Skin sensitisation
STOT SE :	Specific target organ toxicity - single exposure
ADR :	European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS :	Chemical Abstracts Service
DNEL :	Derived no-effect level
EC50 :	Half maximal effective concentration
GHS :	Globally Harmonized System
IATA :	International Air Transport Association
IMDG :	International Maritime Code for Dangerous Goods
LD50 :	Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50 :	Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL :	International Convention for the Prevention of Pollution from
	40.4

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SikaFast®-555 L03 Part A



Revision Date: 01.11.2024 Date of last issue: 10.06.2024	Version 4.0	Print Date 01.11.2024
OEL PBT PNEC REACH	 Ships, 1973 as modified by the Protocol Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the E and of the Council of 18 December 200 	European Parliament
SVHC vPvB	 istration, Evaluation, Authorisation and cals (REACH), establishing a European Substances of Very High Concern Very persistent and very bioaccumulation 	Restriction of Chemi- n Chemicals Agency

Further information

nixture:	Classification procedure:
H315	Calculation method
H319	Calculation method
H317	Calculation method
H335	Calculation method
	H315 H319 H317

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN