

Version 2.0

Print Date 25.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Ucrete[®] BC 4 Part 3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

:	Sika Nederland B.V.
	Zonnebaan 56
	3542 EG Utrecht
	Nederland
:	+31-30-2410120
:	+31-30-2414482
:	EHS@nl.sika.com
	:

1.4 Emergency telephone number

+31-57-0854201


SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin irritation, Category 2	H315: Causes skin irritation.		
Serious eye damage, Category 1	H318: Causes serious eye damage.		
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.		

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Revision Date: 24.04.2025 Date of last issue: 20.03.2025	V	ersion 2.0	Print Date 25.04.2025
	H335 Ma	y cause respiratory irritation.	
Precautionary statements :	Prevention:		
	P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after hand Wear protective gloves/ eye pro protection.	
	Response:		
	P304 + P340 +	P312 IF INHALED: Remove pe air and keep comfortable for bre POISON CENTER/ doctor if you	eathing. Call a
	P305 + P351 +	P338 + P310 IF IN EYES: Rins with water for several minutes. I tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Storage:		
	P403 + P233	Store in a well-ventilated place. tainer tightly closed.	Keep con-

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
Sika [®] Ucrete [®] BC 4 Part 3



Version 2.0

Print Date 25.04.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponomo			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		· · ·
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 5 - < 10
-	215-137-3	Eye Dam. 1; H318	
	01-2119475151-45-	STOT SE 3; H335	
	XXXX	(Respiratory system)	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 60 - < 80
	238-878-4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

Sika[®] Ucrete[®] BC 4 Part 3



Revision Date: 24.04.2025Version 2.0Print Date 25.04.2025Date of last issue: 20.03.2025Version 2.0Print Date 25.04.2025

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. irritant effects
4.3 Indication of any imm Treatment	ediate medical attention and special treatment needed : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media :	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from the	he	e substance or mixture
Hazardous combustion prod- : ucts	•	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment : for firefighters		In the event of fire, wear self-contained breathing apparatus.
Further information :		Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective	e equipment and emergency procedures
Personal precautions :	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Try to prevent the material from entering drains or water courses.

Sika® Ucrete® BC 4 Part 3



4.2025

Revision Date: 24.04.2025	Version 2.0	Print Date 25.04
Date of last issue: 20.03.2025		

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products Advice on protection against : Avoid dust formation. Provide appropriate exhaust ventilation fire and explosion at places where dust is formed. Handle in accordance with good industrial hygiene and safety Hygiene measures practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Store in original container. Keep in a well-ventilated place. Requirements for storage • areas and containers Observe label precautions. Store in accordance with local regulations. Further information on stor-: Keep in a dry place. age stability No decomposition if stored and applied as directed. 7.3 Specific end use(s)

- Specific use(s)
- Consult most current local Product Data Sheet prior to any use.



Version 2.0

Print Date 25.04.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira- ble dust)	0,075 mg/m3 (Silica)	NL WG
	Further informa	ation: Carcinogenic	substances, base	d on the
	thresholdlimit e	effect		
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU
	Further informa	ation: Indicative		
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU
		TLV-8hr (Respira- ble)	1 mg/m3	NL WG
		TLV-15 min (Res- pirable)	4 mg/m3	NL WG

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	 Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances
unter / NIL 00000704040	



Version 2.0

Print Date 25.04.2025

Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls				
General advice	 Try to prevent the material from entering drains or water courses. No special environmental precautions required. 			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder grey
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or (exp	losive limits
Upper/lower flammability or o Upper explosion limit / Up- per flammability limit	-	
Upper explosion limit / Up-	-	
Upper explosion limit / Upper flammability limit	-	No data available
Upper explosion limit / Up- per flammability limit Lower explosion limit / Lower flammability limit	:	No data available No data available Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] BC 4 Part 3



Revision Date: 24.04.2025 Date of last issue: 20.03.2025	Version 2.0	Print Date 25.04.2025
рН	> 11 Concentration: 50 %	
Viscosity Viscosity, kinematic	Not applicable	
Solubility(ies) Water solubility	dispersible	
Partition coefficient: n- octanol/water	No data available	
Vapour pressure	No data available	
Density	No data available	
Bulk density	1.800 - 2.400 kg/m3 (20 °C)	
Relative vapour density	No data available	
Particle characteristics	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

10.5 Incompatible materials

Sika[®] Ucrete[®] BC 4 Part 3



Revision Date: 24.04.2025 Date of last issue: 20.03.2025	Version 2.0	Print Date 25.04.2025
Materials to avoid	: No data available	
10.6 Hazardous decomposition p	roducts	
	: No hazardous decomposition products	s are known.
SECTION 11: Toxicological inf	ormation	
11.1 Information on hazard classe	es as defined in Regulation (EC) No 1272	2/2008
Acute toxicity Not classified due to lack of dat	a.	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye irrita Causes serious eye damage.	ation	
Respiratory or skin sensitisa	tion	
Skin sensitisation Not classified due to lack of dat	a.	
Respiratory sensitisation Not classified due to lack of dat	a.	
Germ cell mutagenicity Not classified due to lack of dat	a.	
Carcinogenicity Not classified due to lack of dat	a.	
Reproductive toxicity Not classified due to lack of dat	a.	
STOT - single exposure May cause respiratory irritation		
STOT - repeated exposure Not classified due to lack of dat	a.	
Aspiration toxicity Not classified due to lack of dat	a.	
11.2 Information on other hazards	6	
Endocrine disrupting propert Not classified due to lack of dat		
Product: Assessment	: The substance/mixture does not contai	in components consid-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika® Ucrete® BC 4 Part 3



Revision Date: 24.04.2025 Date of last issue: 20.03.2025 Version 2.0

Print Date 25.04.2025

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.

Sika[®] Ucrete[®] BC 4 Part 3



Revision Date: 24.04.2025 Date of last issue: 20.03.2025 Version 2.0

Print Date 25.04.2025

This material and its container must be disposed of in a safe way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2	2 UN proper shipping name				
	ADR	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.:	3 Transport hazard class(es)				
	ADR	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4	4 Packing group				
	ADR	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	IATA (Cargo)	:	Not regulated as a dangerous good		
	IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards					
	Not regulated as a dangerous good				

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Version 2.0

Print Date 25.04.2025

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors					
REACH Information:	All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.				
REACH - Restrictions on the ma the market and use of certain da mixtures and articles (Annex XV	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement (chromi- um reduced)		
REACH - Candidate List of Subs Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).		
REACH - List of substances sub (Annex XIV)	ject to authorisation	:	Not applicable		
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	:	Not applicable		
Regulation (EU) 2019/1021 on p tants (recast)	ersistent organic pollu-	:	Not applicable		
Netherlands. Substances of very	high concern (ZZS-list)	:	Quartz (SiO2)		
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals	•	:	Not applicable		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable					
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compounds		

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika® Ucrete® BC 4 Part 3



Revision Date: 24.04.2025 Date of last issue: 20.03.2025 Version 2.0

Print Date 25.04.2025

Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Not applicable

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	ons	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a
		fourth list of indicative occupational exposure limit values
NL WG	:	Netherlands. Law on Labour conditions - Occupational Expo- sure Limits
2017/164/EU / STEL		Short term exposure limit
2017/164/EU / TWA	÷	Limit Value - eight hours
NL WG / TLV-8hr	÷	Time Weighted Average
NL WG / TLV-15 min	÷	Short Term Exposure Limit
ADR	÷	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	÷	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	÷	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
	-	Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	÷	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH		Regulation (EC) No 1907/2006 of the European Parliament
-		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-

Sika[®] Ucrete[®] BC 4 Part 3



Revision Date: 24.04.2025 Date of last issue: 20.03.2025	Version 2.0	Print Date 25.04.2025
SVHC vPvB	cals (REACH), establishing a EuropeaSubstances of Very High ConcernVery persistent and very bioaccumulat	

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN