

Version 3.4

Print Date 14.02.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

Trade name	<sup>:</sup> Sikagard <sup>®</sup> -260 WPU Part I	В
Substance name	: Aliphatic polyisocyanate	
CAS-No.	: 160994-68-3	

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: F	looring system,	For	r professional users only.
-------------	-----	-----------------	-----	----------------------------

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht Nederland
Telephone		+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	÷	EHS@nl.sika.com
responsible for the SDS		

# **1.4 Emergency telephone number**

+31-57-0854201

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

# 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard<sup>®</sup>-260 WPU Part B



Revision Date: 12.02.2025 Date of last issue: 11.09.2024			Vers	ion 3.4		Print Date 14.02.2025
Hazard pictograms	:					
Signal word	:	Warning				
Hazard statements	:	H317 H332 H335 H412	Harmi May c	ause an allergic skin ful if inhaled. ause respiratory irrita ful to aquatic life with	ition.	g effects.
Precautionary statements	:	Prevention P261 P273 P280	A A	woid breathing mist o woid release to the en Vear protective gloves	nvironmen	
		<b>Response:</b> P304 + P34	l0 + P3 a F	ir and keep comfortal OISON CENTER/ do	ble for bre octor if you	athing. Call a ı feel unwell.
		P333 + P31 P362 + P36	а 64 Т	f skin irritation or rash dvice/ attention. Fake off contaminated refore reuse.		

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

CAS-No. : 160994-68-3

#### Components

Chemical name	CAS-No.	Concentration (%	M-Factor, SCL, ATE
	EC-No.	w/w)	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Sikagard<sup>®</sup>-260 WPU Part B

Revision Date: 12.02.2025
Date of last issue: 11.09.2024

Version 3.4

Print Date 14.02.2025

Aliphatic polyisocyanate	160994-68-3 Not Assigned	100	Acute toxicity estimate Acute inhalation toxici- ty (dust/mist): 1,5 mg/l
hexamethylene-di- isocyanate	822-06-0 212-485-8	< 0,1	specific concentration limit Resp. Sens. 1; H334 >= 0,5 % Skin Sens. 1; H317 >= 0,5 % Acute toxicity estimate Acute oral toxicity: 746 mg/kg Acute inhalation toxici- ty (vapour): 0,124 mg/l

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures General advice Move out of dangerous area. : Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled Move to fresh air. : Consult a physician after significant exposure. In case of skin contact : Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. In case of eye contact : Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed Do not induce vomiting without medical advice. : Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms Cough Respiratory disorder

# Sikagard<sup>®</sup>-260 WPU Part B



Revision Date: 12.02.2025 Date of last issue: 11.09.2024		Version 3.4	Print Date 14.02.2025
		Allergic reactions Headache See Section 11 for more detailed information and symptoms.	n on health effects
Risks	:	irritant effects sensitising effects	
		May cause an allergic skin reaction. Harmful if inhaled. May cause respiratory irritation.	
<b>4.3 Indication of any immediate r</b> Treatment	ne :	dical attention and special treatment neede Treat symptomatically.	d
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
• •	:	In case of fire, use water/water spray/water ji ide/sand/foam/alcohol resistant foam/chemic extinction.	
5.2 Special hazards arising from	th	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are know	wn
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breat	thing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	e	measures	
Personal precautions, protec	tiv :	e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary se If the product contaminates rivers and lakes respective authorities.	

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica g	gel,
-------------------------	--	------



Version 3.4

Print Date 14.02.2025

acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Follow standard hygiene measures when handling chemical products</li> </ul>
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, in	ncl	uding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord-

		ance with local regulations.	
Further information on stor- age stability	:	No decomposition if stored and applied as directed.	

# 7.3 Specific end use(s)

Specific use(s) : Consult most current local Product Data Sheet prior to any use.



Version 3.4

Print Date 14.02.2025

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
hexamethylene-di-isocyanate	822-06-0	TWA	0,005 ppm 0,035 mg/m3	DE TRGS 900

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.

# Sikagard<sup>®</sup>-260 WPU Part B



Revision Date: 12.02.2025 Date of last issue: 11.09.2024 Version 3.4

Print Date 14.02.2025

### **Environmental exposure controls**

General advice

: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid colourless
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	> 200 °C
Flammability (solid, gas)	:	No data available
		La chua lineita
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture reacts with water
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
<b>Solubility(ies)</b> Water solubility	:	insoluble

# Sikagard<sup>®</sup>-260 WPU Part B



Revision Date: 12.02.2025	Version 3.4	Print Date 14.02.2025
Date of last issue: 11.09.2024		

Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: 0,01 hPa
Density	: ca. 1,16 g/cm3 (20 °C)
Relative vapour density	: No data available
Particle characteristics	: No data available

# 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

# **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

# 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

# 10.4 Conditions to avoid

Conditions to avoid : No data available

# 10.5 Incompatible materials

data available
)

# **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.



Version 3.4

Print Date 14.02.2025

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if inhaled.

# **Components:**

Aliphatic polyisocyanate:	
Acute inhalation toxicity :	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement
	Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method
hexamethylene-di-isocyanate:	
Acute oral toxicity :	LD50 Oral (Rat): 746 mg/kg
	Acute toxicity estimate: 746 mg/kg Method: Calculation method
Acute inhalation toxicity :	LC50 (Rat): 0,124 mg/l Exposure time: 4 h Test atmosphere: vapour
	Acute toxicity estimate: 0,124 mg/l Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity :	LD50 Dermal (Rat): > 7.000 mg/kg
Skin corrosion/irritation	

Not classified due to lack of data.

# Serious eye damage/eye irritation

Not classified due to lack of data.

# Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

# **Respiratory sensitisation**

Not classified due to lack of data.

# Germ cell mutagenicity

Not classified due to lack of data.

# Sikagard<sup>®</sup>-260 WPU Part B

**Jika**®

Revision Date: 12.02.2025 Date of last issue: 11.09.2024 Version 3.4

Print Date 14.02.2025

# Carcinogenicity

Not classified due to lack of data.

# **Reproductive toxicity**

Not classified due to lack of data.

# STOT - single exposure

May cause respiratory irritation.

#### STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

#### **Components:**

#### Aliphatic polyisocyanate:

Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l
aquatic invertebrates		Exposure time: 48 h

#### 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

# Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

Sikagard<sup>®</sup>-260 WPU Part B

Revision Date: 12.02.2025



Print Date 14.02.2025

Date of last issue: 11.09.2024 0.1% or higher.. 12.6 Endocrine disrupting properties Product: Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects **Product:** Additional ecological infor-: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. mation Harmful to aquatic life with long lasting effects.

Version 3.4

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	08 05 01* waste isocyanates
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sikagard<sup>®</sup>-260 WPU Part B



Revision Date: 12.02.2025 Date of last issue: 11.09.2024		Version 3.4	Print Date 14.02.2025
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	

INDG	•	Not regulated as a daligerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

: Not applicable

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 75

# Sikagard<sup>®</sup>-260 WPU Part B



Revision Date: 12.02.2025 Date of last issue: 11.09.2024	Version 3	3.4	Print Date 14.02.2025		
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).		
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable		
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	:	Not applicable		
Regulation (EU) 2019/1021 on pettants (recast)	ersistent organic pollu-	:	Not applicable		
Regulation (EU) No 649/2012 of ment and the Council concerning of dangerous chemicals	•	:	Not applicable		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable					
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax f	for volatile organic compounds		
			24 November 2010 on industrial and ns (integrated pollution prevention		

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance by the supplier.

# **SECTION 16: Other information**

#### Full text of other abbreviations

DE TRGS 900 DE TRGS 900 / TWA		Germany. TRGS 900 - Occupational exposure limit values. Time Weighted Average
ADR	:	European Agreement concerning the International Carriage of
CAS		Dangerous Goods by Road Chemical Abstracts Service
••		
DNEL	-	Derived no-effect level
EC50	:	Half maximal effective concentration

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sikagard<sup>®</sup>-260 WPU Part B



Revision Date: 12.02.2025 Date of last issue: 11.09.2024

Version 3.4

Print Date 14.02.2025

GHS	Globally Harmonized System	
ΙΑΤΑ	nternational Air Transport Association	
IMDG	nternational Maritime Code for Dangerous Goo	ds
LD50	Median lethal dosis (the amount of a material, g	
	once, which causes the death of 50% (one half)	
	est animals)	0 1
LC50	Median lethal concentration (concentrations of t	he chemical in
	air that kills 50% of the test animals during the c	
	period)	
MARPOL	nternational Convention for the Prevention of P	ollution from
	Ships, 1973 as modified by the Protocol of 1978	3
OEL	Occupational Exposure Limit	
PBT	Persistent, bioaccumulative and toxic	
PNEC	Predicted no effect concentration	
REACH	Regulation (EC) No 1907/2006 of the European	Parliament
	and of the Council of 18 December 2006 conce	
	stration, Evaluation, Authorisation and Restriction	
	cals (REACH), establishing a European Chemic	
SVHC	Substances of Very High Concern	0,
vPvB	Very persistent and very bioaccumulative	
	· · · · ·	

### **Further information**

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN