

Revision Date: 03.05.2024 Date of last issue: 28.04.2023 Version 3.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Injection-201 CE Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Sealing system, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.

Revision Date: 03.05.2024 Date of last issue: 28.04.2023 Version 3.3



2.2 Label elements

Labelling (REGULATION (EC) Hazard pictograms	No 1272/2008)	\land
Signal word :	Danger	
Hazard statements :	H317 Ma H319 Ca H332 Ha H334 Ma ing H335 Ma H351 Su H373 Ma	uses skin irritation. y cause an allergic skin reaction. uses serious eye irritation. rmful if inhaled. y cause allergy or asthma symptoms or breath- difficulties if inhaled. y cause respiratory irritation. spected of causing cancer. y cause damage to organs through prolonged repeated exposure if inhaled.
Precautionary statements :	Prevention: P201 P260 P264 P280 Response: P304 + P340 +	air and keep comfortable for breathing. Call a
	P342 + P311	POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Revision Date: 03.05.2024 Date of last issue: 28.04.2023



Version 3.3

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H314 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 \longrightarrow specific concentration limit Eye Irrit. 2; H319 >= 5 % Resp. Sens. 1; H334 >= 0,1 % Skin Irrit. 2; H315 >= 5 % STOT SE 3; H335 >= 5 %	>=80

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

Sika[®] Injection-201 CE Part B



Revision Date: 03.05.2024 Version 3.3 Date of last issue: 28.04.2023 : Immediately flush eye(s) with plenty of water. In case of eye contact Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If swallowed : Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 4.2 Most important symptoms and effects, both acute and delayed Symptoms Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms. Risks irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled. 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically. **SECTION 5: Firefighting measures** 5.1 Extinguishing media Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon diox-

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known

extinction.

ide/sand/foam/alcohol resistant foam/chemical powder for

Print Date 03.05.2024

Revision Date: 03.05.2024 Date of last issue: 28.04.2023 Version 3.3

ucts

5.3 Advice for firefighters

Further information

Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.
for firefighters		

: Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

••••••••••••••••••••••••••••••••••••••		, eduibinen en en en 2en et biere en er
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	 Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products
--	-------------------------	---

Advice on protection against	:	Normal measures for preventive fire protection.



Revision Date: 03.05.2024 Date of last issue: 28.04.2023	Version 3.3	Print Date 03.05.2024
fire and explosion		
Hygiene measures :	Handle in accordance with good industrial hy practice. When using do not eat or drink. When smoke. Wash hands before breaks and at the	nen using do not
7.2 Conditions for safe storage, inc	luding any incompatibilities	
Requirements for storage : areas and containers	Keep container tightly closed in a dry and we place. Containers which are opened must be sealed and kept upright to prevent leakage. ance with local regulations.	e carefully re-
Further information on stor- : age stability	No decomposition if stored and applied as di	rected.
7.3 Specific end use(s)		
Specific use(s) :	Cleaning with aprotic polar solvents must be Consult most current local Product Data She use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *	
		of exposure)	ters *		
Diphenylmethanediisocyanate, isomeres	9016-87-9	AGW (Inhalable	0,05 mg/m3	DE TRGS 900	
and homologues		fraction)	(MDI)		
	Further information: Senate commission for the review of com-				
	pounds at the work place dangerous for the health has also estab-				
	lished a BEI-value for the same OEL value in the 'MAK- and BAT-				
	value list'				

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipm	nent	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.

Sika® Injection-201 CE Part B

Revision Date: 03.05.2024



Date of last issue: 28.04.2023		
	Suitable for short time use or protection aga Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection	: Protective clothing (e.g. Safety shoes acc. to long-sleeved working clothing, long trousers and protective boots are additionaly recomm and stirring work.	s). Rubber aprons
Respiratory protection	 In case of inadequate ventilation wear respin Respirator selection must be based on know exposure levels, the hazards of the product ing limits of the selected respirator. Use a properly fitted NIOSH approved air-pur respirator complying with an approved stand sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 100 Ensure adequate ventilation. This can be ad exhaust extraction or by general ventilation. ods for determining inhalation exposure). The ticular to the mixing / stirring area. In case the to keep the concentrations under the occupa limits then respiration protection measures re Ensure adequate ventilation, especially in comparison. 	vn or anticipated and the safe work- urifying or air-fed dard if a risk as- 000 ppm chieved by local (EN 689 - Meth- nis applies in par- nis is not sufficent ational exposure must be used.
Environmental exposure	controls	
General advice	: Do not flush into surface water or sanitary so If the product contaminates rivers and lakes respective authorities.	

Version 3.3

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid brown
Odour	:	slight
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Sika® Injection-201 CE Part B

Revision Date: 03.05.2024 Date of last issue: 28.04.2023 Version 3.3



Upper/lower flammability or explosive limits

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 101 °C Method: closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable
Viscosity Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	0,036 hPa (20 °C)
Density	:	ca. 1,07 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

Revision Date: 03.05.2024 Date of last issue: 28.04.2023 Version 3.3



SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No d	lata available
----------------------------	----------------

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity	:	LD50 Oral (Rat): > 10.000 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 9.400 mg/kg
Skin corrosion/irritation Causes skin irritation.		

Serious eye damage/eye irritation

Causes serious eye irritation.

Revision Date: 03.05.2024 Date of last issue: 28.04.2023

Version 3.3



Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:	
Diphenylmethanediisocya	anate, isomeres and homologues:
Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

Revision Date: 03.05.2024 Date of last issue: 28.04.2023 Version 3.3



12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:		
Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects		
Product:		
Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	: 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances

Sika[®] Injection-201 CE Part B

Print Date 03.05.2024

Revision Date: 03.05.2024 Date of last issue: 28.04.2023 Version 3.3

Contaminated packaging

15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	B Transport hazard class(es)		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	Packing group		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good
	IATA (Passenger)	:	Not regulated as a dangerous good

:

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

```
REACH Information: All substances contained in our Products are
```

Sika[®] Injection-201 CE Part B



Revision Date: 03.05.2024 Date of last issue: 28.04.2023 Version 3.3

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
			Diphenylmethanediisocyanate, iso- meres and homologues (Number on list 74, 56)
REACH - Candidate List of Substa Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subject to authorisation (Annex XIV)			Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)			Not applicable
Regulation (EU) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals			Not applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar		ent	and of the Council on the control of ma-
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	x fc	or volatile organic compounds
			4 November 2010 on industrial ution prevention and control)

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Sika® Injection-201 CE Part B

Revision Date: 03.05.2024 Date of last issue: 28.04.2023 Version 3.3



SECTION 16: Other information

Full text of H-Statements				
H315		Causes skin irritation.		
H317	:			
	•	May cause an allergic skin reaction.		
H319	:	Causes serious eye irritation.		
H332	:	Harmful if inhaled.		
H334	:	May cause allergy or asthma symptoms or breathing difficul-		
		ties if inhaled.		
H335	•	May cause respiratory irritation.		
H351		Suspected of causing cancer.		
H373	:	May cause damage to organs through prolonged or repeated		
1375	•			
		exposure if inhaled.		
Full text of other abbreviations				
Acute Tox.	:	Acute toxicity		
Carc.	:	Carcinogenicity		
Eye Irrit.	:	Eye irritation		
Resp. Sens.		Respiratory sensitisation		
Skin Irrit.	:	Skin irritation		
Skin Sens.	:	Skin sensitisation		
	:			
STOT RE	÷	Specific target organ toxicity - repeated exposure		
STOT SE	:	Specific target organ toxicity - single exposure		
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.		
DE TRGS 900 / AGW	:	Time Weighted Average		
ADR	:	European Agreement concerning the International Carriage of		
		Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL		Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:			
	•	Globally Harmonized System		
IATA	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at		
		once, which causes the death of 50% (one half) of a group of		
		test animals)		
LC50	:	Median lethal concentration (concentrations of the chemical in		
		air that kills 50% of the test animals during the observation		
		period)		
MARPOL		International Convention for the Prevention of Pollution from		
MARFOL	•			
		Ships, 1973 as modified by the Protocol of 1978		
OEL	:	Occupational Exposure Limit		
PBT	:	Persistent, bioaccumulative and toxic		
PNEC	:	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament		
		and of the Council of 18 December 2006 concerning the Reg-		
		istration, Evaluation, Authorisation and Restriction of Chemi-		
		cals (REACH), establishing a European Chemicals Agency		
SVHC				
	:	Substances of Very High Concern		
vPvB	:	Very persistent and very bioaccumulative		

Sika® Injection-201 CE Part B

Revision Date: 03.05.2024 Date of last issue: 28.04.2023

Classification procedure:

Further information

Classification of the mixture:

Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Version 3.3

Changes as compared to previous version !

NL / EN

