

Version 4.0

Print Date 25.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Ucrete[®] IF Part 3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

| Company name of supplier | : | Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht Nederland |
|---|---|---|
| | | |
| Telephone | : | +31-30-2410120 |
| Telefax | : | +31-30-2414482 |
| E-mail address of person responsible for the SDS | : | EHS@nl.sika.com |

1.4 Emergency telephone number

+31-57-0854201


SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

| Classification (REGULATION (EC) No 1272/2008) | | | |
|---|---|--|--|
| Skin irritation, Category 2 | H315: Causes skin irritation. | | |
| Serious eye damage, Category 1 | H318: Causes serious eye damage. | | |
| Specific target organ toxicity - single ex- posure, Category 3, Respiratory system | H335: May cause respiratory irritation. | | |

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)





Sika[®] Ucrete[®] IF Part 3

| Revision Date: 24.04.2025 Date of last issue: 19.03.2025 | V | ersion 4.0 | Print Date 25.04.2025 |
|---|-----------------|--|----------------------------|
| | H335 Ma | y cause respiratory irritation. | |
| Precautionary statements : | P101 | If medical advice is needed, hav container or label at hand. | e product |
| | P102 | Keep out of reach of children. | |
| | Prevention: | | |
| | P271 | Use only outdoors or in a well-ve | entilated ar- |
| | P280 | Wear protective gloves/ eye pro protection. | tection/ face |
| | Response: | | |
| | P305 + P351 + I | P338 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor. | Remove con- to do. Con- |
| | Disposal: | | |
| | P501 | Dispose of contents/container in with local regulation. | accordance |

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Version 4.0

Print Date 25.04.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Registration number | Classification | Concentration (% w/w) |
|----------------------------------|---|--|--------------------------|
| Cement (chromium reduced) | 65997-15-1 266-043-4 | Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) | >= 20 - < 25 |
| calcium dihydroxide | 1305-62-0 215-137-3 01-2119475151-45- XXXX | Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) | >= 1 - < 2,5 |
| White mineral oil (petroleum) | 8042-47-5 232-455-8 01-2119487078-27- XXXX | Asp. Tox. 1; H304 | >= 1 - < 2,5 |
| Substances with a workplace expo | sure limit : | | |
| Quartz (SiO2) | 14808-60-7 238-878-4 | | >= 40 - < 60 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| General advice | : | Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. |
|-------------------------|---|---|
| If inhaled | : | Move to fresh air. Consult a physician after significant exposure. |
| In case of skin contact | : | Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. |
| In case of eye contact | : | Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. |
| If swallowed | : | Do not induce vomiting without medical advice. |

Sika[®] Ucrete[®] IF Part 3



| Revision Date: 24.04.2025 Date of last issue: 19.03.2025 | | Version 4.0 | Print Date 25.04.202 |
|---|--------------------------------------|---|--|
| | | Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an uncons | scious person. |
| 4.2 Most important symptoms | and e | ffects, both acute and delayed | |
| Symptoms | : | Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information and symptoms. | on on health effects |
| Risks | : | Causes skin irritation. Causes serious eye damage. | |
| | | May cause respiratory irritation. | |
| | | May cause respiratory irritation. | |
| 4.3 Indication of any immediat | e med | irritant effects | led |
| 4.3 Indication of any immediat Treatment | e med | | led |
| Treatment | : | irritant effects lical attention and special treatment need Treat symptomatically. | led |
| Treatment | : | irritant effects lical attention and special treatment need Treat symptomatically. | led |
| Treatment SECTION 5: Firefighting me 5.1 Extinguishing media | easure | irritant effects lical attention and special treatment need Treat symptomatically. | |
| Treatment SECTION 5: Firefighting me | easure | irritant effects lical attention and special treatment need Treat symptomatically. | r jet/carbon diox- |
| Treatment SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing medi | : easure | irritant effects lical attention and special treatment need Treat symptomatically. es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction. | r jet/carbon diox- |
| Treatment SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing medi 5.2 Special hazards arising fro | easure a | irritant effects lical attention and special treatment need Treat symptomatically. es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction. | r jet/carbon diox- ical powder for |
| Treatment SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing medi 5.2 Special hazards arising fro Hazardous combustion products | easure a | irritant effects lical attention and special treatment need Treat symptomatically. es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction. substance or mixture | r jet/carbon diox- ical powder for |
| Treatment SECTION 5: Firefighting me 5.1 Extinguishing media Suitable extinguishing medi 5.2 Special hazards arising fro Hazardous combustion proc | : easure a : om the d- : | irritant effects lical attention and special treatment need Treat symptomatically. es In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction. substance or mixture | r jet/carbon diox- ical powder for own |

6.1 Personal precautions, protective equipment and emergency procedures

| Personal precautions : | Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons. |
|------------------------|--|
|------------------------|--|



| Revision Date: 24.04.2025 Date of last issue: 19.03.2025 | | Version 4.0 | Print Date 25.04.2025 |
|---|------|---|-----------------------|
| 6.2 Environmental precautions | | | |
| Environmental precautions | : | Try to prevent the material from entering c courses. No special environmental precautions req | |
| 6.3 Methods and material for co | ntai | | uned. |

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| | Advice on safe handling | : | Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products |
|-----|---|------|--|
| | Advice on protection against fire and explosion | : | Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. |
| | Hygiene measures | : | Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |
| 7.2 | Conditions for safe storage, i | incl | uding any incompatibilities |
| | Requirements for storage areas and containers | : | Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations. |
| | Further information on stor- age stability | : | Keep in a dry place. No decomposition if stored and applied as directed. |
| 7.3 | Specific end use(s) | | |
| | Specific use(s) | : | Consult most current local Product Data Sheet prior to any use. |



Version 4.0

Print Date 25.04.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters * | Basis * |
|-------------------------------|-------------------------------|--------------------------------|---------------------------|-------------|
| Quartz (SiO2) | 14808-60-7 | TLV-8hr (Respira- ble dust) | 0,075 mg/m3 (Silica) | NL WG |
| | Further inform thresholdlimit | nation: Carcinogenic effect | substances, base | ed on the |
| calcium dihydroxide | 1305-62-0 | TWA (Respirable fraction) | 1 mg/m3 | 2017/164/EU |
| | Further inform | nation: Indicative | | |
| | | STEL (Respirable fraction) | 4 mg/m3 | 2017/164/EU |
| | | TLV-8hr (Respira- ble) | 1 mg/m3 | NL WG |
| | | TLV-15 min (Res- pirable) | 4 mg/m3 | NL WG |
| White mineral oil (petroleum) | 8042-47-5 | TLV-8hr (Mist) | 5 mg/m3 | NL WG |

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

| Eye/face protection | : | Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water |
|--------------------------|---|--|
| Hand protection | : | Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed. |
| Skin and body protection | : | Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. |
| Respiratory protection | : | In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P |

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika® Ucrete® IF Part 3



Revision Date: 24.04.2025 Date of last issue: 19.03.2025 Version 4.0

Print Date 25.04.2025

P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

| General advice | : Try to prevent the material from entering drains or water |
|----------------|---|
| | courses. |
| | No special environmental precautions required. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state Appearance Colour | : | solid powder light grey | | | | |
|--|-----|--|--|--|--|--|
| Odour | : | odourless | | | | |
| Melting point/ range / Freez- ing point | : | No data available | | | | |
| Boiling point/boiling range | : | No data available | | | | |
| Flammability (solid, gas) | : | No data available | | | | |
| Upper/lower flammability or explosive limits | | | | | | |
| Upper/lower flammability or o | exp | losive limits | | | | |
| Upper/lower flammability or Upper explosion limit / Up- per flammability limit | • | | | | | |
| Upper explosion limit / Up- | • | No data available | | | | |
| Upper explosion limit / Up- per flammability limit Lower explosion limit / | : | No data available | | | | |
| Upper explosion limit / Up- per flammability limit Lower explosion limit / Lower flammability limit | : | No data available No data available Not applicable | | | | |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] IF Part 3

_



| Revision Date: 24.04.2025 Date of last issue: 19.03.2025 | Version 4.0 | Print Date 25.04.2025 |
|---|-------------------------------|-----------------------|
| | | |
| рН | : > 11 Concentration: 50 % | |
| Viscosity | | |
| Viscosity, kinematic | : Not applicable | |
| | | |
| Solubility(ies) | | |
| Water solubility | : No data available | |
| Partition coefficient: n- | : No data available | |
| octanol/water | | |
| | | |
| Vapour pressure | : No data available | |
| | | |
| Density | : No data available | |
| | | |
| Relative vapour density | : No data available | |
| Particle characteristics | : No data available | |
| | | |
| | | |
| 9.2 Other information | | |

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

| Materials to avoid : No | data available |
|----------------------------|----------------|
| iviaterials to avoid : INO | data avallable |



Version 4.0

Print Date 25.04.2025

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

- - - -

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

White mineral oil (petroleum):

| Acute oral toxicity | ÷ | LD50 Oral (Rat): > 5.000 mg/kg |
|---------------------------|---|--|
| Acute inhalation toxicity | : | LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist |

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.



Revision Date: 24.04.2025 Date of last issue: 19.03.2025

Sika[®] Ucrete[®] IF Part 3

Version 4.0

Print Date 25.04.2025

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified due to lack of data.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

White mineral oil (petroleum):

| Toxicity to fish | • | scus idus (Golden orfe)): > 1.000 mg/l ıre time: 96 h |
|----------------------------------|--------|--|
| Toxicity to algae/aquatic plants | 100 mg | (Pseudokirchneriella subcapitata (green algae)): >= g/l ure time: 72 h |

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

2

Product:

Assessment

The substance/mixture does not contain components consid-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika® Ucrete® IF Part 3



Print Date 25.04.2025

| | ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. | | | |
|--|---|--|--|--|
| 12.7 Other adverse effects | | | | |
| Product: Additional ecological infor- : mation | There is no data available for this product. | | | |
| SECTION 13: Disposal considerations | | | | |
| 13.1 Waste treatment methods | | | | |
| Product : | The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe | | | |

waste disposal contractor.

local authority requirements.

soil, waterways, drains and sewers.

Dispose of surplus and non-recyclable products via a licensed

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional

Avoid dispersal of spilled material and runoff and contact with

Version 4.0

SECTION 14: Transport information

14.1 UN number or ID number

Revision Date: 24.04.2025

Date of last issue: 19.03.2025

| | ADR | : | Not regulated as a dangerous good |
|------|----------------------------|---|-----------------------------------|
| | IMDG | : | Not regulated as a dangerous good |
| | ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.2 | UN proper shipping name | | |
| | ADR | : | Not regulated as a dangerous good |
| | IMDG | : | Not regulated as a dangerous good |
| | ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.3 | Transport hazard class(es) | | |
| | ADR | : | Not regulated as a dangerous good |
| | IMDG | : | Not regulated as a dangerous good |

way.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] Ucrete[®] IF Part 3

Revision Date: 24.04.2025



Print Date 25.04.2025

| Date of last issue: 19.03.2025 | | | | | |
|---|--|----------------------------|-----|---|--|
| ΙΑΤΑ | : | Not regulated as a dange | ərc | ous good | |
| 14.4 Packing group | | | | | |
| ADR | : | Not regulated as a dange | ərc | ous good | |
| IMDG | : | Not regulated as a dange | erc | bus good | |
| IATA (Cargo) | : | Not regulated as a dange | ərc | bus good | |
| IATA (Passenger) | : | Not regulated as a dange | erc | bus good | |
| 14.5 Environmental hazards Not regulated as a dangerou | - | od | | | |
| 14.6 Special precautions for us Not applicable | ser | | | | |
| - | 14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied. | | | | |
| SECTION 15: Regulatory inf | orma | tion | | | |
| 15.1 Safety, health and enviror | nment | al regulations/legislatior | n : | specific for the substance or mixture | |
| International Chemical Wea Schedules of Toxic Chemica | pons | Convention (CWC) : | | Not applicable | |
| REACH Information: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. | | | | | |
| REACH - Restrictions on the the market and use of certain mixtures and articles (Annex | in dan | gerous substances, | | Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement (chromi- um reduced) | |
| REACH - Candidate List of Concern for Authorisation (A | | | | None of the components are listed (=> 0.1 %). | |

Version 4.0

REACH - List of substances subject to authorisation : Not applicable (Annex XIV)

Regulation (EU) No 2024/590 on substances that de- : Not applicable plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

Sika[®] Ucrete[®] IF Part 3



Revision Date: 24.04.2025 Version 4.0 Print Date 25.04.2025 Date of last issue: 19.03.2025 tants (recast) Netherlands. Substances of very high concern (ZZS-list) : Quartz (SiO2) Crystalline silica Regulation (EU) No 649/2012 of the European Parlia-: Not applicable ment and the Council concerning the export and import of dangerous chemicals Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable Volatile organic compounds Law on the incentive tax for volatile organic compounds ÷ (VOCV) Volatile organic compounds (VOC) content: <= 3% w/w no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

| Full text of H-Statements | | |
|--------------------------------|-----|---|
| H304 | : | May be fatal if swallowed and enters airways. |
| H315 | : | Causes skin irritation. |
| H318 | : | Causes serious eye damage. |
| H335 | : | May cause respiratory irritation. |
| Full text of other abbreviatio | ons | |
| Asp. Tox. | : | Aspiration hazard |
| Eye Dam. | : | Serious eye damage |
| Skin Irrit. | : | Skin irritation |
| STOT SE | : | Specific target organ toxicity - single exposure |
| 2017/164/EU | : | Europe. Commission Directive 2017/164/EU establishing a |
| | | fourth list of indicative occupational exposure limit values |
| NL WG | : | Netherlands. Law on Labour conditions - Occupational Expo- sure Limits |
| 2017/164/EU / STEL | | Short term exposure limit |
| 2017/164/EU / TWA | | • |
| | | Limit Value - eight hours |
| NL WG / TLV-8hr | : | Time Weighted Average |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® Ucrete® IF Part 3



| Revision Date: 24.04.2025 Date of last issue: 19.03.2025 | | Version 4.0 | Print Date 25.04.2025 |
|---|---|--|----------------------------------|
| NL WG / TLV-15 min | | Short Term Exposure Limit | |
| ADR | : | European Agreement concerning the Internatio Dangerous Goods by Road | nal Carriage of |
| CAS | : | Chemical Abstracts Service | |
| DNEL | : | Derived no-effect level | |
| EC50 | : | Half maximal effective concentration | |
| GHS | : | Globally Harmonized System | |
| ΙΑΤΑ | : | International Air Transport Association | |
| IMDG | : | International Maritime Code for Dangerous Go | ods |
| LD50 | : | Median lethal dosis (the amount of a material, g | |
| | | once, which causes the death of 50% (one half test animals) |) of a group of |
| LC50 | : | Median lethal concentration (concentrations of air that kills 50% of the test animals during the period) | |
| MARPOL | | International Convention for the Prevention of F | Pollution from |
| | • | Ships, 1973 as modified by the Protocol of 197 | |
| OEL | : | Occupational Exposure Limit | - |
| PBT | : | Persistent, bioaccumulative and toxic | |
| PNEC | : | Predicted no effect concentration | |
| REACH | : | Regulation (EC) No 1907/2006 of the European and of the Council of 18 December 2006 conce istration, Evaluation, Authorisation and Restrict cals (REACH), establishing a European Chemi | erning the Reg- ion of Chemi- |
| SVHC vPvB | : | Substances of Very High Concern Very persistent and very bioaccumulative | <u> </u> |

Further information

| Classification of the m | ixture: | Classification procedure: |
|-------------------------|---------|---------------------------|
| Skin Irrit. 2 | H315 | Calculation method |
| Eye Dam. 1 | H318 | Calculation method |
| STOT SE 3 | H335 | Calculation method |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN