

Revision Date: 06.02.2025 Date of last issue: 02.01.2025 Version 1.1

Print Date 07.02.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sika-Trocal C 733

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Sealant/adhesive, For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person responsible for the SDS	:	EHS@nl.sika.com

#### 1.4 Emergency telephone number

+31-57-0854201

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

	Classification (REGULATION (EC) No 1272/2008)					
	Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.				
	Eye irritation, Category 2	H319: Causes serious eye irritation.				
	Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.				
2 Label elements						
Labelling (REGULATION (EC) No 1272/2008)						

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H225	Highly flammable liquid and vapour.

2.2

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika-Trocal C 733



Revision Date: 06.02.2025 Date of last issue: 02.01.2025		Version 1.1	Print Date 07.02.2025
	H319 H336	Causes serious eye irritation. May cause drowsiness or dizzine	ess.
Supplemental Hazard : Statements	EUH066	Repeated exposure may ca or cracking.	use skin dryness
Precautionary statements :	Preventior	1:	
	P210	Keep away from heat, hot s open flames and other igniti smoking.	· · ·
	P233	Keep container tightly close	
	P261	Avoid breathing mist or vap	
	P280	Wear protective gloves/ pro eye protection/ face protection	
	Response		
	P303 + P36	61 + P353 IF ON SKIN (or hair): ately all contaminated clothi with water.	
	P370 + P37	78 In case of fire: Use dry sand alcohol-resistant foam to ex	

#### Hazardous components which must be listed on the label:

ethyl acetate

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# Sika-Trocal C 733



Revision Date: 06.02.2025 Date of last issue: 02.01.2025 Version 1.1

Print Date 07.02.2025

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

00111011113		1	
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
ethyl acetate	141-78-6 205-500-4 01-2119475103-46- XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066	>= 25 - < 40
butanone	78-93-3 201-159-0 01-2119457290-43- XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066	>= 25 - < 40

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the do	octor in attendance.
If inhaled	Move to fresh air. Consult a physician after significant o	exposure.
In case of skin contact	Take off contaminated clothing and s Wash off with soap and plenty of was If symptoms persist, call a physician.	ter.
In case of eye contact	Immediately flush eye(s) with plenty Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a spe	
If swallowed	Do not induce vomiting without medi Rinse mouth with water. Do not give milk or alcoholic beverag Never give anything by mouth to an	jes.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Excessive lachrymation
----------	--------------------------

# Sika-Trocal C 733



Revision Date: 06.02.2025 Date of last issue: 02.01.2025		Version 1.1	Print Date 07.02.202
		Erythema Loss of balance Vertigo See Section 11 for more detailed informatio and symptoms.	n on health effects
Risks	: i	irritant effects	
	I	Causes serious eye irritation. May cause drowsiness or dizziness. Repeated exposure may cause skin drynes:	s or cracking.
4.3 Indication of any immediate	medi	cal attention and special treatment need	ed
		<b>-</b> , , , , , ,	
		Treat symptomatically.	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing	sure:	s	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media	sure:	<b>s</b> Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from	sure:	s Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water substance or mixture	
SECTION 5: Firefighting meas 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from	sure:	<b>s</b> Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water	own
<ul> <li>SECTION 5: Firefighting meas</li> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing media</li> <li>Unsuitable extinguishing media</li> <li>5.2 Special hazards arising from Hazardous combustion products</li> </ul>	sure:	s Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water substance or mixture	own
<ul> <li>SECTION 5: Firefighting meas</li> <li>5.1 Extinguishing media         <ul> <li>Suitable extinguishing media</li> <li>Unsuitable extinguishing media</li> </ul> </li> <li>5.2 Special hazards arising from Hazardous combustion products</li> <li>5.3 Advice for firefighters</li> </ul>	sure:	s Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water substance or mixture	

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Remove all sources of ignition.
		Deny access to unprotected persons.
		Beware of vapours accumulating to form explosive concentra-
		tions. Vapours can accumulate in low areas.

#### **6.2 Environmental precautions**

Environmental precautions		Prevent product from entering drains.
Country NL 100000035810		

# Sika-Trocal C 733



Revision Date: 06.02.2025	Version 1.1	Print Date 07.02.2025
Date of last issue: 02.01.2025		

If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling :	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical products
	Advice on protection against : fire and explosion	Use explosion-proof equipment. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Take precautionary measures against electrostatic discharges.
	Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, incl	uding any incompatibilities
	Requirements for storage : areas and containers	Store in cool place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.
	Further information on stor- : age stability	No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)



Revision Date: 06.02.2025 Date of last issue: 02.01.2025	Version 1.1	Print Date 07.02.2025
Specific use(s)	: Consult most current local Product Data use.	Sheet prior to any

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Sika-Trocal C 733

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *			
ethyl acetate	141-78-6	STEL	400 ppm 1.468 mg/m3	2017/164/EU			
	Further info	mation: Indicative					
		TWA	200 ppm 734 mg/m3	2017/164/EU			
		TWA	400 ppm 1.500 mg/m3	DE TRGS 900			
		TLV-8hr	200 ppm 734 mg/m3	NL WG			
		TLV-15 min	400 ppm 1.468 mg/m3	NL WG			
butanone	78-93-3	TWA	200 ppm 600 mg/m3	2000/39/EC			
	Further info	Further information: Indicative					
		STEL	300 ppm 900 mg/m3	2000/39/EC			
		TLV-8hr	197 ppm 590 mg/m3	NL WG			
	Further info	mation: Skin notation	-				
		TLV-15 min	300 ppm 900 mg/m3	NL WG			

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm),

# Sika-Trocal C 733



Revision Date: 06.02.2025 Date of last issue: 02.01.2025		Version 1.1	Print Date 07.02.2025
		breakthrough time >30 min.	
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to long-sleeved working clothing, long trousers and protective boots are additionaly recomm and stirring work.	s). Rubber aprons
Respiratory protection	:	In case of inadequate ventilation wear respi Respirator selection must be based on know exposure levels, the hazards of the product ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 100 Ensure adequate ventilation. This can be ad exhaust extraction or by general ventilation. ods for determining inhalation exposure). The ticular to the mixing / stirring area. In case the to keep the concentrations under the occupa- limits then respiration protection measures responses.	vn or anticipated and the safe work- 000 ppm chieved by local (EN 689 - Meth- nis applies in par- nis is not sufficent ational exposure
Environmental exposure co	ontr	ols	
General advice		Prevent product from entering drains.	

General advice : Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

internation on sacre phycical	an	
Physical state Colour	:	liquid yellow
Odour	:	solvent-like
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	77 - 78 °C
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	•	
Lower explosion limit /	:	Lower explosion limit

Sika-Trocal C 733



Revision Date: 06.02.2025 Date of last issue: 02.01.2025		Version 1.1	Print Date 07.02.2025
Lower flammability limit	2,1 %(V)		
Flash point	ca. 1 °C Method: clos	sed cup	
Auto-ignition temperature	425 °C		
Decomposition temperature	No data ava	ilable	
рН	Not applicab substance/m	le ixture is non-soluble (in water)	
Viscosity			
Viscosity, dynamic	ca. 1.500 ml	Pa.s (20 °C)	
Viscosity, kinematic	> 20,5 mm2/	/s (40 °C)	
Solubility(ies)			
Water solubility	partly soluble	9	
Partition coefficient: n- octanol/water	No data ava	ilable	
Vapour pressure	ca. 105 hPa	(20 °C)	
Density	ca. 0,90 g/cr	n3 (20 °C)	
Relative vapour density	No data ava	ilable	
Particle characteristics	No data ava	ilable	

#### 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika-Trocal C 733



Revision Date: 06.02.2025	Version 1.1	Print Date 07.02.2025
Date of last issue: 02.01.2025		
10.2 Chemical stability		
The product is chemically sta	ble.	
10.3 Possibility of hazardous re	actions	
Hazardous reactions	: Stable under recommended storage con	nditions.
	Vapours may form explosive mixture wi	ith air.
10.4 Conditions to avoid		
Conditions to avoid	: Heat, flames and sparks.	
10.5 Incompatible materials		
Materials to avoid	: No data available	

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity Not classified due to lack of data.

#### **Components:**

#### ethyl acetate:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): ca. 1.600 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg
butanone:		
Acute oral toxicity	:	LD50 Oral (Rat): 3.300 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 36 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg

#### Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

# Sika-Trocal C 733

Revision Date: 06.02.2025 Date of last issue: 02.01.2025 Version 1.1

Print Date 07.02.2025

## Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

#### **Respiratory sensitisation**

Not classified due to lack of data.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

## Reproductive toxicity

Not classified due to lack of data.

#### STOT - single exposure

May cause drowsiness or dizziness.

### STOT - repeated exposure

Not classified due to lack of data.

# Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available Country NL 10000035810



# Sika-Trocal C 733



Revision Date: 06.02.2025 Date of last issue: 02.01.2025

Version 1.1

Print Date 07.02.2025

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### **12.6 Endocrine disrupting properties**

Product:
----------

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

Product:		
Additional ecological infor-	:	There is no data available for this product.
mation		

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	UN 1133
IMDG	:	UN 1133

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika-Trocal C 733



Revision Date: 06.02.2025 Date of last issue: 02.01.2025	Version 1.1	Print Date 07.02.202
ΙΑΤΑ	: UN 1133	
	. UN 1135	
14.2 UN proper shipping name		
ADR	: ADHESIVES	
IMDG	: ADHESIVES	
ΙΑΤΑ	: Adhesives	
14.3 Transport hazard class(es)		
	Class Subsidiary ris	ks
ADR	: 3	
IMDG	: 3	
IATA	: 3	
	. 3	
14.4 Packing group		
<b>ADR</b> Packing group Classification Code Labels Tunnel restriction code Remarks	<ul> <li>III</li> <li>F1</li> <li>3</li> <li>(E)</li> <li>Transport according to 2.2.3.1.4 ADI</li> </ul>	R.
<b>IMDG</b> Packing group Labels EmS Code Remarks	<ul> <li>III</li> <li>3</li> <li>F-E, S-D</li> <li>Transport according to 2.3.2.2 IMDG</li> </ul>	<b>)</b> .
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels Remarks	<ul> <li>366</li> <li>Y344</li> <li>III</li> <li>Flammable Liquids</li> <li>Transport according to 3.3.3.1.1 IAT</li> </ul>	A.
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group	: Y344 : III	
Labels	: Flammable Liquids	
14.5 Environmental hazards		
ADR Environmentally hazardous	: no	
IMDG		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika-Trocal C 733



Revision Date: 06.02.2025 Date of last issue: 02.01.2025	Versior	n 1.1		Print Date 07.02.2025		
Marine pollutant	: no					
IATA (Passenger) Environmentally hazardous	: no					
IATA (Cargo) Environmentally hazardous	: no					
14.6 Special precautions for user						
The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.						
14.7 Maritime transport in bulk ac	cording to IMO instrun	nents	i			
Not applicable for product as su	ıpplied.					
SECTION 15: Regulatory inform	nation					
15.1 Safety, health and environme	• •	ation	•	tance or mixture		
International Chemical Weapon Schedules of Toxic Chemicals a		:	Not applicable			
REACH Information:	REACH Information: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.					
REACH - Restrictions on the mathematic market and use of certain date mixtures and articles (Annex X)	angerous substances,	:	Conditions of restricti lowing entries should Number on list 3			
			Number on list 75			
REACH - Candidate List of Sub Concern for Authorisation (Artic		:	None of the compone (=> 0.1 %).	ents are listed		
REACH - List of substances sul (Annex XIV)	bject to authorisation	:	Not applicable			
Regulation (EU) No 2024/590 o plete the ozone layer	n substances that de-	:	Not applicable			

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)

# Sika-Trocal C 733



Revision Date: 06.02.2025 Version 1.1 Print Date 07.02.2025 Date of last issue: 02.01.2025 Regulation (EU) No 649/2012 of the European Parlia-: Not applicable ment and the Council concerning the export and import of dangerous chemicals Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P5c FLAMMABLE LIQUIDS Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 77% w/w Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 77% w/w

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

Full text of H-Statements					
H225	:	Highly flammable liquid and vapour.			
H319	:	Causes serious eye irritation.			
H336	:	May cause drowsiness or dizziness.			
Full text of other abbreviations					
Eye Irrit.	:	Eye irritation			
Flam. Liq.	:	Flammable liquids			
STOT SE	:	Specific target organ toxicity - single exposure			
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first			
		list of indicative occupational exposure limit values			
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a			
		fourth list of indicative occupational exposure limit values			
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.			
NL WG	:	Netherlands. Law on Labour conditions - Occupational Expo-			
		sure Limits			
2000/39/EC / TWA	:	Limit Value - eight hours			
2000/39/EC / STEL	:	Short term exposure limit			
2017/164/EU / STEL	:	Short term exposure limit			
2017/164/EU / TWA	:	Limit Value - eight hours			
DE TRGS 900 / TWA	:	0 0			
NL WG / TLV-8hr	:	Time Weighted Average			
NL WG / TLV-15 min	:	Short Term Exposure Limit			
ADR	:	European Agreement concerning the International Carriage of			
		Dangerous Goods by Road			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika-Trocal C 733

Revision Date: 06.02.2025 Date of last issue: 02.01.2025	Version 1.1	Print Date 07.02.2025
CAS :	Chemical Abstracts Service	
DNEL :	Derived no-effect level	
EC50 :	Half maximal effective concentration	
GHS :	Globally Harmonized System	
IATA :	International Air Transport Association	
IMDG :	International Maritime Code for Dangerous Goo	ds
LD50 :	Median lethal dosis (the amount of a material, g	iven all at
	once, which causes the death of 50% (one half)	of a group of
	test animals)	5
LC50 :	Median lethal concentration (concentrations of t	he chemical in
	air that kills 50% of the test animals during the c	
	period)	
MARPOL :	International Convention for the Prevention of P	ollution from
	Ships, 1973 as modified by the Protocol of 1978	
OEL :	Occupational Exposure Limit	
PBT :	Persistent, bioaccumulative and toxic	
PNEC	Predicted no effect concentration	
REACH :	Regulation (EC) No 1907/2006 of the European	Parliament
REAGIN .	and of the Council of 18 December 2006 concer	
	istration, Evaluation, Authorisation and Restriction	
SV/UC .	cals (REACH), establishing a European Chemic	ais Ayency
SVHC :	Substances of Very High Concern	
vPvB :	Very persistent and very bioaccumulative	

#### **Further information**

Classification of the mixture:		Classification procedure:
Flam. Liq. 2	H225	Based on product data or assessment
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN