## Sikagard<sup>®</sup>-385 EpoCem<sup>®</sup> Part C



Revision Date: 31.01.2025 Date of last issue: - Version 1.0

Print Date 07.02.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sikagard<sup>®</sup>-385 EpoCem<sup>®</sup> Part C

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Product use
- : Epoxy-Cementitious system, Primer, Product is not intended for consumer use, For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

#### 1.4 Emergency telephone number

+31-57-0854201

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Skin irritation, Category 2	H315: Causes skin irritation.					
Serious eye damage, Category 1	H318: Causes serious eye damage.					
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.					

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H315 Causes sk	in irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikagard<sup>®</sup>-385 EpoCem<sup>®</sup> Part C



Revision Date: 31.01.2025 Date of last issue: -	Version 1.0		Print Date 07.02.2025
		uses serious eye damage. y cause respiratory irritation.	
Precautionary statements :	<b>Prevention:</b> P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after han Wear protective gloves/ eye pro protection.	
	Response:		
	P304 + P340 + F	P312 IF INHALED: Remove pe air and keep comfortable for bro POISON CENTER/ doctor if yo	eathing. Call a
	P305 + P351 + F		se cautiously Remove con- to do. Con-
	Storage:		
	P403 + P233	Store in a well-ventilated place. tainer tightly closed.	Keep con-

#### Hazardous components which must be listed on the label:

Cement (chromium reduced)

#### 2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



# Sikagard<sup>®</sup>-385 EpoCem<sup>®</sup> Part C

Revision Date: 31.01.2025 Date of last issue: - Version 1.0

Print Date 07.02.2025

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms a	and e	effects, both acute and delayed
Symptoms	:	Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikagard®-385 EpoCem® Part C



Revision Date: 31.01.2025 Date of last issue: -	Version 1.0	Print Date 07.02.2025
	and symptoms.	
Risks	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
	irritant effects	
4.3 Indication of any immediate me	edical attention and special treatment n	eeded
Treatment	Treat symptomatically.	
SECTION 5: Firefighting measu	ires	
5.1 Extinguishing media		
Suitable extinguishing media	In case of fire, use water/water spray/w ide/sand/foam/alcohol resistant foam/ch extinction.	
5.2 Special hazards arising from the	ne substance or mixture	
Hazardous combustion prod-	No hazardous combustion products are	e known
5.3 Advice for firefighters		
Special protective equipment : for firefighters	In the event of fire, wear self-contained	breathing apparatus.
Further information	Standard procedure for chemical fires.	
SECTION 6: Accidental release	measures	
6.1 Personal precautions, protecti	ve equipment and emergency procedur	es
Personal precautions	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.	
6.2 Environmental precautions		
Environmental precautions	Try to prevent the material from enterin courses. No special environmental precautions r	
6.3 Methods and material for conta	ainment and cleaning up	
Methods for cleaning up	Pick up and arrange disposal without cr Keep in suitable, closed containers for o	

tion (EU) 2020/878

## Sikagard®-385 EpoCem® Part C



Revision Date: 31.01.2025 Date of last issue: - Version 1.0

Print Date 07.02.2025

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

7.1	Precautions for safe handling	J	
	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Contains no substances with accurational exposure limit values				

Contains no substances with occupational exposure limit values.

Sikagard®-385 EpoCem® Part C



Revision Date: 31.01.2025 Date of last issue: - Version 1.0

Print Date 07.02.2025

#### 8.2 Exposure controls

## **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment				
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.		
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.		
Respiratory protection	:	No special measures required.		
Environmental exposure controls				
General advice	:	Try to prevent the material from entering drains or water courses. No special environmental precautions required.		
		no special charlonmental precadions required.		

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder light grey
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikagard®-385 EpoCem® Part C



Revision Date: 31.01.2025 Date of last issue: - Version 1.0

Print Date 07.02.2025

Upper/lower flammability or e Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %
Viscosity Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	ca. 0,9 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

## 9.2 Other information

No data available



Revision Date: 31.01.2025 Date of last issue: - Version 1.0

Print Date 07.02.2025

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions				
Hazardous reactions :	No hazards to be specially mentioned.			
10.4 Conditions to avoid				
Conditions to avoid :	No data available			
10.5 Incompatible materials				
Materials to avoid :	No data available			
10.6 Hazardous decomposition products				
:	No hazardous decomposition products are known.			

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

#### **Respiratory sensitisation**

Not classified due to lack of data.

### Germ cell mutagenicity

Not classified due to lack of data.

### Carcinogenicity

Not classified due to lack of data.

Sikagard®-385 EpoCem® Part C



Revision Date: 31.01.2025 Date of last issue: - Version 1.0

Print Date 07.02.2025

## **Reproductive toxicity**

Not classified due to lack of data.

#### STOT - single exposure

May cause respiratory irritation.

### STOT - repeated exposure

Not classified due to lack of data.

### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Sikagard®-385 EpoCem® Part C Revision Date: 31.01.2025 Version 1.0 Date of last issue: -

Print Date 07.02.2025

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe way.</li> </ul>
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	Transport hazard class(es)		
	ADR	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikagard®-385 EpoCem® Part C



Revision Date: 31.01.2025 Date of last issue: -	Versio	n 1.0	Print Date 07.02.202
14.4 Packing group			
ADR	: Not regulated as a c	langerous good	
IMDG	: Not regulated as a c	langerous good	
IATA (Cargo)	: Not regulated as a c	langerous good	
IATA (Passenger)	: Not regulated as a c	langerous good	
14.5 Environmental hazards Not regulated as a danger	ous good		
14.6 Special precautions for Not applicable	user		
<b>14.7 Maritime transport in bu</b> Not applicable for product	-	ments	
<b>15.1 Safety, health and enviro</b> International Chemical We Schedules of Toxic Chemi REACH Information:	eapons Convention (CWC) cals and Precursors All substances conta - registered by our u	Not applicable ained in our Products ipstream suppliers, ar	are
	<ul> <li>registered by us, a</li> <li>excluded from the</li> <li>exempted from the</li> </ul>	regulation, and/or	
	he manufacture, placing on ain dangerous substances, ex XVII)	lowing entries	restriction for the fol- should be considered: t 47: Cement (chromi-
REACH - Candidate List on Concern for Authorisation	f Substances of Very High (Article 59).	: None of the contract (=> 0.1 %).	omponents are listed
REACH - List of substance (Annex XIV)	es subject to authorisation	: Not applicable	2
Regulation (EU) No 2024/ plete the ozone layer	590 on substances that de-	: Not applicable	9
Regulation (EU) 2019/102	1 on persistent organic pollu	- : Not applicable	9

tants (recast)

## Sikagard<sup>®</sup>-385 EpoCem<sup>®</sup> Part C



Revision Date: 31.01.2025 Version 1.0 Print Date 07.02.2025 Date of last issue: -Regulation (EU) No 649/2012 of the European Parlia-: Not applicable ment and the Council concerning the export and import of dangerous chemicals Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Not applicable

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

Full text of H-Statements				
H315	:	Causes skin irritation.		
H318	:	Causes serious eye damage.		
H335	:	May cause respiratory irritation.		
Full text of other abbreviations				
Eye Dam.	:	Serious eye damage		
Skin Irrit.	:	Skin irritation		
STOT SE	:	Specific target organ toxicity - single exposure		
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
ΙΑΤΑ	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at		
		once, which causes the death of 50% (one half) of a group of test animals)		
LC50	:	Median lethal concentration (concentrations of the chemical in		
		air that kills 50% of the test animals during the observation period)		
MARPOL	:	International Convention for the Prevention of Pollution from		
		Ships, 1973 as modified by the Protocol of 1978		
OEL	:	Occupational Exposure Limit		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sikagard®-385 EpoCem® Part C



Revision Date: 31.01.2025 Date of last issue: -		Version 1.0	Print Date 07.02.2025
PBT PNEC REACH	:	Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the Europ and of the Council of 18 December 2006 co istration, Evaluation, Authorisation and Rest cals (REACH), establishing a European Che	ncerning the Reg- triction of Chemi-
SVHC vPvB		Substances of Very High Concern Very persistent and very bioaccumulative	

#### **Further information**

Classification of the	mixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method
5	H335	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN