Sika[®] Ucrete[®] TCCS Part A



Revision Date: 26.06.2024 Date of last issue: - Version 1.0

Print Date 28.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Ucrete[®] TCCS Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special coating

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)Skin irritation, Category 2H315: Causes skin irritation.Skin sensitisation, Category 1H317: May cause an allergic skin reaction.Long-term (chronic) aquatic hazard, Category 3H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)						
Hazard pictograms	:					
Signal word	:	Warning				
Hazard statements	:	H315 H317	Causes skin irritation. May cause an allergic skin reaction.			

tion (EU) 2020/878

Sika® Ucrete® TCCS Part A



Revision Date: 26.06.2024 Date of last issue: -	N	/ersion 1.0	Print Date 28.06.2024
	H412 Ha	armful to aquatic life with long lasti	ng effects.
Precautionary statements :	Prevention:		
	P261 P264 P273 P280	Avoid breathing mist or vapours Wash skin thoroughly after han Avoid release to the environme Wear protective gloves.	dling.
	Response:		
	P333 + P313	If skin irritation or rash occurs: (advice/ attention.	Get medical
	P362 + P364	Take off contaminated clothing before reuse.	and wash it

Hazardous components which must be listed on the label:

(5-ethyl-1,3-dioxan-5-yl)methyl acrylate aromatic amine ethoxylated 2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate

Additional Labelling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
(5-ethyl-1,3-dioxan-5-yl)methyl	66492-51-1	Skin Irrit. 2; H315	>= 5 - < 10
acrylate	266-380-7	Skin Sens. 1B; H317	
	01-2119976303-36-	Aquatic Chronic 2;	
	XXXX	H411	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sika® Ucrete® TCCS Part A

Revision Date: 26.06.2024	
Date of last issue: -	

Version 1.0

Print Date 28.06.2024

Poly(oxy-1,4-butanediyl), .alpha hydroomegahydroxy-, polymer with 5-isocyanato-1- (isocyanatomethyl)-1,3,3- trimethylcyclohexane, 2- hydroxyethyl methacrylate- blocked	82339-26-2 Not Assigned	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 5 - < 10
propylidynetrimethyl trimethacry- late	3290-92-4 221-950-4 01-2119542176-41- XXXX	Aquatic Chronic 2; H411	>= 2,5 - < 5
Ethoxylated bis-phenol A di- methacrylate	41637-38-1 Not Assigned 01-2119980659-17- XXXX	Aquatic Chronic 4; H413	>= 1 - < 2,5
aromatic amine ethoxylated	Not Assigned 911-490-9 01-2119979579-10- XXXX	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412	>= 0,25 - < 0,5
2-ethyl-2-[[(1-oxoallyl)oxy]methyl]- 1,3-propanediyl diacrylate	15625-89-5 239-701-3 01-2119489896-11- XXXX	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,25 - < 0,5
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	-
Substances with a workplace expo			
Titanium dioxide (> 10 μm) For explanation of abbreviations se	13463-67-7 236-675-5 01-2119489379-17- XXXX		>= 5 - < 10

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® Ucrete® TCCS Part A



evision Date: 26.06.2024 ate of last issue: -		Version 1.0	Print Date 28.06.20
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	:	Take off contaminated clothing and shoes imm Wash off with soap and plenty of water. If symptoms persist, call a physician.	ediately.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	
.2 Most important symptoms ar	nd e	effects, both acute and delayed	
Symptoms	:	Allergic reactions Erythema Dermatitis See Section 11 for more detailed information o and symptoms.	n health effects
Risks	:	Causes skin irritation. May cause an allergic skin reaction.	
		irritant effects sensitising effects	
.3 Indication of any immediate	me	lical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
ECTION 5: Firefighting meas	sur	es	
.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction.	
.2 Special hazards arising from	the	e substance or mixture	
•		No hazardous combustion products are known	
.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathin	ng apparatus.
Country NL 100000054251			4 / 15

Sika® Ucrete® TCCS Part A



	Version 1.0	Print Date 28.06.2024
:	Standard procedure for chemical fires.	
se	neasures	
ctiv	e equipment and emergency procedures	
:	Use personal protective equipment. Deny access to unprotected persons.	
:	Do not flush into surface water or sanitary If the product contaminates rivers and lake respective authorities.	
ntai	nment and cleaning up	
:	Soak up with inert absorbent material (e.g. acid binder, universal binder, sawdust). Keep in suitable, closed containers for disp	-
	ctiv : :	 Standard procedure for chemical fires. se measures ctive equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons. Do not flush into surface water or sanitary If the product contaminates rivers and lake respective authorities. ntainment and cleaning up Soak up with inert absorbent material (e.g. acid binder, universal binder, sawdust).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Sika® Ucrete® TCCS Part A



Revision Date: 26.06.2024Version 1.0Print Date 28.06.2024Date of last issue: -

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet prior to any

SECTION 8: Exposure controls/personal protection

use.

8.1 Control parameters

7.3

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Titanium dioxide (> 10 µm)	13463-67-7	TWA	10 mg/m3	DE TRGS 900

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
methanol	67-56-1	TWA	200 ppm 260 mg/m3	2006/15/EC
	Further information: Indicative, Identifies the possibility of signifi- cant uptake through the skin			
		TLV-8hr	100 ppm 133 mg/m3	NL WG
	Further information: Skin notation			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	: Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	: Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.

Sika® Ucrete® TCCS Part A



Revision Date: 26.06.2024 Date of last issue: -		Version 1.0	Print Date 28.06.2024
		Suitable for short time use or protection aga Butyl rubber/nitrile rubber gloves (> 0,1 mm Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. t long-sleeved working clothing, long trousers and protective boots are additionaly recomm and stirring work.	s). Rubber aprons
Respiratory protection	:	In case of inadequate ventilation wear respined respirator selection must be based on know exposure levels, the hazards of the product ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 100 Ensure adequate ventilation. This can be aderest extraction or by general ventilation. Ods for determining inhalation exposure). The ticular to the mixing / stirring area. In case the to keep the concentrations under the occup limits then respiration protection measures the selected respirator.	wn or anticipated and the safe work- 000 ppm chieved by local (EN 689 - Meth- his applies in par- his is not sufficent ational exposure
Environmental exposure co	ontr	ols	
General advice	:	Do not flush into surface water or sanitary s If the product contaminates rivers and lakes respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	liquid viscous grey
Odour	:	slight
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® Ucrete® TCCS Part A



Revision Date: 26.06.2024 Date of last issue: - Version 1.0

Print Date 28.06.2024

Upper/lower flammability or explosive limits Upper explosion limit / Up- : No data available per flammability limit				
Lower explosion limit / Lower flammability limit	:	No data available		
Flash point	:	> 101 °C Method: closed cup		
Auto-ignition temperature	:	No data available		
Decomposition temperature	:	No data available		
рН	:	Not applicable substance/mixture is non-soluble (in water)		
Viscosity Viscosity, dynamic	:	ca. 3.500 mPa.s (20 °C)		
Viscosity, kinematic	:	No data available		
Solubility(ies)				
Water solubility	:	insoluble		
Partition coefficient: n- octanol/water	:	No data available		
Vapour pressure	:	0,01 hPa		
Density	:	ca. 1,5 g/cm3 (20 °C)		
Relative vapour density	:	No data available		
Particle characteristics	:	No data available		

9.2 Other information

No data available



Revision Date: 26.06.2024	
Date of last issue: -	

Version 1.0

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition	:	methanol
products		

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate:

Acute oral toxicity	:	LD50 Oral (Rat): 3.680 - 5.000 mg/kg
---------------------	---	--------------------------------------

Acute dermal toxicity	:	LD50 Dermal ((Rabbit): >	5.000 mg/kg
-----------------------	---	---------------	-------------	-------------

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Sika[®] Ucrete[®] TCCS Part A



Revision Date: 26.06.2024 Date of last issue: - Version 1.0

Print Date 28.06.2024

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate: Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,87 mg/l Exposure time: 96 h

Method: OECD Test Guideline 203

M-Factor (Acute aquatic tox- : 1 icity)

M-Factor (Chronic aquatic : 1 toxicity)

12.2 Persistence and degradability

No data available

Sika[®] Ucrete[®] TCCS Part A



Revision Date: 26.06.2024 Date of last issue: - Version 1.0

Print Date 28.06.2024

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

	Product: Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.	7 Other adverse effects		
	Product:		
	Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Revision Date: 26.06.2024 Date of last issue: - Version 1.0

Print Date 28.06.2024

SECTION 14: Transport information

14.1 UN number or ID number

ADR		Not regulated as a dangerous good
	•	
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legities	slation	specific for the substance or mixture
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable

REACH Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

Sika® Ucrete® TCCS Part A



Revision Date: 26.06.2024 Date of last issue: -	Version 2	1.0	Print Date 28.06.2024					
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3					
			Number on list 75:					
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).					
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable					
Regulation (EC) on substances th layer	nat deplete the ozone	:	Not applicable					
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable					
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable					
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable								
Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 0,88% w/w no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 1,88% w/w							

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Sika® Ucrete® TCCS Part A



Revision Date: 26.06.2024 Date of last issue: - Version 1.0

Print Date 28.06.2024

SECTION 16: Other information

Full text of H-Statements					
H302	:	Harmful if swallowed.			
H315	:	Causes skin irritation.			
H317	:	May cause an allergic skin reaction.			
H318	:	Causes serious eye damage.			
H319	:	Causes serious eye irritation.			
H351	:	Suspected of causing cancer.			
H400	:	Very toxic to aquatic life.			
H410	:	Very toxic to aquatic life with long lasting effects.			
H411	:	Toxic to aquatic life with long lasting effects.			
H412	:	Harmful to aquatic life with long lasting effects.			
H413	:	May cause long lasting harmful effects to aquatic life.			
Full text of other abbreviation	ns				
Acute Tox.	:	Acute toxicity			
Aquatic Acute	:	Short-term (acute) aquatic hazard			
Aquatic Chronic	:	Long-term (chronic) aquatic hazard			
Carc.	:	Carcinogenicity			
Eye Dam.	:	Serious eye damage			
Eye Irrit.	:	Eye irritation			
Skin Irrit.	:	Skin irritation			
Skin Sens.	:	Skin sensitisation			
2006/15/EC	:	Europe. Indicative occupational exposure limit values			
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.			
NL WG	:	Netherlands. Law on Labour conditions - Occupational Expo- sure Limits			
2006/15/EC / TWA	:	Limit Value - eight hours			
DE TRGS 900 / TWA	:	Time Weighted Average			
NL WG / TLV-8hr	:	Time Weighted Average			
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at			
		once, which causes the death of 50% (one half) of a group of test animals)			
LC50		Median lethal concentration (concentrations of the chemical in			
2000	•	air that kills 50% of the test animals during the observation period)			
MARPOL	:	International Convention for the Prevention of Pollution from			
···· • • -	-	Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
augustra NII 400000054054					

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® Ucrete® TCCS Part A



Revision Date: 26.06.2024 Date of last issue: -	١	ersion 1.0	Print Date 28.06.2024					
REACH	and of the Cou istration, Evalu	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency						
SVHC	(,	Substances of Very High Concern						
vPvB		Very persistent and very bioaccumulative						
Further information								
Classification of the mixtu	ire:	Classification pro	ocedure:					
Skin Irrit. 2	H315	Calculation metho	d					
Skin Sens. 1	H317	Calculation metho	d					
Aquatic Chronic 3	H412	Calculation metho	d					

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN